



1 LEVEL 03 PLAN
1:06

GENERAL CONSTRUCTION NOTES

1. FLOOR SLAB IN ALL AREAS OF DEMOLITION/NEW CONSTRUCTION SHALL RECEIVE FLOOR LEVELER COMPOUND AS PER SPECIFICATION SECTION 05416 - HYDRAULIC CEMENT UNDERLAYMENT. ASSUME 2" RECESS AT ALL AREAS WHERE PARTITIONS AND CERAMIC MOSAIC TILE WERE REMOVED.

FLOOR PLAN KEYNOTES


1 TOILET PLUMBING ACCESS PANEL. CENTERLINE @ 2'-0" OR 610mm AFF

ACCESSORY GROUP LIST

GROUP	ACCESSORY NUMBER(S)
RE: SPECS	RE: 800 SERIES
A	(1) 3; (1) 4
B	(1) 14
C	(2) 8
D	(1) 4; (1) 8; (1) 9
E	(1) 5; (1) 7; (1) 8; (1) 10; (1) 12; (1) 13
F	(1) 4; (1) 5; (1) 7; (2) 8; (2) 9; (2) 10; (2) 11; (1) 12; (1) 13; (1) 23
G	(1) 4; (1) 5; (1) 7; (2) 8; (2) 9; (2) 10; (1) 11; (1) 12; (2) 13; (1) 23

EQUIPMENT NUMBER	DESCRIPTION	FURNISHED BY	SUPPORT SERVICES, CONNECTIONS REQUIRED BY							COMMENTS
			RECEIVED AND SET BY	GENERAL	HV	PH	ELECTRICAL	DATA		
EQ-3	Full Featured Hospital Bed	OWNER	OWNER							
EQ-15	BLOOD DRAWER CHAIR	OWNER	OWNER							
EQ-22	777 Integrated Wall System	OWNER	GC	X				X		PROVIDE WALL SUPPORT
EQ-24	OS-300 GENERAL EXAM LIGHT WITH MOBILE STAND	OWNER	OWNER					X		
EQ-26	Riser 222 Barrier-Free Power Examination Table	OWNER	OWNER					X		
EQ-27	4.5 cu ft. Close-Draft Front Load Washer with Load & Go™ XL Dispenser Laveuse à chargement frontal à profondeur de comptoir et très grand distributeur de détergent Load & Go™, 5.2 pi³ C.E.I.	OWNER	OWNER					X	X	
EQ-28	CART, RESUSCITATION (CRASH CART), ADULT	OWNER	OWNER					X	X	
EQ-29	PRINTER/COPIER	OWNER	OWNER					X	X	
EQ-30	OWS - Connex Integrated Wall System	OWNER	GC	X				X		PROVIDE WALL SUPPORT
EQ-31	Lighting Resistant Protective TV Enclosure	GC	GC	X				X		PROVIDE WALL SUPPORT
EQ-39	REFRIGERATOR/FREEZER	OWNER	OWNER					X		
EQ-40	MICROWAVE	OWNER	OWNER					X		
EQ-42	REFRIGERATOR, BLOOD BANK, UNDERCOUNTER, 4.9 CU FT	OWNER	OWNER					X		
EQ-59	ARJID - BED PAN WASHER	OWNER	GC	X			X	X		PROVIDE WALL SUPPORT

1 Addendum No. 4 02/29/2024
Rev. Description Date



LEVEL 03 - FLOOR PLAN, EQUIPMENT SCHEDULE AND GENERAL NOTES

Project No.: 202008.50 Checked by: JW

A0101