
















27
R

FLOOR ASSEMBLIES - INTERIOR		
FL-1	 <ul style="list-style-type: none"> - CONCRETE SLAB ON GRADE - THICKNESS - REFER TO STRUCTURAL - REINFORCING - REFER TO STRUCTURAL - VAPOUR BARRIER - RIGID INSULATION - 200 COMPACTED GRAVEL 	 
FL-10	 <ul style="list-style-type: none"> - 200 CONCRETE - THICKNESS - REFER TO STRUCTURAL - REINFORCING - REFER TO STRUCTURAL - VAPOUR BARRIER - RIGID INSULATION - 200 COMPACTED GRAVEL 	 
CLT1	 <p>FRR - 60 min.</p> <p>CONSTRUCT AS FIRE SEPARATION WHERE NOTED</p> <p>- CLT FLOOR SYSTEM</p>	 
CLT2	 <p>- CLT FLOOR SYSTEM</p>	 
CLT3	 <p>FRR - 60 min.</p> <p>CONSTRUCT AS FIRE SEPARATION WHERE NOTED</p> <p>- CLT FLOOR SYSTEM</p>	 

ISSUE OR REVISION		
NO.	ISSUED FOR	DATE
7	SITE PLAN SUBMISSION 1	2022-05-31
10	SPA RE-SUBMISSION	2022-08-30
17	SPA - REVISION	2023-08-30
18	ISSUED FOR PERMIT	2023-09-15
19	ISSUED FOR RFQO	2023-10-19
24	ISSUED FOR CLASS A	2024-02-16
26	T24-253 - IFT	2024-04-15
27	ADDENDUM #1	2024-05-09



FILE NO. SP.22.V.0191

PROJECT:

**CITY OF VAUGHAN
FIRE STATION 7-12**

9511 WESTON ROAD, VAUGHAN

CLIENT

CLIENT

**VAUGHAN**

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO COMMENCEMENT OF THE WORK. ANY DISCREPANCIES ARE TO BE REPORTED TO THE CONSULTANT.

ARCHITECT
THOMASBROWNARCHITECTS

PROFESSIONAL SEAL

DWG TITLE

EXTERIOR & INTERIOR ASSEMBLIES

ORIENTATION

DATE 2021-11-24

SCALE	1 : 20	DRAWN BY	SRL
-------	--------	----------	-----

DWG STATUS

TENDER

PROJECT No. _____

2104

DRAWING No.

DRAWING No. **A0.2**

REVISION

27