


ISSUE OR REVISION		
NO.	ISSUED FOR	DATE
17	SPA - REVISION	2023-08-30
18	ISSUED FOR PERMIT	2023-09-15
19	ISSUED FOR RFPQ	2023-10-19
24	ISSUED FOR CLASS A	2024-02-16
26	T24-253 - IFT	2024-04-15



FILE NO. SP.22.V.0191

CITY OF VAUGHAN FIRE STATION 7-12

9511 WESTON ROAD, VAUGHAN

PROJECT :


CLIENT :






THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR
TO COMMENCEMENT OF THE WORK. ANY DISCREPANCIES
ARE TO BE REPORTED TO THE CONSULTANT.

ARCHITECT
THOMASBROWNARCHITECTS
197 SPADINA AVENUE, SUITE 500 | TORONTO ONTARIO | M5T 2C8

PROFESSIONAL SEAL




3 GROUND FLOOR - FOUNDATION
1 : 75
FOR SLAB DEPRESSIONS, FOUNDATION WALL DEPRESSIONS AND SCHEMATIC ROUTING OF UNDERGROUND SERVICES



- 1 GENERAL NOTES - FOUNDATION**
- A700 GENERAL NOTES - FOUNDATION PLAN
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH FOUNDATION PLANS PREPARED BY THE STRUCTURAL ENGINEER MECHANICAL AND ELECTRICAL DRAWINGS.
 2. ROUTING OF UNDERGROUND SERVICES IS SCHEMATIC. ALL UNDERGROUND SERVICES SHALL BE INSTALLED IN ACCORDANCE WITH MECHANICAL AND ELECTRICAL DRAWINGS.
 3. PROVIDE SLEEVES FOR ALL PENETRATIONS THROUGH FOUNDATION WALLS WHERE INDICATED AND WHERE REQUIRED (TYP.)
 4. PROVIDE DROPS IN FOUNDATION WALLS WHERE INDICATED AND WHERE REQUIRED AT EXTERIOR OPENINGS. AT DOORS AND OVERHEAD DOORS, EXTEND FLOOR SLABS AT FOUNDATION DROPS TO EXTERIOR FACE OF FOUNDATION WALL. ENSURE SLAB HAS POSITIVE SLOPE TO EXTERIOR FROM EXTERIOR FACE OF DOOR OR OVERHEAD DOOR (TYP.)
 5. TAKE CARE DURING PLACEMENT OF CONCRETE TO MITIGATE FACTORS THAT CONTRIBUTE TO SURFACE DEFECTS. ENSURE FACE OF FOUNDATION WALLS THAT WILL REMAIN EXPOSED (TYPICALLY 300MM MINIMUM) IS FREE OF HONEYCOMBING OR OTHER SURFACE DEFECTS.
 6. ENSURE FACE OF FOUNDATION WALLS THAT ABUT AN ADJACENT CONCRETE SLAB OR SIDEWALK ARE SMOOTH TO ENSURE TIGHT PLACEMENT OF EXPANSION JOINT OR EXPANSION JOINT CAP AND CAULKED JOINT. SCRAPE OR GRIND AS REQUIRED.

FOUNDATION PLAN



DATE 2021-11-24

SCALE As indicated
DRAWN BY SRL

TENDER

PROJECT NO. 2104

DRAWING NO. **A3.1** REVISION 26

2024-04-19 10:45:28 AM