

**CITY OF VAUGHAN
FIRE STATION 7-12**

9511 WESTON ROAD, VAUGHAN

PROJECT:

CLIN



ARCHITECT
THOMASBROWNARCHITECTS
197 SPADINA AVENUE, SUITE 500 | TORONTO ONTARIO | M5T 2C8

ARCHITECT
THOMASBROWNARCHITECTS
197 SPADINA AVENUE, SUITE 500 | TORONTO ONTARIO | M5T 2C8

PROFESSIONAL SEAL

DWG TITLE

FLOOR PLAN FINISH PLAN AND DETAILS

ORIENTATION


DATE 2021-11-24

SCALE	DRAWN BY
As indicated	SRL

DWG STATUS: TENDER

PROJECT No. 2104

DRAWING No.	A10.2	REVISION
		26




4 / A10.2


12-0010 - FM-1 FLOOR MAT

2 / A10.2

12-0004 - SSUR(SILL) - SOLID SURFACE SILL DETAIL



SECTION



NOTE


- NOTE:
1. SAMPLE SUBMITTAL REQUIRED PRIOR TO FABRICATION
 2. ENSURE SILL PLACED ON LEVEL, SOUND SUBSTRATE SUITABLE FOR THIS APPLICATION
 3. ENSURE THAT SILL OVERHANG DOES NOT CONFLICT WITH MECHANICAL OR ELECTRICAL ELEMENTS (I.E. BASEBOARD HEATERS, ETC.). REPORT ANY CONFLICTS TO CONSULTANT PRIOR TO INSTALLATION
 4. ENSURE REQUIRED CLEARANCE FOR SILL OVERHANG. REPORT ANY CONFLICTS TO CONSULTANT PRIOR TO INSTALLATION

```

graph TD
    SUBTRAD --> GC_COORD[GC COORD]
    GC_COORD --> OUT[ ]
    style OUT fill:none,stroke:none
  
```

6 TYPICAL CLT TO DRYWALL DETAILS


9-0250 - TYPICAL DRYWALL TO CLT DETAIL



WHEN SETTING HOLLOW METAL DOOR FRAMES
 FRAME TYPE - WRAP - SET FRAME WITH WALL FACE ALIGNED TO BACKBEND
 FRAME TYPE - BUTT - FOR WALLS > 200MM - SET FRAME WITH WALL FACE ALIGNED TO BACKBEND ON DOOR SIDE

3 / A10.2

9-0006 - TD-1 - TYPICAL TILE DETAILS - THINSET (WALL + FLOOR)



* REF. TTMAC - 311F-2012-2014 INT/EXT DETAIL A

TYPICAL DETAIL CAULK TOP OF TILE BASE TO WALL

** ALL WORK TO BE COMPLETED IN ACCORDANCE WITH TTMAC STANDARDS AS SPECIFIED

1 / A10.2

2-0001 - CBFP-1 - CARDBOARD TEMPORARY FLOOR PROTECTION

