



STRUCTURAL ADDENDUM NO. 2

July 11, 2024

Project Number: 23394

Project Name: City of Mississauga Fire Station 123

The following are changes to the tender documents and are effective immediately. This addendum forms part of the contract documents issued previously.

1 PART 1 - DRAWINGS

1.1 DRAWING S-201—FOUNDATION & LEVEL 1 PLAN

1.1.1 Add note 2.4 no plan notes:

"2.4. FOR BIDDING PURPOSES, ASSUME AN AVERAGE OF 1m DEPTH OF A CONTINUOUS ENGINEERED FILL PAD BENEATH THE BOTTOM OF ALL FOOTINGS NORTH OF GRID LINE K AND BETWEEN GRID LINE 1 AND 15. EXTEND THE FILL A MINIMUM OF 1m BEYOND THE EDGE OF THE FOOTINGS AROUND THE PERIMETER OF THE BUILDING. ENGINEERED FILL SUPPORTING BUILDING FOUNDATIONS SHALL BE CONSTRUCTED TO MEET THE REQUIREMENTS STATED IN GENERAL NOTES GN-007.3."

1.1.2 Add note to plan to be applicable along entire length grid line 15:

"TOP OF CONCRETE CURB SUPPORTING BRICK SHELF ANGLE IS +300."