

ASSEMBLIES - WALL PARTITIONS (CON'T)

IS4	WIDTH		R-VALUE	N/A	FIRE RATING	1.5 HR
	R-VALUE C MIN.		N/A	STC RATING	N/A	
	ULC / OBC		UL 263			
	EXT	INT	INTERIOR SCREEN - FIRE RATED AL / HM FRAME CW PILINGTON PYROSTOP FIRE-RATED GLAZING BASIS OF DESIGN: FIREFRAMES ALUMINUM SERIES			
			INTERIOR			
ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)						

P3-S-1		WIDTH		R-VALUE	N/A	FIRE RATING	N/A
EXT	<div><div></div><div></div></div>	165	R-VALUE C. MIN.		N/A	STC RATING	--
			ULC / OBC				
		13mm GYPSUM WALL BOARD					
		152mm METAL STUDS @ 406mm O.C.					
		INTERIOR					
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)					

P12-Si-2		WIDTH		R-VALUE		N/A		FIRE RATING		50 min.	
		104		R-VALUE C MIN.		N/A		STC RATING		--	
				ULC / OBC		OBC SB-2					
EXT	INT	EXTERIOR 16mm TYPE 'X' GYPSUM WALL BOARD 152mm METAL STUDS @ 400mm O.C. C/W 152mm MINERAL WOOL INSULATION (WIDTH OF STUD) 16mm TYPE 'X' GYPSUM WALL BOARD									
		INTERIOR									
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)									

F8			R-VALUE	N/A	FIRE RATING		
	WIDTH	R-VALUE C MIN.	N/A		STC RATING		
	175	ULC / OBC					
EXT	INT	EXTERIOR					
		152mm METAL STUDS @ 406 O.C					
		13mm TILE BACKER BOARD					
		. WATERPROOF MEMBRANE					
		. SELECTED TILES ON GROUT					
		INTERIOR					
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)					

11

ASSEMBLIES - WALL PARTITIONS

P1-S-1		WIDTH		R-VALUE		N/A		FIRE RATING		N/A		
		77		R-VALUE C.M.I. ULC / OBC		N/A		STC RATING		N/A		
EXT			INTERIOR		13mm GYPSUM WALL BOARD 64mm METAL STUDS @ 400mm O.C. C/W							
		INTERIOR		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)								


P2-S-1		WIDTH		R-VALUE		FIRE RATING		N/A	
		105		N/A		N/A		STC RATING	
		R-VALUE CI MIN.		N/A		N/A			
		ULC / OBC		N/A		N/A			
EXT	INT	13mm GYPSUM WALL BOARD 92mm METAL STUDS @ 400mm O.C. C/W							
		INTERIOR							
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)							


P2-S-2		WIDTH		R-VALUE		N/A		STC RATING		FIRE RATING		
		116		CI MIN.		N/A				38		
				ULC / OBC								
EXT	INT											
		EXTERIOR										
		13mm GYPSUM WALL BOARD										
		92mm METAL STUDS @ 400mm O.C. C/W										
		13mm GYPSUM WALL BOARD										
		INTERIOR										
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)										

P3-S-1-WR		WIDTH		R-VALUE		N/A		FIRE RATING		N/A	
		105		R-VALUE C.I. MIN.		N/A		STC RATING		N/A	
				U.L.C / O.B.C		N/A					
EXT	INT	EXTERIOR									
		13mm GYPSUM WALL BOARD									
		92mm METAL STUDS @ 400mm O.C. C/W									
		INTERIOR									
		ASSEMBLY SHALL BE BUILT TO TYPE OF STRUCTURE (UNLESS NOTED OTHERWISE)									


B-90-1		WIDTH		R-VALUE		N/A	FIRE RATING		1.5 HR
		90	R-VALUE CI MIN.		ULC / OBC	SB-3 B1a		STC RATING	43
EXT	INT	90mm CONCRETE MASONRY UNITS							
		INTERIOR							
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)							

B-140-1										
		WIDTH		R-VALUE		N/A		FIRE RATING		1.5 Hr
		140		R-VALUE CI MIN.		N/A		STC RATING		43
				ULC / OBC		SB-3 B1a				
EXT	INT	140mm CONCRETE MASONRY UNITS								
		INTERIOR								
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)								

B-190-1		WIDTH		R-VALUE	N/A	FIRE RATING	2.5 HR	
		190	R-VALUE CI MIN.	N/A	STC RATING	46		
EXT	INT	ULC / OBC						SB-3 B1a
		190mm CONCRETE MASONRY UNITS						
		INTERIOR						
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)						
								

B-240-1		WIDTH		R-VALUE		N/A		FIRE RATING		2.5 HR	
		240		R-VALUE G MIN.		N/A		STC RATING		46	
		ULC / OBC		ULC / OBC		SB-3 B1a					
EXT	INT	240mm CONCRETE MASONRY UNITS									
		INTERIOR									
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)									

B-290-1		WIDTH	R-VALUE	N/A	FIRE RATING	2.5 HR
		290	R-VALUE CI MIN.	N/A	STC RATING	46
			ULC / OBC	SB-3 B1a		
EXT	INT	EXTERIOR 290mm CONCRETE MASONRY UNITS				
		INTERIOR				
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)				


IS1		WIDTH		R-VALUE	N/A	FIRE RATING		N/A
		R-VALUE CI MIN.		N/A		STC RATING		N/A
		ULC / OBC		N/A				
EXT	INT	ALUMINUM ENTRANCE FRAMED GLAZING SYSTEM KAWNEER TRIFAB 451 FRAME: 45 mm x 114 mm (1-3/4" x 4-1/2")						
								
		INTERIOR						
		ASSEMBLY SHALL BE BUILT TO US OF STRUCTURE (UNLESS NOTED ELSEWHERE)						

ASSEMBLIES TYPE CODIFICATION

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

GENERAL NOTES:


1. ASSEMBLY CODE ASSIGNED TO ALL ASSEMBLIES.
2. INDICATIVE ASSEMBLY SECTION
3. ASSEMBLY DESCRIPTION,



EXECUTION NOTES:
1. ALL STEEL GALVANIZED.
2. GRIND SMOOTH ALL WELDS.
3. CONFIRM FOUR FOLD DOOR MOUNTING REQUIREMENTS WITH DOOR MANUFACTURER PRIOR TO INSTALLATION.

2 FOUR FOLD DOOR JAMB DETAIL


1 : 10



EXECUTION NOTES:
1. ALL WINDOWS / GLAZING SHALL RECEIVE A SILL THAT ARE NOT FLUSH WITH THE FLOOR.
2. DEPTH (D) OF SOLID SURFACE SILL SHALL BE SITE CONFIRMED WHEN THE INSTALLATION OF THE WINDOW FRAME IS INSTALLED.
3. WIDTH (W) OF SILL SHALL BE SITE CONFIRMED WHEN THE ROUGH FINISHED OPENING IS COMPLETED (I.E BLOCK ROUGH OPENING, OR GYPSUM BOARD INSTALLED AT STUD ASSEMBLY).
4. PRODUCT SAMPLE SUBMITTAL IS REQUIRED PRIOR TO FABRICATION, INCLUSIVE OF LAYOUT SHOP DRAWING.
5. SILL SHALL BE PLACED LEVEL ON APPROPRIATE SUBSTRATE SUITABLE AT EACH WINDOW LOCATION ENSURE SILL PLACED ON LEVEL, SOUND SUBSTRATE SUITABLE FOR THIS APPLICATION

3 WINDOW SILL DETAIL

1 : 10



1 GROUND FLOOR PLAN

1 : 75

GENERAL NOTES - FLOOR PLAN

1. GENERAL REQUIREMENTS

- ALL WORK SHALL CONFORM TO THE REQUIREMENTS OF ALL EXISTING BY-LAWS, CODES, MUNICIPAL GOVERNMENTS AND AUTHORITIES HAVING JURISDICTION. OBTAIN ALL PERMITS REQUIRED IN ACCORDANCE WITH THE CONTRACT.
- CAREFUL EXAMINATION OF ALL TENDER DOCUMENTS IS REQUIRED TO DETERMINE THE FULL SCOPE OF THE WORK.
- DO NOT SCALE THE DRAWINGS. VERIFY ALL CONDITIONS ON-SITE BEFORE PROCEEDING WITH WORK. ANY CONFLICT OR DISCREPANCY BETWEEN INFORMATION ON DRAWINGS AND ACTUAL FIELD CONDITIONS SHOULD BE BROUGHT TO THE ARCHITECT'S ATTENTION FOR RESOLUTION PRIOR TO COMMENCING WORK.
- DIMENSIONS SHOWN ARE TAKEN TO FACE OF CMU, POURED CONCRETE, OR WALL STUD UNLESS NOTED OTHERWISE. ALL GWB OR CMU PARTITIONS TO EXTEND TIGHT TO US OF ROOF DECKS UNLESS NOTED OTHERWISE.
- REFER TO STRUCTURAL DRAWINGS FOR LATERAL SUPPORT AT THE TOP OF CMU WALLS.
- ALL INTERIOR ALUM SCREENS SHALL HAVE GWB AND METAL STUD ASSEMBLY FROM TOP OF SCREEN DOOR FRAME TO UNDERSIDE OF DECK UNLESS A LANTER, HAS BEEN PROVIDED BY STRUCTURAL, WITH BLOCK WALL ABOVE TO US DECKS.
- WHERE SCREENS OR DOORS OCCUR WITHIN WALLS CONSTRUCTED AS FIRE SEPARATIONS, THE WALL ABOVE SUCH SCREENS OR DOORS SHALL BE CONSTRUCTED TO PROVIDE THE REQUIRED FIRE RESISTANCE RATING INDICATED.
- ON ALL EXPOSED CORNERS OF EXPOSED MASONRY WALLS PROVIDE BULLNOSE BLOCK AT ALL COURSES ABOVE THE FIRST COURSE UNLESS NOTED OTHERWISE.
- WHERE DOOTS, PIPES, AND CONDUITS PENETRATE EXPOSED MASONRY PARTITIONS, CUT BLOCKS TO SUIT REQUIRED OPENINGS TO MINIMIZE PATCHING.
- CONSTRUCT PARTITIONS AND WALLS AS FIRE SEPARATIONS WHERE INDICATED ON PLAN.
- REVIEW PLANS, ELEVATIONS AND DETAILS FOR MILLWORK, SCREENS, DOORS AND ALL WALL HUNG ITEMS AND ENSURE THAT ADEQUATE BLOCKING IS PROVIDED WITHIN PARTITIONS AND CEILING.
- CONTRACTOR TO PROVIDE ALL NECESSARY FASTENINGS, ANCHORS, BRACKETS, ACCESSORIES AND SUPPORTS REQUIRED TO EXECUTE THE WORK.
- WHERE FIRE RATED PARTITIONS ADJUT NON-RATED PARTITIONS THE CONTINUITY OF THE FIRE RATED ASSEMBLY SHALL BE MAINTAINED.
- SEAL PERIMETER OF WALLS AND AROUND PENETRATIONS THROUGH WALLS WITH ACOUSTIC SEALANT WHERE SOUND ATTENUATION RATS ARE CALLED FOR ON THE WALL TYPE.
- SEAL PERIMETER OF FIRE RATED WALLS AND AROUND PENETRATIONS THROUGH FIRE RATED WALLS WITH APPROVED FIRESTOP MATERIALS. UNLESS OTHERWISE INDICATED ALL DOORS SHALL BE INSTALLED SO THAT THE EDGE OF DOOR (NOT FRAME) ON HINGE SIDE IS 100MM FROM ANY ADJACENT INSIDE CORNER.
- REFER TO ELECTRICAL DWGS FOR LOCATIONS OF PANELS, DOOR CONTROLS, SECURITY DEVICES ETC NOT SHOWN ON ARCHITECTURAL DRAWINGS.
- WALL ACCESS PANELS: WHERE POSSIBLE, ACCESS PANELS IN WALLS ARE TO BE LOCATED ON SIDE WALLS OR IN LOCATIONS WITH MINIMAL VISUAL IMPACT. ACCESS PANELS ARE TO BE PAINTED TO MATCH ADJACENT WALL FINISHES UNLESS OTHERWISE NOTED. ALL ACCESS PANELS ARE TO BE KEVED AS DIRECTED BY OWNER.
- WHERE MULTIPLE EXPOSED EQUIPMENT ITEMS ARE INDICATED ON THE SAME WALL, INSTALL EQUIPMENT WITH VERTICAL OR HORIZONTAL CENTRE LINES ALIGNED, AS APPLICABLE UNLESS OTHERWISE NOTED.
- WHERE EXPOSED MECH. AND/OR ELECT. DEVICES AND EQUIP. SUCH AS FIRE EXTINGUISHER CABINETS, ELEC. PANELS, CABINET HEATER, CEILING MOUNTED DEVICES, ETC. ARE INDICATED IN THE SAME WALL OR CEILING, INSTALL EQUIPMENT WITH VERTICAL OR HORIZONTAL CENTER LINES ALIGNED, AS APPLICABLE.

D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



MISSISSAUGA

**CITY OF MISSISSAUGA FIRE
STATION 123**

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 243

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434/745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800,
HAMILTON, ON L8P 1H1
905.522.0201

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300
CITY CENTRE DRIVE
905.615.3200 X.3395

13	ARCH ADDENDUM 2	07/02/24
12	TENDER	05/06/24
11	BP-RESUBMISSION	05/02/24
10	BP-RESUBMISSION	03/27/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	SPA PRE-CONSULTATION	03/28/23

NO. ISSUES/REVISIONS DATE

DRAWING TITLE:

FLOOR PLAN


ISSUE DATE: 07/02/24

DRAWN BY: SRL/AF CHECKED BY: SRL

PROJECT NO.: 12301 SCALE: As Indicated

DRAWING NO.: REVISION:

A03.04 13



FURNITURE, FIXTURE & EQUIPMENT SCHEDULE

GENERAL NOTES
REFER TO & COORDINATE WITH CONSULTANT DRAWINGS AND SPECIFICATIONS FOR FULL
SPECS OF EQUIPMENT. COORDINATE WITH OWNER FOR SECURITY AND AV EQUIPMENT

CODE	DESCRIPTION	SUPPLIER	MODEL NO.	QTY
BASE CONTRACT				
EQUIPMENT				
CSH	UTILITY SHELF WITH RAG HOOKS AND BROOM HOLDERS	BOBRICK WASHROOM EQUIPMENT, INC.	B-239	1
LKR	2400MM LOCKER RED RACKS	READY RACK	RFD5-424	5
LKR2	2400MM FREESTANDING RED RACK, DOUBLE SIDED UNITS	READY RACK	RFD5-424	5
LKR3	FIRST RESPONDER LOCKERS - SINGLE TIER FULL-HEIGHT	LINCORA INC	SERIES 61	32
TB-1	TACKBOARD 1200 x 900	FORBO	REFER TO SPEC	1
TB-2	TACKBOARD 1200 x 1200	FORBO	REFER TO SPEC	1
TB-3	TACKBOARD 1200 x 2400	FORBO	REFER TO SPEC	2
WB-1	WHITEBOARD 1200 x 980	FORBO	REFER TO SPEC	1
WBTB	WHITEBOARD/TACKBOARD 1200 X 3240	FORBO	REFER TO SPEC	1
WBTB-2	WHITEBOARD/TACKBOARD 1200 x 2900	FORBO	REFER TO SPEC	1
GYM EQUIPMENT				
MIR2	FLAT MIRROR	CONTRACTOR	MI	4
CASH ALLOWANCE				
EQUIPMENT				
BD	TWIN XL BED	TBC	TBC	8
GYM EQUIPMENT				
RWM	ROWING MACHINE	TBC	TBC	1
SMI	SMITH MACHINE	TBC	TBC	1
STBK	STATIONARY BIKE	TBC	TBC	1
TRDML	TREADMILL	TBC	TBC	1
I/T EQUIPMENT				
SVRR	ECONOMICAL UL-APPROVED PRO SERIES I VERTICAL RACKS	WINSTED CORPORATION	VB811	1
KITCHEN APPLIANCES				
DW	300 SERIES 24" SMART BUILT-IN DISHWASHER, THIRD RACK, SS, 48 DBA	HOME CONNECT	SHE53C85N	1
FRDG	36-INCH W 20 CU.F.T. FRENCH DOOR REFRIGERATOR IN FINGERPRINT RESISTANT STAINLESS STEEL, COUNTER DEPTH, ENERGY STAR	WHIRLPOOL	WRF540CVHZ	2
MCRW	0.9 CU.F.T. COUNTERTOP MICROWAVE, 900 WATT	WHIRLPOOL	YWMC3030LS	1
STV	36" ELECTRIC RANGE, CONVECTION, 5 BURNER, 1 OVEN, FRONT CONTROLS, STAINLESS STEEL	THOR KITCHEN	HRE3601	1
LAUNDRY EQUIPMENT				
GDR	2-GEAR + 2 WETSUIT DRYER	H&R MACHINE INC	PHENIX DRYER - ELITE	2
WRDR	FRONT LOAD EXTRA POWER STACKED WASHER AND ELECTRIC DRYER IN VOLCANO BLACK	MAYTAG	YMED6630MBK	1
WREX	WASHER EXTRACTOR	UNIMAC	UW06S TOUCH	1
SCBA EQUIPMENT				
CMP	COMPRESSOR	MAKO	BAMBA	1
FLST	SCF53-4HP - STATIONARY CONTAINMENT FILL STATIONS	MAKO	MBSSCH3C4	1
STR	TB8004 BOTTLE STORAGE	MAKO	MBBV54C4H	2



D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 243

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434/745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800, HAMILTON, ON L8P 1H1 905.522.0220

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300 CITY CENTRE DRIVE 905.615.3200 X 3395

12	ARCH ADDENDUM 2	07/02/24
11	ARCH ADDENDUM 1	06/24/24
10	TENDER	05/06/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	SPA PRE-CONSULTATION	03/28/23

NO. ISSUES/REVISIONS DATE

DRAWING TITLE:

LEVEL 01 - FFE PLAN


ISSUE DATE: 07/02/24

DRAWN BY: SRL/AF CHECKED BY: SRL

PROJECT NO.: 12301 SCALE: 1:75


DRAWING NO.: REVISION:

A03.13 12



10 SECTION DETAIL

1 : 10




7 SECTION DETAIL

1 : 10


4 SECTION DETAIL

1 : 10




5 SECTION DETAIL

1 : 10




6 SECTION DETAIL

1 : 10




3 SECTION DETAIL

1 : 10




1 SECTION DETAIL

1 : 10



2 SECTION DETAIL

1 : 10



DPAI

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



MISSISSAUGA

CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 243

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434-745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800, HAMILTON, ON. L8P 1H1 905.522.0201

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300 CITY CENTRE DRIVE 905.615.3200 X.3395


2 ARCH ADDENDUM 2 07/02/24
1 TENDER 05/06/24
0 BP - RESUBMISSION 02/23/24
NO. ISSUES/REVISIONS DATE
DRAWING TITLE:

SECTION DETAILS


ISSUE DATE: 07/02/24
DRAWN BY: AR CHECKED BY: SL
PROJECT NO.: 12301 SCALE: 1 : 10
DRAWING NO.: REVISION:

A06.00


2




15 | GLAZING ELEVATION
1 : 50




14 | GLAZING ELEVATION
1 : 50




11 | GLAZING ELEVATION
1 : 50




4 | GLAZING ELEVATION
1 : 50




18 | GLAZING ELEVATION
1 : 50




16 | GLAZING ELEVATION
1 : 50




12 | GLAZING ELEVATION
1 : 50




5 | GLAZING ELEVATION
1 : 50




19 | GLAZING ELEVATION
1 : 50




17 | GLAZING ELEVATION
1 : 50




13 | GLAZING ELEVATION
1 : 50




6 | GLAZING ELEVATION
1 : 50




7 | CLERESTORY ELEVATION
1 : 50




8 | GLAZING ELEVATION
1 : 50




1 | GLAZING ELEVATION
1 : 50




9 | GLAZING ELEVATION
1 : 50



2 | GLAZING ELEVATION
1 : 50




10 | GLAZING ELEVATION
1 : 50




3 | GLAZING ELEVATION
1 : 50

CURTAIN WALL SCHEDULE						
FUNCTION	TYPE	MARK	WIDTH	HEIGHT	BASIS OF DESIGN	FINISH COLOR
EXTERIOR SCREEN						
EXTERIOR SCREEN	CW-1	SC-43-SW	6,742 mm	629.68 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	WHITE ANODIZED
EXTERIOR SCREEN	CW-1	SC-44 - SW	14,195 mm	629.68 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	WHITE ANODIZED
EXTERIOR SCREEN	CW-1	SC-45 - SW	7,825 mm	629.68 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	WHITE ANODIZED
EXTERIOR SCREEN	CW-3	SC-31 - SW	10,240 mm	1,260 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR SCREEN	CW-3	SF - SC-1	3,180 mm	3,000 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR SCREEN	CW-3	SF - SC-13	1,800 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR SCREEN	CW-3	SF - SC-30	1,469 mm	2,750 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR SCREEN	CW-4	SF - SC-8	1,555 mm	3,000 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN						
EXTERIOR VERTICAL SCREEN	CW-3	SC-2	675 mm	2,800 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-3	675 mm	2,800 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-4	675 mm	2,800 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-5	675 mm	2,800 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-6	675 mm	2,800 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-7	675 mm	2,800 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-8	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-10	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-11	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-12	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-14	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-15	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-16	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-17	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-18	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-19	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-20	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-21	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-22	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-23	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-24	1,610 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-25	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-26	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
EXTERIOR VERTICAL SCREEN	CW-3	SC-27	600 mm	2,550 mm	THERMAWALL TW2200, 63.5x152.4mm FRAME, TRIPLE-GLAZED IGUs	BLACK ANODIZED
INTERIOR SCREEN						
INTERIOR SCREEN	IS1	SC-32	1,984 mm	2,750 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS1	SC-33	1,655 mm	2,750 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS1	SC-34	1,655 mm	2,750 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS1	SC-35	1,655 mm	2,191.28 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS1	SC-36	4,202 mm	2,150 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS1	SC-37	3,550 mm	2,150 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS1	SC-38	2,020 mm	2,750 mm	KAWNEER TRIFAB 451	BLACK ANODIZED
INTERIOR SCREEN	IS4	SC-41	1,658 mm	2,750 mm	FIREFRAME DESIGNER SERIES	BLACK ANODIZED
INTERIOR SCREEN	IS4	SC-42	1,804 mm	2,750 mm	FIREFRAME DESIGNER SERIES	BLACK ANODIZED



20 | LOUVRE ELEVATION
1 : 50

NOTE:
1. CONTRACTOR SHALL COORDINATE WITH MECHANICAL DRAWINGS FOR INTAKE AND EXHAUST ACTIVE LOUVRE LOCATIONS
2. LOUVRE SHALL BE ANCHORED BACK TO BUILDING STRUCTURE AS PER SPECIFICATIONS (TYP)



21 | LOUVRE ELEVATION
1 : 50

NOTE:
1. CONTRACTOR SHALL COORDINATE WITH MECHANICAL DRAWINGS FOR INTAKE AND EXHAUST ACTIVE LOUVRE LOCATIONS
2. LOUVRE SHALL BE ANCHORED BACK TO BUILDING STRUCTURE AS PER SPECIFICATIONS (TYP)

DPAI

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



CITY OF MISSISSAUGA FIRE STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 243

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434/745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800, HAMILTON, ON L8P 1H1 905.522.0201

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300 CITY CENTRE DRIVE 905.615.3200 X 3395

11	ARCH ADDENDUM 2	07/02/24
10	TENDER	05/06/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	RE-SUBMISSION	
0	SPA PRE-CONSULTATION	03/28/23

NO. ISSUES/REVISIONS DATE

DRAWING TITLE:

INTERIOR & EXTERIOR GLAZING & LOUVRES ELEVATIONS

ISSUE DATE: 07/02/24

DRAWN BY: SRL/AF CHECKED BY: SRL


PROJECT NO.: 12301 SCALE: 1 : 50

DRAWING NO.: REVISION:

A07.00 11


7 WASHROOM (TYPICAL)

1 : 25




11 WASHROOM (TYPICAL)

1 : 25




8 WASHROOM (TYPICAL)

1 : 25




9 WASHROOM (TYPICAL)

1 : 25



10 WASHROOM (TYPICAL)

1 : 25





MISSISSAUGA

CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 24-3
DEVELOPMENT TYPE EMERGENCY SERVICES
LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434-745
APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800,
HAMILTON, ON L8P 1H1
905.522.0020
OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300
CITY CENTRE DRIVE
905.615.3200 X.3395

0 ARCH ADDENDUM 2 07/02/24
NO. ISSUES/REVISIONS DATE


DRAWING TITLE:

DORMITORY PLANS &
ELEVATIONS

ISSUE DATE: 07/02/24
DRAWN BY: AR CHECKED BY: SL
PROJECT NO.: 12301 SCALE: 1: 25
DRAWING NO.: REVISION:


A08.02

0




5 DORM ROOM

1 : 25




6 DORM ROOM

1 : 25




7 DORM ROOM

1 : 25




8 DORM ROOM

1 : 25




1 DORMITORY



3 DORMITORY

1 : 25





4 DORMITORY

1 : 25


2 DORMITORY PLAN

1 : 25






10 LAUNDRY




11 LAUNDRY

1 : 25




12 LAUNDRY

1 : 25




7 FIRECALL STATION




8 FIRE CALL PRINTER

1 : 25




9 FIRE CALL PRINTER

1 : 25




4 LINEN STORAGE




5 LINEN STORAGE

1 : 25




6 LINEN STORAGE

1 : 25




1 WORKSTATION



2 WORKSTATION

1 : 25



3 WORKSTATION

1 : 25

D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



MISSISSAUGA

CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 24-3

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434-745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800,
HAMILTON, ON L8P 1H1
905.522.0203

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300
CITY CENTRE DRIVE
905.615.3200 X 3395

11	ARCH ADDENDUM 2	07/02/24
10	TENDER	05/06/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	SPA PRE-CONSULTATION	03/28/23

NO. ISSUES/REVISIONS DATE

DRAWING TITLE:

MILLWORK PLANS &
ELEVATIONS


ISSUE DATE: 07/02/24

DRAWN BY: SRL/AF CHECKED BY: SRL


PROJECT NO.: 12301 SCALE: 1 : 25

DRAWING NO.: REVISION:


A08.03 11




7 | STORAGE




8 | STORAGE




9 | STORAGE




2 | CAPTAINS ROOM




1 | CAPTAINS ROOM




5 | CAPTAINS ROOM



3 | CAPTAINS ROOM



6 | CAPTAINS ROOM



4 | CAPTAINS ROOM

D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.
CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY
DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.
ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE
ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 24-3
DEVELOPMENT TYPE EMERGENCY SERVICES
LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434-745
APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800,
HAMILTON, ON L8P 1H1
905.522.0220
OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300
CITY CENTRE DRIVE
905.615.3200 X.3395

11	ARCH ADDENDUM 2	07/02/24
10	TENDER	05/06/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	RE-SUBMISSION	
0	SPA PRE-CONSULTATION	03/28/23


NO. ISSUES/REVISIONS DATE

DRAWING TITLE:


MILLWORK PLANS,
ELEVATIONS, & DETAILS

ISSUE DATE: 07/02/24
DRAWN BY: SRL/AF CHECKED BY: SRL
PROJECT NO.: 12301 SCALE: 1 : 25
DRAWING NO.: REVISION:


A08.04 11



3 KITCHEN MILLWORK
1 : 25




4 KITCHEN MILLWORK
1 : 25




5 KITCHEN MILLWORK
1 : 25



6 KITCHEN ISLAND
1 : 25




8 KITCHEN ISLAND
1 : 25




7 KITCHEN ISLAND
1 : 25

9 KITCHEN ISLAND
1 : 25

1 KITCHEN
1 : 25



2 KITCHEN
1 : 25



D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 24-3

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434/745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800,
HAMILTON, ON L8P 1H1
905.522.0220

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300
CITY CENTRE DRIVE
905.615.3200 X 3395

11	ARCH ADDENDUM 2	07/02/24
10	TENDER	05/06/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	RE-SUBMISSION	
0	SPA PRE-CONSULTATION	03/28/23

NO. ISSUES/REVISIONS DATE

DRAWING TITLE:

KITCHEN MILLWORK
PLANS, ELEVATIONS, &
DETAILS


ISSUE DATE: 07/02/24

DRAWN BY: SRL/AF CHECKED BY: SRL


PROJECT NO.: 12301 SCALE: 1 : 25

DRAWING NO.: REVISION:


A08.05 11




12 | PRINTER/MEDICAL STORAGE
1 : 25




11 | PRINTER/MEDICAL STORAGE
1 : 25




13 | PRINTER/MEDICAL STORAGE
1 : 25




14 | PRINTER/MEDICAL STORAGE
1 : 25




6 | CHANGEROOM
1 : 25




7 | CHANGEROOM
1 : 25




8 | CHANGEROOM
1 : 25




9 | CHANGEROOM
1 : 25




10 | CHANGEROOM
1 : 25




2 | WORKSHOP
1 : 25




1 | WORKSHOP
1 : 25



5 | WORKSHOP
1 : 25



3 | WORKSHOP
1 : 25



4 | WORKSHOP
1 : 25

D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



CITY OF MISSISSAUGA FIRE
STATION 123

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION # SP 24-3

DEVELOPMENT TYPE EMERGENCY SERVICES

LEGAL DESCRIPTION PART OF BLOCK 124 REGISTERED PLAN 434-745

APPLICANT INFO DAVID PREM, 25 MAIN ST. W. SUITE 1800,
HAMILTON, ON L8P 1H1
905.522.0220

OWNER INFO CITY OF MISSISSAUGA, ADRIANA TANTALO, 300
CITY CENTRE DRIVE
905.615.3200 X 3395

11	ARCH ADDENDUM 2	07/02/24
10	TENDER	05/06/24
9	SPA RESUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW	08/02/23
0	SPA PRE-CONSULTATION	03/28/23
NO.	ISSUES/REVISIONS	DATE

DRAWING TITLE:


MILLWORK PLANS,
ELEVATIONS, & DETAILS

ISSUE DATE: 07/02/24
DRAWN BY: SRL/AF CHECKED BY: SRL












PROJECT NO.: 12301 SCALE: 1 : 25

DRAWING NO.: REVISION:

A08.06 11

[illegible]

NO.	ISSUES/REVISIONS	DATE
DRAWING TITLE:		
MILLWORK DETAILS - GENERAL NOTES, COUNTER TOPS, TYPICAL DETAILS		
ISSUE DATE:		07/02/24
DRAWN BY: SRL/JF		CHECKED BY: SRL
PROJECT NO.: 12301		SCALE: As indicated
DRAWING NO.:		REVISION:
A08.07		11



DRAWINGS ARE NOT TO BE SCALED.

CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.

ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS



**CITY OF MISSISSAUGA FIRE
STATION 123**

3050 THE COLLEGEWAY MISSISSAUGA, ONTARIO CANADA

SITE PLAN APPLICATION #	SP 24-3
DEVELOPMENT TYPE	EMERGENCY SERVICES
LEGAL DESCRIPTION	PART OF BLOCK 124 REGISTERED PLAN 43
APPLICANT INFO	DAVID PREMI, 25 MAIN ST. W. SUITE 1800, HAMILTON, ON L8P 1H1 905.522.0220
OWNER INFO	CITY OF MISSISSAUGA, ADRIANA TANTALO CITY CENTRE DRIVE 905.615.3200 X 3395


11	ARCH ADDENDUM 2	07/02/24
10	TENDER	05/06/24
9	SPA RE-SUBMISSION	03/12/24
8	BP - RESUBMISSION	02/23/24
7	PERMIT	01/22/24
6	CLASS A ESTIMATE	01/22/24
5	90% CD SUBMISSION	1/22/24
4	FORMAL SPA	12/05/23
3	MINOR VARIANCE APPLICATION	09/08/23
2	PAM 1 RE-SUBMISSION	09/07/23
1	PRELIMINARY ZONING REVIEW RE-SUBMISSION	08/02/23
0	SPA PRE-CONSULTATION	03/28/23
NO.	ISSUE/REVISIONS	DATE

DRAWING TITLE:


MILLWORK DETAILS

ISSUE DATE:	07/02/24
DRAWN BY: SRL/AF	CHECKED BY: SRL
PROJECT NO.: 12301	SCALE: As indicated
DRAWING NO.:	REVISION:


A08.08	11
---------------	-----------




10 CW - FH - 1DR CLOSET W/OPEN SHLF BASE
1 : 10



11 CW - BASE - ISLAND - 2 DWR EQ. - STRAIGHT - FULL OVERLAY
1 : 10




12 CW - BASE - WORKSURFACE
1 : 10




- EXECUTION NOTES:**
- SHOP DRAWING REQUIRED PRIOR TO FABRICATION
 - BENCH TOP BASIS OF DESIGN ASI SOLUTIONS PHENOLIC BENCH TOP
 - 3/4" THICK PHENOLIC COMPOSITE PANEL C/W TEXTURED FINISH
 - EDGES SHALL BE BRUSHED AND ROUNDED
 - COLOR TO BE SELECTED FROM FULL RANGE FROM MANUFACTURER
 - WALL MOUNTED BRACKET BASIS OF DESIGN ASI SOLUTIONS #11-90B WALL
 - A. 0.250mm THICK COLD ROLLED STEEL WITH DIAGONAL BRACE AND ROUNDED EDGES


13 WOOD BENCH DETAIL
1 : 10




6 CW - BASE - 1 DR 1 DWR - FULL OVERLAY
1 : 10




7 CW - BASE - ISLAND - 1DR 1 DWR - DBL SIDED
1 : 10




8 CW - FH - 2DR 1SHLF CLOSET - FULL OVERLAY
1 : 10




9 CW - BASE - ISLAND - DBL SIDED - 1DR 1 DWR - PULL OUT
1 : 10




1 CW - BASE - 2 DR 1 DWR UNDER-MOUNT SINK - FULL OVERLAY
1 : 10




2 CW - BASE - DSHWSHR
1 : 10



3 CW - BASE - 4 DWR EQ. - FULL OVERLAY
1 : 10



4 CW - BASE - 1 DR - FULL OVERLAY
1 : 10



5 CW - BASE - WORKSURFACE
1 : 10

D P A I

Design Partners in
Architecture and Interiors

DRAWINGS ARE NOT TO BE SCALED.
CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCY TO ARCHITECTS BEFORE PROCEEDING WITH WORK.
ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND MUST BE RETURNED AT THE COMPLETION OF THE WORK.

SEALS