

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

[illegible]

6	ISSUED FOR ADDENDUM 14	24-11-27
5	ISSUED FOR ADDENDUM 9	24-10-11
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings


Drawn by: Author
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402

Sheet Title:

SURVEY & OBC MATRIX

Drawing No.

A-001



Firm Name: PARKIN ARCHITECTS LTD. Certificate of Practice Number: 1355 The Certificate of Practice Number of the holder Is the holder's BCDN.		1 VALLEYBROOK DR. TORONTO, ONT. M3B 2S7		<div style="border: 1px solid black; padding: 10px; text-align: center;"> AFFIX STAMP HERE </div>	
Name of Project: YORK REGIONAL POLICE - HELICOPTER HANGAR					
Location: 350 GARFIELD WRIGHT BOULEVARD, TOWN OF EAST GWILLIMBURY, ONTARIO					
The architect noted above has exercised responsible control with respect to design activities. The architect's seal number is the architect's BCDN					

ITEM	ONTARIO BUILDING CODE DATA MATRIX DATA MATRIX PART 3 OR 9				OBC REFERENCE		
					Part 11	Part 3	Part 9
1	Project Description:		<input checked="" type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Alteration	<input type="checkbox"/> Part 11 11.1 to 11.4	<input type="checkbox"/> Part 3 1.1.2. [A]	<input type="checkbox"/> Part 9	
2	Major Occupancy(s)		GROUP F, DIVISION 2 (HANGAR), GROUP D (OFFICE)			3.1.2.1.(1)	
3	Building Area (m ²)	Existing	New	903	Total	903	1.4.1.2. [A]
4	Gross Area (m ²)	Existing	New	926	Total	926	1.4.1.2. [A]
5	Number of Storeys	Above grade	1	Below grade	0		1.4.1.2. [A] & 3.2.1.1.
6	Number of Streets/Fire Fighter Access	1					3.2.2.10. & 3.2.5.
7	Building Classification 3.2.2.72. GROUP F, DIVISION 2, UP TO 2 STOREYS, SPRINKLERED						3.2.2.51
8	Sprinkler System Proposed		<input checked="" type="checkbox"/> entire building <input type="checkbox"/> selected compartments <input type="checkbox"/> selected floor areas <input type="checkbox"/> basement <input type="checkbox"/> in lieu of roof rating <input type="checkbox"/> not required			3.2.2.20.-.83 3.2.1.5. 3.2.2.17. INDEX	
9	Standpipe required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					3.2.9
10	Fire Alarm required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					3.2.4
11	Water Service/Supply is Adequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					3.2.5.7
12	High Building	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					3.2.6
13	Construction Restrictions	<input checked="" type="checkbox"/> Combustible <input type="checkbox"/> Actual Construction	<input type="checkbox"/> Permitted <input checked="" type="checkbox"/> Combustible	<input type="checkbox"/> Non-combustible <input type="checkbox"/> Required <input checked="" type="checkbox"/> Non-combustible	<input type="checkbox"/> Both <input type="checkbox"/> Both	3.2.2.51	
14	Mezzanine(s) Area m ²		22.3m ²			3.2.1.1.(3)-(8)	
15	Occupancy load based on		<input type="checkbox"/> m ² /person <input type="checkbox"/> Basement: Occupancy _____ Load _____ persons 1st Floor: Occupancy _____ Load 30 persons 2nd Floor: Occupancy _____ Load _____ persons 3rd Floor: Occupancy _____ Load _____ persons 4th Floor: Occupancy _____ Load _____ persons	<input checked="" type="checkbox"/> design of building N/A		3.1.17.	
16	Barrier-free Design		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Explain) _____			3.8	
17	Hazardous Substances		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			3.3.1.2. & 3.3.1.19.	
18	Required Fire Resistance Rating (FRR)	Horizontal Assemblies FRR (Hours)		Listed Design No. Or Description (SG-2)		3.2.2.20.-.83 & 3.2.1.4	
Floors		3/4	Hours	ULC F-906			
Roof		0	Hours				
Mezzanine		3/4	Hours				
FRR of Supporting Members				Listed Design No. Or Description (SG-2)			
Floors		3/4	Hours				
Roof	0	Hours					
		3/4	Hours				

19	POST-DISASTER BUILDING										<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
20	SPATIAL SEPARATION - CONSTRUCTION OF EXTERIOR WALLS										3.2.3	9.10.14
	WALL	AREA OF EBF (M ²)	LD (M)	L/H OR H/L	PERMITTED MAX % OF OPENINGS	PROPOSED % OF OPENINGS	FRR	LISTED DESIGN OR DESCRIPTION	COMB. CONST. NONC. CLADDING	NON-COMB. CONST.		
	NORTH	N/A	>15		100%		NO RATING					
	SOUTH	N/A	>9		100%		NO RATING					
	WEST	N/A	>9		100%		NO RATING					
	EAST	N/A	>15		100%		NO RATING					
21	PLUMBING FIXTURE REQUIREMENTS										OBC REFERENCE	
	MALE/FEMALE COUNT @ 50% / 50%			OCCUPANT LOAD	OBC TABLE NUMBER	FIXTURES REQUIRED	FIXTURES PROVIDED	PART 3				
	BASEMENT OCCUPANCY: N/A			N/A	N/A	N/A	N/A					
	1ST FLOOR OCCUPANCY: F/D			30	3.7.4.2 & 3.7.4.3.C	3	3 NON GENDER SPECIFIC	3.7.4.2 & 3.7.4.3.C				
22	OTHER - DESCRIBE											

SITE STATISTICS AND NOTES:

GENERAL NOTES:


1. PROVIDE FENCING AROUND SITE. REFER TO SPECIFICATION SECTION 01 50 00
2. REFER TO ALL RELATED CONSTRUCTION DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL RELATED INFORMATION.
3. ALL CURBS AND PAVEMENTS TO BE MONOLITHIC CONSTRUCTION UNLESS INDICATED OTHERWISE. NEW CURBS TO BE MATCHED WITH EXISTING AND MADE GOOD AND COORDINATED WITH EXISTING STREET PAVING/CURBS ACCORDING TO MUNICIPAL STANDARDS.

TOWN OF EAST GWILLIMBURY ZONING BY-LAW - M2 (MAP 13)

LOT DEPTH	125.7m
PROPOSED LOT AREA	9395m ² (0.9395ha)
BUILDING GROUND FLOOR AREA	903m ²
HELICOPTER PAD AREA	1604m ²
DRIVEWAY AND PARKING AREA	1615m ²
CONCRETE SIDEWALK- ENTRY	46m ²
BUILDING LOT COVERAGE	10%
TOTAL LOT COVERAGE	44%
LANDSCAPING AREA	56% (MIN. REQUIRED 10%)
LOT FRONTAGE	23.4m (MIN. REQUIRED 15m)
FRONT YARD	6m
REAR YARD	7.5m
INTERIOR SIDE YARD	3m
EXTERIOR SIDE YARD	7.5m
PARKING SPACES REQUIRED	15 (1/30M ² FOR 450M ² OF OFFICE AREA)
PARKING SPACES PROVIDED	20
PARKING TYPE "A"	1 SPACE (4% OF PARKING SPACES)
NEW LIGHT HARD SURFACES	1660m ² (51%)
NEW DARK HARD SURFACES	1615m ² (49%)

LEGEND

○ MH	MANHOLE (REFER TO CIVIL)
● FH	FIRE HYDRANT (REFER TO CIVIL)
▲	SITE ENTRANCE
△	MAN DOOR
△	OVERHEAD OR BIFOLD DOOR
—○—	FENCE
ASPHALT	ASPHALT
HEATED CONCRETE (NOTE ALTERNATE PRICE 1 AND ALTERNATE PRICE 2)	HEATED CONCRETE (NOTE ALTERNATE PRICE 2)
CONCRETE	CONCRETE
LANDSCAPED AREA (REFER TO LANDSCAPE)	LANDSCAPED AREA (REFER TO LANDSCAPE)
SNOW STORAGE	SNOW STORAGE
HEAVY DUTY ASPHALT	HEAVY DUTY ASPHALT
PROPERTY LINE (PLACE OF THE WORK)	PROPERTY LINE (PLACE OF THE WORK)
SETBACK	SETBACK
STOP SIGN	STOP SIGN
FR	FIRE ROUTE / NO PARKING SIGN.
HC	AODA COMPLIANT SIGN FOR TYPE 'A' PARKING SPACE
AODA COMPLIANT ACCESSIBLE PARKING SPACE W/ ACCESS AISLE. 100MM PAINTED LINES TYP.	AODA COMPLIANT ACCESSIBLE PARKING SPACE W/ ACCESS AISLE. 100MM PAINTED LINES TYP.
PARKING SPACE. 100MM PAINTED LINES TYP.	PARKING SPACE. 100MM PAINTED LINES TYP.
GAS METER. REFER TO CIVIL AND MECH DWGS.	GAS METER. REFER TO CIVIL AND MECH DWGS.
STEEL BOLLARD	STEEL BOLLARD
36" HIGH 11" DIA. PRECAST CONCRETE BOLLARD (METRO 36 BY SANDERSON CONC.) IN 12" DIA CONC. BASE 1500MM DEEP BELOW GRADE.	36" HIGH 11" DIA. PRECAST CONCRETE BOLLARD (METRO 36 BY SANDERSON CONC.) IN 12" DIA CONC. BASE 1500MM DEEP BELOW GRADE.



PARKIN

Parkin Architects Limited
1 VALLEYBROOK DRIVE, TORONTO, CANADA, M3B 2S7 416-467-8000

YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan




NO.	ISSUED	DATE
8	ISSUED FOR ADDENDUM 14	24-11-27
7	ISSUED FOR ADDENDUM 10	24-10-15
6	ISSUED FOR ADDENDUM 8	24-10-07
5	ISSUED FOR ADDENDUM 6	24-09-30
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: CY, ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:500



Sheet Title:

OVERALL SITE PLAN

Drawing No.

A-002

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: CY
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:1000




Sheet Title:

OVERALL SITE PLAN - TRAINING CENTRE


Drawing No.

A-003



1 LIFE SAFETY PLAN

1 : 200



REFLECTED CEILING PLAN LEGEND:

ARCHITECTURAL:
NOTE: ALL SUSPENDED CEILING ARE LOCATED 2750mm A.F.F.
TYPICAL UNLESS NOTED OR DETAILED OTHERWISE

- ACT-1: 610 x 610 ACOUSTIC CEILING TILE
- ACT-2 610 x 1220 ACOUSTIC CEILING TILE
- GB: GYPSUM BOARD
- MRGB: MOULD RESISTANT GYPSUM BOARD
- CEILING HEIGHT
- CURTAIN TRACK
- SHOWER CURTAIN TRACK

ELECTRICAL:
NOTE: CONCEAL ALL CONDUIT EXCEPT IN MECHANICAL/ELECTRICAL ROOM UNLESS OTHERWISE INDICATED.
CENTRE LIGHTS ON CEILING TILE UNLESS OTHERWISE NOTED.
REFER TO ELECTRICAL DRAWINGS.

- SPEAKER CEILING MOUNTED
- SECURITY CAMERA CEILING MOUNTED
- EXIT SIGN WALL MOUNTED
- POT LIGHT
- SUSPENDED LINEAR LUMINAIRE
- 610X1220 LINEAR RECESSED LUMINAIRE
- 610X1220 LINEAR SUSPENDED LUMINAIRE
- SMOKE DETECTOR
- SECURITY CAMERA. PROVIDE CONDUIT W/ PULL STRINGS. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
- LINEAR DIFFUSER
- SUPPLY AIR DIFFUSER
- RETURN AIR DIFFUSER / EXHAUST GRILLE
- CONCEALED SPRINKLER HEAD
- UPRIGHT SPRINKLER HEAD
- FIRE EXTINGUISHER CABINET
- FIRE EXTINGUISHER C/W WALL BRACKET

MECHANICAL:
REFER TO MECHANICAL DRAWINGS

FLOOR PLAN LEGEND:

ROOM IDENTIFICATION:

- X ROOM NAME
- XXXX ROOM NUMBER
- XXXX PROGRAM NUMBER
- XXXX R PROGRAM AREA
- XXXX R PROGRAM AREA

SECURITY:

- SP SCRAMBLE PAD. PROVIDE ROUGH IN AND CONDUIT W/ PULL STRINGS. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
- IDK INTRUSION DETECTION KEYPAD. PROVIDE ROUGH IN AND CONDUIT W/ PULL STRINGS. COORDINATE W/ OWNER'S SECURITY CONSULTANT.

DOOR NUMBER

SCREEN NUMBER

INTERIOR GLAZED SCREEN

INTERIOR PARTITION NUMBER

INTERIOR PARTITION

CHAIN LINKED FENCE

CORNER GUARD

REFERENCE BUBBLE FOR INTERIOR ELEVATION:

- XXXX DETAIL NUMBER
- AxX-XXX DRAWING NUMBER
- XXXX DETAIL NUMBER
- AxX-XXX DRAWING NUMBER

REFERENCE BUBBLE TO LARGE SCALE DETAIL:

- XXXX DETAIL NUMBER
- AxX-XXX DRAWING NUMBER

REFERENCE BUBBLE FOR EXTERIOR ELEVATION:

- XXXX DETAIL NUMBER
- AxX-XXX DRAWING NUMBER
- XXXX DETAIL NUMBER
- AxX-XXX DRAWING NUMBER

AxX-XXX DRAWING NUMBER

WINDOW TYPES

WD1 WD2 WD3 WD4 WD5

INTERIOR SCREEN TYPES

6B A-800

PAINTED PRESSED STEEL FRAME

1 HOUR FIRE RATED GLASS (FGL)

SC1

Ground Floor 0

STANDARD & NON-RATED

P1
16mm GYPSUM BOARD
89mm ACOUSTIC BATT INS.
92mm STEEL STUDS
16mm GYPSUM BOARD

P2
140mm CONCRETE BLOCK

P3
190mm CONCRETE BLOCK

P4
16mm GYPSUM BOARD
92mm STEEL STUDS

P5
16mm GYPSUM BOARD
152mm STEEL STUDS
16mm GYPSUM BOARD

FURRING

P10
16mm GYPSUM BOARD
22mm FURRING CHANNELS

UNLESS NOTED OTHERWISE:

- ALL INTERIOR DIMENSIONS ARE MEASURED TO FINISHED FACE, FACE OF CONCRETE OR GRID LINES.
- ALL PARTITIONS INCLUDING GYPSUM BOARD TO EXTEND TO UNDERSIDE OF SLAB.
- REFER TO WALL FINISH PLANS, AND SPECIFICATIONS FOR WALL FINISHES AND COLOURS.
- REFER TO A110 TO A111 FLOOR PLANS (SCALE 1:100) FOR LOCATION OF PARTITION TYPES.
- PROVIDE SMOKE SEALS TO TOP AND BOTTOM OF PARTITIONS FOR ALL 0 HOUR (NON-RATED) AND FIRE RATED SEPARATIONS.
- PROVIDE 200g STUDS @400 mm O.C. TO SUPPORT WALL MOUNTED MILLWORK.
- PROVIDE METAL BACKING TO SUPPORT ALL WALL HUNG MILLWORK AND ACCESSORIES.
- PREFIXES AND SUFFIXES TO PARTITION TYPES:

PREFIXES:

- S - SECURITY - REFER TO NOTES FOR REINFORCEMENT

FIRE RATED PARTITIONS:

- A - 1 HOUR FIRE RESISTANCE RATING
- B - 1 1/2 HOUR FIRE RESISTANCE RATING
- C - 2 HOUR FIRE RESISTANCE RATING
- D - 0 HOUR FIRE RESISTANCE RATING

SUFFIXES:

- D - LOW PARTITION. REFER TO INTERIOR ELEVATIONS OR SECTIONS FOR HEIGHTS. 800MM A.F.F. U.N.O
- E - EXTEND GYP. DB 150mm + ABOVE CEILINGS. STUDS TO EXTEND TO UNDERSIDE OF STRUCTURE.
- F - DELETE SOUND ATTENUATION BLANKETS
- H - HORIZONTAL
- M - USE MOISTURE RESISTANT GYPSUM BOARD TYPE MRGB AS FOLLOWS:
- W - USE 16mm WATERPROOF SUBSTRATE BOARD AS FOLLOWS:
- IN SHOWERS: ON SHOWER STED TO 2400 AFF, BALANCE. REGULAR GB UNLESS NOTED OTHERWISE BY SUFFIX "E".

LEGEND FOR FIRE SEPARATION		
PARTITION/WALL	FIRE RESISTANCE RATING	DOOR
0-HOUR FIRE RATING	0 HOUR	0 HOUR
1-HOUR FIRE RATING	45 MIN.	45 MIN.
1.5 HOUR FIRE RATING	1 HOUR	1 HOUR

EXTERIOR WALL TYPES:

W1 - INSULATED METAL PANELS - R29 ci
100mm INSULATED METAL PANEL R-29 ci
PRE-ENGINEERED STEEL STRUCTURE
REFER TO PRE-ENGINEERED DRAWINGS

W1a - INSULATED METAL PANELS - R29 ci
100mm INSULATED METAL PANEL R-29 ci
50mm "Z" GIRTS
16mm SHEATHING
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

W1b - INSULATED METAL PANELS - R29 ci
100mm INSULATED METAL PANEL R-29 ci
25mm FURRING CHANNELS-"Z" GIRTS
190mm CONCRETE BLOCK

W2 - ALUMINUM COMPOSITE PANEL (ACP) - R25 ci
22mm ACP PANEL
25mm AIR SPACE
THERMALLY BROKEN CLIPS
152mm SEMI RIGID INSULATION R25 ci (INS-6)
AIR/VAPOUR BARRIER (AVB-1)
16mm SHEATHING
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

W3 - PHENOLIC PANELS - R25 ci
8mm PHENOLIC PANELS
43mm AIR SPACE
THERMALLY BROKEN CLIPS
152mm SEMI RIGID INSULATION - R25 ci (INS-6)
AIR/VAPOUR BARRIER (AVB-1)
13mm SHEATHING
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

W4 - BRICK - R25 ci
90mm BRICK
25mm AIR SPACE
THERMALLY BROKEN BRICK TIES
152mm SEMI RIGID INSULATION - R25 ci (INS-6)
AIR/VAPOUR BARRIER (AVB-1)
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

WF1 - CONCRETE FOUNDATION - R15 ci
(600mm HIGH) 75mm CONCRETE FACED RIGID INSULATION-R15 (INS-3) W/ 75mm RIGID INSULATION-R15 (INS-2) W/ PROTECTION BOARD BELOW (REFER TO DETAIL 2/A-401) WATERPROOFING MEMBRANE (WPM-1) CONCRETE FOUNDATION WALL (REFER TO STRUCT)

WF2 - CONCRETE FOUNDATION - R15 ci
90mm SOLID CONCRETE BLOCK
75mm RIGID INSULATION-R15 (INS-2) WATERPROOFING MEMBRANE (WPM-1) CONCRETE FOUNDATION WALL (REFER TO STRUCT)

OBC-SB10 - NONRESIDENTIAL BUILDING Building Envelope Requirements for Newmarket - Climate Zone 6		
ROOFS:	REQUIRED	PROVIDED
INSULATION ENTIRELY ABOVE DECK	R-35 ci	R-35 to R-37
*METAL BUILDING	R-25 + R-11 + R-11 Ls	
*METAL BUILDING - SEMIHEATED	R-19 + R-11 Ls	
*WHEN USING THE R-VALUE COMPLIANCE METHOD FOR METAL BUILDING ROOFS, A THERMAL SPACER BLOCK IS REQUIRED.		
WALLS, ABOVE GRADE:		
MASONRY	R-19 ci	R-25
STEEL FRAMED	R-13 + R-15 ci	R-29
METAL BUILDING	R-13 + R-19 ci	R-29
METAL BUILDING - SEMIHEATED	R-13 + R-6.5 ci	R-29
WALL, BELOW GRADE		
BELOW GRADE WALL	R-20 ci	R-25
BELOW GRADE WALL - SEMIHEATED	R-7.5 ci	R-15
SLAB-ON-GRADE FLOORS:		
UNHEATED	R-15 FOR 48 in.	R-15
UNHEATED - SEMIHEATED ROOM	NOT REQUIRED	
HEATED	R-10 FULL SLAB	
HEATED - SEMIHEATED ROOM	R-15 FOR 48 in.	

FLOOR TYPES:

F-1 - SLAB ON GRADE-INSULATED R15 ci
SLAB ON GRADE (REFER TO STRUCT)
UNDERSLAB VAPOUR RETARDER (AVB-2)
75mm INSULATION R15 (INS-4)
300mm CLEAR STONE

F-2 - SLAB ON GRADE-HEATED-INSULATED R15 ci
SLAB ON GRADE (REFER TO STRUCT)
FLOOR HEATING SYSTEM (SEE M&E DRAWINGS)
UNDERSLAB VAPOUR RETARDER (AVB-2)
75mm INSULATION R15 ci (INS-4)
300mm CLEAR STONE

F-3 - MEZZANINE FLOOR
165mm CONCRETE
75mm STEEL DECK

ROOF TYPES:

R1 - 2-PLY MOD-BIT ON PRE-ENG STEEL STRUCTURE - R35 ci
2-PLY MOD-BIT ROOFING MEMBRANE
PROTECTION BOARD
SLOPED INSULATION WHERE REQUIRED
175mm RIGID INSULATION R35 ci (INS-8)
VAPOUR RETARDER (AVB-3)
13mm SHEATHING
METAL DECK
ROOF PURLINS
PRE-ENGINEERED STEEL STRUCTURE

R2 - METAL STANDING SEAM ROOF ON PRE-ENG STEEL STRUCTURE - R35 ci
STANDING SEAM METAL ROOF
9mm CONTINUOUS RIGID INSULATION THERMAL BREAK
STEEL HAT BAR
THERMALLY BROKEN CLIPS
230mm SEMI-RIGID INSULATION R35 ci (INS-6)
PREFINISHED METAL LINER PANEL W/ SEALED SEAMS (AVB)
ROOF PURLINS
PRE-ENGINEERED STEEL STRUCTURE

R3 - CANOPY ROOF
SINGLE PLY MEMBRANE
TAPERED INSULATION AS SHOWN
16mm SHEATHING
38mm METAL DECK
ROOF PURLINS
PRE-ENGINEERED STEEL STRUCTURE

PARKIN

Parkin Architects Limited
1 VALLEYBROOK DRIVE, TORONTO, CANADA, M3B 2S7 416-467-8000

YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

NO.	ISSUED	DATE
8	ISSUED FOR ADDENDUM 14	24-11-27
7	ISSUED FOR ADDENDUM 8	24-10-07
6	ISSUED FOR ADDENDUM 6	24-09-30
5	ISSUED FOR ADDENDUM 3	24-09-23
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated

Sheet Title:

LEGENDS, NOTES, AND LIFE SAFETY PLAN

Drawing No.

A-005

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan



5	ISSUED FOR ADDENDUM 14	24-11-27
4	ISSUED FOR ADDENDUM 3	24-09-23
3	ISSUED FOR TENDER	24-09-08
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100




Sheet Title:

FOUNDATION PLAN

Drawing No.

A-100



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan



10	ISSUED FOR ADDENDUM 14	24-11-27
9	ISSUED FOR ADDENDUM 9	24-10-11
8	ISSUED FOR ADDENDUM 8	24-10-07
7	ISSUED FOR ADDENDUM 6	24-09-30
6	ISSUED FOR ADDENDUM 3	24-09-23
5	ISSUED FOR ADDENDUM 1	24-09-16
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD,CY
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated




Sheet Title:


GROUND FLOOR AND MEZZANINE PLAN

Drawing No.


A-110




2 MEZZANINE PLAN



3 STAIR SECTION 3/A110
1 : 50



4 STAIR SECTION 4/A110
1 : 50



1 GROUND FLOOR PLAN

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan



8	ISSUED FOR ADDENDUM 14	24-11-27
7	ISSUED FOR ADDENDUM 8	24-10-07
6	ISSUED FOR ADDENDUM 3	24-09-23
5	ISSUED FOR ADDENDUM 1	24-09-16
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100




Sheet Title:

ROOF PLAN

Drawing No.

A-111



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY



TRUE NORTH



7	ISSUED FOR ADDENDUM 14	24-11-27
6	ISSUED FOR ADDENDUM 10	24-10-15
5	ISSUED FOR ADDENDUM 6	24-09-30
4	ISSUED FOR ADDENDUM 1	24-09-16
3	ISSUED FOR TENDER	24-09-09
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29
NO.	ISSUED	DATE


All measurements are to be checked and verified on site by the contractor before proceeding with work

Drawn by: ZD / NJ
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100



GROUND FLOOR - RCP

A-115



















ARCHITECTURAL:
NOTE: ALL SUSPENDED CEILINGS ARE LOCATED 2750mm A.F.F.
TYPICAL UNLESS NOTED OR DETAILED OTHERWISE

- The diagram illustrates the layout of a shower stall with the following specifications:

 - ACT-1:** 610 x 610 ACOUSTIC CEILING TILE (shown in a 2x2 grid)
 - ACT-2:** 610 x 1220 ACOUSTIC CEILING TILE (shown in a 2x1 grid)
 - GB:** GYPSUM BOARD (shown as a rectangular panel with a dotted pattern)
 - MRGB:** MOULD RESISTANT GYPSUM BOARD (shown as a rectangular panel with a cross-hatched pattern)
 - CEILING HEIGHT** (indicated by a vertical dimension line with a circle containing the number 2700)
 - CURTAIN TRACK** (indicated by a horizontal line with a wavy pattern)
 - SHOWER CURTAIN TRACK** (indicated by a horizontal line with a cross-hatched pattern)

NOTE: CONCEAL ALL CONDUIT EXCEPT IN MECHANICAL/ELECTRICAL ROOM UNLESS OTHERWISE INDICATED.
CENTRE LIGHTS ON CEILING TILE UNLESS OTHERWISE NOTED.
REFER TO ELECTRICAL DRAWINGS.

- | | |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|  | SPEAKER CEILING MOUNTED |
|  | SECURITY CAMERA CEILING MOUNTED |
|  | EXIT SIGN WALL MOUNTED |
|  | POT LIGHT |
|  | SUSPENDED LINEAR LUMINAIRE |
|  | 610X1220 LINEAR RECESSED LUMINAIRE |
|  | 610X1220 LINEAR SUSPENDED LUMINAIRE |
|  | SMOKE DETECTOR |
|  | SECURITY CAMERA. PROVIDE CONDUIT W/
PULL STRINGS. COORDINATE W/ OWNER'S
SECURITY CONSULTANT. |
- MECHANICAL:**
REFER TO MECHANICAL DRAWINGS
- | | |
|-------------------------------------------------------------------------------------|--------------------------------------|
|  | LINEAR DIFFUSER |
|  | SUPPLY AIR DIFFUSER |
|  | RETURN AIR DIFFUSER / EXHAUST GRILLE |
|  | CONCEALED SPRINKLER HEAD |
|  | UPRIGHT SPRINKLER HEAD |
|  | FIRE EXTINGUISHER CABINET |
|  | FIRE EXTINGUISHER C/W WALL BRACKET |

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: NJ
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100




Sheet Title:

GROUND FLOOR - FLOOR FINISHES


Drawing No.

A-130



2 MEZZANINE FLOOR FINISH PLAN

FLOOR FINISH LEGEND:



2024-11-27 12:59:03 PM
Autodesk Docs/2402 - YRP Helicopter Hangar/a-yp-pa-helicopter_hangar.rvt

WALL FINISH LEGEND:

WALL FINISHES

- PT PAINT (PT)
PT-E EPOXY PAINT (PT-E)
CT CERAMIC TILE (CT)
AWP ACOUSTIC WALL PANEL (AWP)

WALL PROTECTION

- CG CORNER GUARD (1220mm AFF)
BRLG BUMPER RAIL
SWP SHEET WALL PROTECTION (1220mm AFF)

PAINT LEGEND

- PT-101 (FIELD) IN THE CLOUDS PPG0999-1
PT-102 (ACCENT) CHAMPION COBALT BENJAMIN MOORE 2061-20
PT-103 (ACCENT) POLARIS BLUE BENJAMIN MOORE 1649
PT-104 (CEILING) COMMERCIAL WHITE PPG1025-1
PT-105 (FRAMES) WATTSPELL PPG0996-3




PARKIN

Parkin Architects Limited
1 VALLEYBROOK DRIVE, TORONTO, CANADA, M3B 2S7 416-467-8000

YORK REGIONAL POLICE
HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan



NO.	ISSUED	DATE
6	ISSUED FOR ADDENDUM 14	24-11-27
5	ISSUED FOR ADDENDUM 9	24-10-11
4	ISSUED FOR ADDENDUM 8	24-10-07
3	ISSUED FOR TENDER	24-09-09
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: Author
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100



Sheet Title:

GROUND FLOOR -
WALL FINISHES

Drawing No.


A-131

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

4	ISSUED FOR ADDENDUM 14	24-11-27
3	ISSUED FOR ADDENDUM 8	24-10-07
2	ISSUED FOR TENDER	24-09-09
1	ISSUED FOR BUILDING PERMIT	24-07-31
NO.	ISSUED	DATE

Drawn by: Author
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 50

A-200



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY


Issues

Do not scale drawings

Sheet Title:

Drawing No.

2024-11-27 12:52:55 PM
Autodesk Docs://2402 - YF



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

[illegible]

Issues

Do not scale drawings

A horizontal number line is shown, starting at 0 and ending at 8m. Major tick marks are labeled at 0, 2, 4, 6, and 8m. The line is divided into four equal segments of 2m each. The segments are colored alternately: the first segment (0 to 2m) is black, the second (2 to 4m) is white, the third (4 to 6m) is black, and the fourth (6 to 8m) is white.

ELEVATIONS


A-300




YORK REGIONAL POLICE
HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY


Key Plan




4 WEST EAST BUILDING SECTION



3 EAST WEST BUILDING SECTION



2 SOUTH NORTH BUILDING SECTION



1 NORTH SOUTH BUILDING SECTION


NO.	ISSUED	DATE
6	ISSUED FOR ADDENDUM 14	24-11-27
5	ISSUED FOR ADDENDUM 8	24-10-07
4	ISSUED FOR ADDENDUM 1	24-09-16
3	ISSUED FOR TENDER	24-09-09
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD, CY
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100



Sheet Title:

BUILDING
SECTIONS

Drawing No.

A-310

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan


4	ISSUED FOR ADDENDUM 14	24-11-07
3	ISSUED FOR ADDENDUM 6	24-09-30
2	ISSUED FOR TENDER	24-09-09
1	ISSUED FOR BUILDING PERMIT	24-07-31
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 25





Sheet Title:

WALL SECTIONS

Drawing No.

A-400



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

[illegible]

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:25



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan


[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:25




Sheet Title:


WALL SECTIONS

Drawing No.

A-402



2 WALL SECTION 2



1 WALL SECTION 1



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

[illegible]

Issues

WALL SECTIONS

A-403



YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

5	ISSUED FOR ADDENDUM 14	24-11-27
4	ISSUED FOR ADDENDUM 8	24-10-07
3	ISSUED FOR ADDENDUM 6	24-09-30
2	ISSUED FOR ADDENDUM 1	24-09-16
1	ISSUED FOR TENDER	24-09-09
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: Author
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:10




Sheet Title:


SECTION DETAILS

Drawing No.


A-500




17 SECTION DETAIL 17
1:10




16 SECTION DETAIL 16
1:10




15 SECTION DETAIL 15
1:10




14 SECTION DETAIL 14
1:10




13 SECTION DETAIL 13
1:10




12 SECTION DETAIL 12
1:10




11 SECTION DETAIL 11
1:10




10 SECTION DETAIL 10
1:10




9 SECTION DETAIL 9
1:10




8 SECTION DETAIL 8
1:10




7 SECTION DETAIL 7
1:10




6 SECTION DETAIL 6
1:10




5 SECTION DETAIL 5
1:10




4 SECTION DETAIL 4
1:10



3 SECTION DETAIL 3
1:10



2 SECTION DETAIL 2
1:10



1 SECTION DETAIL 1
1:10

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

5	ISSUED FOR ADDENDUM 14	24-11-27
4	ISSUED FOR ADDENDUM 9	24-10-11
3	ISSUED FOR ADDENDUM 8	24-10-07
2	ISSUED FOR ADDENDUM 3	24-09-23
1	ISSUED FOR TENDER	24-09-09
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work


Do not scale drawings

Drawn by: ZD,CY
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated

Sheet Title:

SECTION DETAILS

Drawing No.



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: Author
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 10




Sheet Title:



PLAN DETAILS

Drawing No.


A-505




17 PLAN DETAIL 17

**16** PLAN DETAIL 16


15 **PLAN DETAIL 15**




14 PLAN DETAIL 14




13 PLAN DETAIL 13




12 PLAN DETAIL 12
1 : 10




11 PLAN DETAIL 11




10 PLAN DETAIL 10




9 PLAN DETAIL 9




8 PLAN DETAIL 8
1 : 10




7 PLAN DETAIL 7




6 PLAN DETAIL 6




5 PLAN DETAIL 5




4 PLAN DETAIL 4



3 PLAN DETAIL 3



2 PLAN DETAIL 2



1 PLAN DETAIL 1

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated

Sheet Title:

TYPICAL DETAILS

Drawing No.

A-510



2024-11-27 12:53:19 PM
Autodesk Docs://2402 - YRP Helicopter Hanger/a-yrp-psl_helicopter_hanger.rvt


DOOR SCHEDULE																
Level	Door Number	Room Number	Width (Total)	Door					Frame			FRR	STC Rating	Hardware Group	Door Comments	
				Height	Thk	Type	Material	Finish	Glazing	Type	Material					Finish
Ground Floor	d-101	102	1000	2150	45	L	AL&GLAZ	ANO	VG1	F7	AL	ANO			1	PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION SYSTEM KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-103	102	965	2150	45	A	SC	PLAM		F1	PS	PT			2	
Ground Floor	d-104	128	965	2150	45	C	HM	PT	FRGLI	F1	PS	PT	1HR		3	PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION SYSTEM KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-105	128	965	2150	45	A	HM	PT		F1	PS	PT	1HR		4	
Ground Floor	d-106	102	965	2150	45	A	SC	PLAM		F1	PS	PT			5	
Ground Floor	d-108	128	965	2134	45	C	SC	PLAM	FRGLI	F1	PS	PT	1HR		6	
Ground Floor	d-111	109	965	2150	45	A	HM	PT	TGL	F7	PS	PT			2	
Ground Floor	d-112	109	965	2150	45	A	HM	PT	TGL	F7	PS	PT			2	
Ground Floor	d-113	109	965	2150	45	A	SC	PLAM		F1	PS	PT			2	
Ground Floor	d-114	109	965	2150	45	A	HM	PT		F1	PS	PT			7	PROVIDE ROUGH IN FOR SCRAMBLEPAD. COORDINATE W/ OWNER'S CONSULTANT.
Ground Floor	d-115	109	965	2150	45	A	HM	PT		F1	PS	PT			8	
Ground Floor	d-116	115	965	2150	45	A	SC	PLAM		F1	PS	PT			9	
Ground Floor	d-117	115	965	2150	45	A	SC	PLAM		F1	PS	PT			9	
Ground Floor	d-119	115	965	2150	45	A	SC	PLAM		F1	PS	PT			10	
Ground Floor	d-120	115	965	2150	45	A	SC	PLAM		F1	PS	PT			10	
Ground Floor	d-121a	128	965	2150	45	C	HM	PT	FRGLI	F1	PS	PT	1HR		11	
Ground Floor	d-121b	115	965	2150	45	C	HM	ANO	TGL	F7	PS	PT			11	
Ground Floor	d-122	121	965	2150	45	A	HM	PT		F1	PS	PT	0.75HR		12	
Ground Floor	d-123	124	965	2150	45	A	HM	PT		F1	PS	PT	1HR		13	
Ground Floor	d-124	128	965	2150	45	C	HM	PT	FRGLI	F1	PS	PT	1HR		14	PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-125	128	965	2150	45	A	HM	PT		F1	PS	PT			15,1	
Ground Floor	d-126	128	965	2150	45	A	HM	PT		F1	PS	PT			22	
Ground Floor	d-127	128	965	2150	45	A	HM	PT		F1	PS	PT	0HR		16	
Ground Floor	d-e-101		1000	2150		L	AL&GLAZ	ANO	VG2	F1	AL	ANO			17	PROVIDE ROUGH IN AND CONDUIT TO SCRAMBLE PAD AND INTERCOM. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-e-124a		3000	3000	45	N			VG						18	
Ground Floor	d-e-124b		3000	3000	45	N			VG						18	
Ground Floor	d-e-126		965	2150	45	A	HM	PT		F1	PS	PT			19	
Ground Floor	d-e-128a		965	2150	45	A	HM	PT		F1	PS	PT			20	PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-e-128b	128	16000	6500		O									18	
Ground Floor	d-e-128c		965	2150	45	A	HM	PT		F1	PS	PT			21	PROVIDE ROUGH IN FOR SCRAMBLEPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Low Roof	d-e-129		965	2150	45	A	HM	PT		F1	PS	PT			23	

ACCESSORY SCHEDULE			
Accessory Name	Accessory Tag	Qty	Responsibilities
Clothing Hook	CH	2	C/C
Clothing Hook	CH-BF	1	C/C
Grab Bar - Standard	GRB-1	1	C/C
Grab Bar - Vertical L-Shaped	GRB-2	1	C/C
Hand Dryer	HVHD	2	C/C
Hair Dryer	EHD-1	1	C/C
Janitorial Unit with Shelf	JS-1	1	C/C
Mirror	MIR-1	3	C/C
Soap Dispenser	SD-1	1	O/O
Shower Curtain		2	O/O
Curtain Rod	SH ROD/C	2	C/C
Washroom Shelf, Metal	SHF-WR1	1	C/C
Sanitary Napkin Disposal	SND	3	O/O
Toilet Paper Dispenser	TPH	3	O/O


**YORK REGIONAL POLICE
HELICOPTER HANGAR**

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY


Key Plan




2 **FRAME TYPES**
1 : 50




6A **TYP. PS DOOR FRAME HEAD/JAMB**



7 **TYPICAL DOOR JAMBS SPACING**



8 **FLOOR FINISH SEAM AT DOOR OPENING**
1 : 5



1 **DOOR TYPES**
1 : 50

Sheet Title:

**DOOR SCHEDULE
AND DETAILS**

Drawing No.

A-800

NOTE:
PROVIDE TYPICAL METAL BACKING FOR ALL ACCESSORIES
AND GRAB BARS EXCEPT WHERE NOTED

Parkin Architects Limited
1 VALLEYBROOK DRIVE, TORONTO, CANADA, M3B 2S7 416-467-8000

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work.

Do not scale drawings

Drawn by: NJ
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 20




Sheet Title:


TYP. WR MOUNTING HEIGHTS

Drawing No.

A-801



3 TYPICAL LAVATORY



The image contains two architectural drawings of a toilet stall, labeled (A) and (B).


(A) SIDE ELEVATION: This drawing shows the side profile of the toilet stall. The overall height is 1800 and the width is 750. Key components and dimensions include:

- GRAB BAR GRB-1a:** Located on the left wall at a height of 100.
- GRAB BAR GRB-2:** Located on the top wall.
- TOILET PAPER DISPENSER TPD-1:** Mounted on the bottom wall.
- MC:** A mechanical component on the left wall.
- Dimensions:** A horizontal distance of 600 from the left wall to the center of the grab bar GRB-2. A vertical distance of 400 from the bottom wall to the center of GRB-2. A horizontal distance of 300 from the toilet fixture to the center of GRB-2.

(B) FRONT ELEVATION: This drawing shows the front view of the toilet stall. The overall height is 750 and the width is 915. Key components and dimensions include:

- WC (SEE MECH):** The toilet fixture.
- RECESSED FLUSH VALVE:** Located above the toilet.
- GRB-1a GRAB BAR:** Located on the left wall.
- GRAB BAR GRB-2:** Located on the right wall.
- CL OF WC:** The center line of the toilet fixture.
- Dimensions:** A total width of 915. A distance of 640 from the left wall to the center of the toilet. A distance of 460 from the center of the toilet to the center of GRB-2. A distance of 100 from the top of the toilet to the center of GRB-2. A distance of 430 from the bottom of the toilet to the center of GRB-2. A distance of 100 from the center of the toilet to the center of GRB-1a.

2 TYPICAL WC AT PUBLIC WASHROOM




The image contains two architectural drawings of a toilet stall, labeled (A) and (B).

(A) SIDE ELEVATION: This drawing shows the side profile of the toilet stall. The overall height is 1800 and the width is 750. Key components and dimensions include:


- GRAB BAR GRB-1a:** Located on the left wall at a height of 100.
- GRAB BAR GRB-2:** Located on the top wall.
- TOILET PAPER DISPENSER TPD-1:** Mounted on the bottom wall.
- MC:** A mechanical component on the left wall.
- Dimensions:** A horizontal distance of 600 from the left wall to the center of the grab bar GRB-2. A vertical distance of 400 from the bottom wall to the center of GRB-2. A horizontal distance of 300 from the toilet fixture to the center of GRB-2.

(B) FRONT ELEVATION: This drawing shows the front view of the toilet stall. The overall height is 750 and the width is 915. Key components and dimensions include:

- WC (SEE MECH):** The toilet fixture.
- RECESSED FLUSH VALVE:** Located above the toilet.
- GRB-1a GRAB BAR:** Located on the left wall.
- GRAB BAR GRB-2:** Located on the right wall.
- CL. OF WC:** The center line of the toilet fixture.
- Dimensions:** A total width of 915. A distance of 640 from the left wall to the center of the toilet. A distance of 460 from the center of the toilet to the center of GRB-2. A distance of 100 from the top of the toilet to the center of GRB-2. A distance of 430 from the bottom of the toilet to the center of GRB-2. A distance of 100 from the center of the toilet to the center of GRB-1a.



17 TYPICAL EMERGENCY SHOWER WITH EYEWASH



1 TYPICAL SHOWER

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

3	ISSUED FOR ADDENDUM 14	24-11-27
2	ISSUED FOR TENDER	24-09-09
1	ISSUED FOR BUILDING PERMIT	24-07-31
NO.	ISSUED	DATE

All measurements are to be checked and verified on site by the contractor before proceeding with work

Drawn by: NJ
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated

TYP. MOUNTING HEIGHTS

A-802



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

4	ISSUED FOR ADDENDUM 14	24-11-27
3	ISSUED FOR ADDENDUM 8	24-10-07
2	ISSUED FOR TENDER	24-09-09
1	ISSUED FOR BUILDING PERMIT	24-07-31
NO.	ISSUED	DATE

Drawn by: NJ
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated

A-803