



REFLECTED CEILING PLAN LEGEND:

ARCHITECTURAL:
NOTE: ALL SUSPENDED CEILINGS ARE LOCATED 2750mm A.F.F.
TYPICAL UNLESS NOTED OR DETAILED OTHERWISE





ELECTRICAL:

NOTE: CONCEAL ALL CONDUIT EXCEPT IN MECHANICAL/ELECTRICAL ROOM UNLESS OTHERWISE INDICATED.
CENTRE LIGHTS ON CEILING TILE UNLESS OTHERWISE NOTED.
REFER TO ELECTRICAL DRAWINGS.




FLOOR PLAN LEGEND:


ROOM IDENTIFICATION:




REFERENCE BUBBLE FOR INTERIOR ELEVATION:




REFERENCE BUBBLE FOR EXTERIOR ELEVATION:



SECURITY:




WINDOW TYPES




INTERIOR SCREEN TYPES



STANDARD & NON-RATED



FURRING



- UNLESS NOTED OTHERWISE:
- ALL INTERIOR DIMENSIONS ARE MEASURED TO FINISHED FACE, FACE OF CONCRETE OR GRID LINES.
 - ALL PARTITIONS INCLUDING GYPSUM BOARD TO EXTEND TO UNDERSIDE OF SLAB.
 - REFER TO WALL FINISH PLANS, AND SPECIFICATIONS FOR WALL FINISHES AND COLOURS.
 - REFER TO A110 TO A111 FLOOR PLANS (SCALE 1:100) FOR LOCATION OF PARTITION TYPES.
 - PROVIDE SMOKE SEALS TO TOP AND BOTTOM OF PARTITIONS FOR ALL 0 HOUR (NON-RATED) AND FIRE RATED SEPARATIONS.
 - PROVIDE 200g STUDS @400 mm O.C. TO SUPPORT WALL MOUNTED MILLWORK.
 - PROVIDE METAL BACKING TO SUPPORT ALL WALL HUNG MILLWORK AND ACCESSORIES.
 - PREFIXES AND SUFFIXES TO PARTITION TYPES:
- PREFIXES:
- S - SECURITY - REFER TO NOTES FOR REINFORCEMENT
- FIRE RATED PARTITIONS:
- A - 1 HOUR FIRE RESISTANCE RATING
 - B - 1 1/2 HOUR FIRE RESISTANCE RATING
 - C - 2 HOUR FIRE RESISTANCE RATING
 - D - 0 HOUR FIRE RESISTANCE RATING
- SUFFIXES:
- D - LOW PARTITION. REFER TO INTERIOR ELEVATIONS OR SECTIONS FOR HEIGHTS. 800MM A.F.F. U.N.O.
 - E - EXTEND GYP. DB 150mm + ABOVE CEILINGS. STUDS TO EXTEND TO UNDERSIDE OF STRUCTURE.
 - F - DELETE SOUND ATTENUATION BLANKETS
 - H - HORIZONTAL
 - M - USE MOISTURE RESISTANT GYPSUM BOARD TYPE MRGB AS FOLLOWS:
 - EXTEND MRGB TO 150mm + ABOVE CEILING, BALANCE REGULAR GB UNLESS NOTED OTHERWISE BY SUFFIX "E".
 - W - USE 16mm WATERPROOF SUBSTRATE BOARD AS FOLLOWS:
 - IN SHOWERS (ON SHOWER STD) TO 2400 AFF, BALANCE REGULAR GB UNLESS NOTED OTHERWISE BY SUFFIX "E".

PREFIXES:

S - SECURITY - REFER TO NOTES FOR REINFORCEMENT

FIRE RATED PARTITIONS:

- A - 1 HOUR FIRE RESISTANCE RATING
- B - 1 1/2 HOUR FIRE RESISTANCE RATING
- C - 2 HOUR FIRE RESISTANCE RATING
- D - 0 HOUR FIRE RESISTANCE RATING

SUFFIXES:

- D - LOW PARTITION. REFER TO INTERIOR ELEVATIONS OR SECTIONS FOR HEIGHTS. 800MM A.F.F. U.N.O.
- E - EXTEND GYP. DB 150mm + ABOVE CEILINGS. STUDS TO EXTEND TO UNDERSIDE OF STRUCTURE.
- F - DELETE SOUND ATTENUATION BLANKETS
- H - HORIZONTAL
- M - USE MOISTURE RESISTANT GYPSUM BOARD TYPE MRGB AS FOLLOWS:
 - EXTEND MRGB TO 150mm + ABOVE CEILING, BALANCE REGULAR GB UNLESS NOTED OTHERWISE BY SUFFIX "E".
 - W - USE 16mm WATERPROOF SUBSTRATE BOARD AS FOLLOWS:
 - IN SHOWERS (ON SHOWER STD) TO 2400 AFF, BALANCE REGULAR GB UNLESS NOTED OTHERWISE BY SUFFIX "E".

LEGEND FOR FIRE SEPARATION		
PARTITION/WALL	FIRE RESISTANCE RATING	DOOR
0-HOUR FIRE RATING	0 HOUR	0 HOUR
1-HOUR FIRE RATING	45 MIN.	45 MIN.
1.5 HOUR FIRE RATING	1 HOUR	1 HOUR

EXTERIOR WALL TYPES:

W1 - INSULATED METAL PANELS - R29 ci

100mm INSULATED METAL PANEL R-29 ci
PRE-ENGINEERED STEEL STRUCTURE
REFER TO PRE-ENGINEERED DRAWINGS

W1a - INSULATED METAL PANELS - R29 ci

100mm INSULATED METAL PANEL R-29 ci
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

W1b - INSULATED METAL PANELS - R29 ci

100mm INSULATED METAL PANEL R-29 ci
25mm FURRING CHANNELS-"Z" GIRTS
190mm CONCRETE BLOCK

W2 - ALUMINUM COMPOSITE PANEL (ACP) - R25 ci

22mm ACP PANEL
25mm AIR SPACE
THERMALLY BROKEN CLIPS
152mm SEMI RIGID INSULATION R25 ci (INS-6)
AIR/VAPOUR BARRIER (AVB-1)
16mm SHEATHING
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

W3 - PHENOLIC PANELS - R25 ci

8mm PHENOLIC PANELS
43mm AIR SPACE
THERMALLY BROKEN CLIPS
152mm SEMI RIGID INSULATION - R25 ci (INS-6)
AIR/VAPOUR BARRIER (AVB-1)
13mm SHEATHING
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

W4 - BRICK - R25 ci

90mm BRICK
25mm AIR SPACE
THERMALLY BROKEN BRICK TIES
152mm SEMI RIGID INSULATION - R25 ci (INS-6)
AIR/VAPOUR BARRIER (AVB-1)
16mm SHEATHING
152mm STRUCTURAL STEEL STUDS
16mm GYPSUM BOARD

WF1 - CONCRETE FOUNDATION - R15 ci

(600mm HIGH) 75mm CONCRETE FACED RIGID INSULATION-R15 (INS-3) W/
75mm RIGID INSULATION-R15 (INS-2) W/ PROTECTION BOARD BELOW (REFER TO DETAIL 2/A-401)
WATERPROOFING MEMBRANE (WPM-1)
CONCRETE FOUNDATION WALL (REFER TO STRUCT)

WF2 - CONCRETE FOUNDATION - R15 ci

90mm SOLID CONCRETE BLOCK
75mm RIGID INSULATION-R15 (INS-2)
WATERPROOFING MEMBRANE (WPM-1)
CONCRETE FOUNDATION WALL (REFER TO STRUCT)

OBC-SB10 - NONRESIDENTIAL BUILDING Building Envelope Requirements for Newmarket - Climate Zone 6

ROOFS:

INSULATION ENTIRELY ABOVE DECK R-35 ci
*METAL BUILDING R-25 + R-11 + R-11 Ls
*METAL BUILDING - SEMIHEATED R-19 + R-11 Ls

PROVIDED

R-35 to R-37

*WHEN USING THE R-VALUE COMPLIANCE METHOD FOR METAL BUILDING ROOFS, A THERMAL SPACER BLOCK IS REQUIRED.

WALLS, ABOVE GRADE:

MASONRY R-19 ci
STEEL FRAMED R-13 + R-15 ci
METAL BUILDING R-13 + R-19 ci
METAL BUILDING - SEMIHEATED R-13 + R-6.5 ci

R-25
R-29
R-29
R-29

WALL, BELOW GRADE

BELOW GRADE WALL R-20 ci
BELOW GRADE WALL - SEMIHEATED R-7.5 ci

R-25
R-15

SLAB-ON-GRADE FLOORS:

UNHEATED R-15 FOR 48 in.
UNHEATED - SEMIHEATED ROOM NOT REQUIRED
HEATED R-10 FULL SLAB
HEATED - SEMIHEATED ROOM R-15 FOR 48 in.

R-15

FLOOR TYPES:

F-1 - SLAB ON GRADE-INSULATED R15 ci

SLAB ON GRADE (REFER TO STRUCT)
UNDERSLAB VAPOUR RETARDER (AVB-2)
75mm INSULATION R15 (INS-4)
300mm CLEAR STONE

F-2 - SLAB ON GRADE-HEATED-INSULATED R15 ci

SLAB ON GRADE (REFER TO STRUCT)
FLOOR HEATING SYSTEM (SEE M&E DRAWINGS)
UNDERSLAB VAPOUR RETARDER (AVB-2)
75mm INSULATION R15 ci (INS-4)
300mm CLEAR STONE

F-3 - MEZZANINE FLOOR

165mm CONCRETE
75mm STEEL DECK

ROOF TYPES:

R1 - 2-PLY MOD-BIT ON PRE-ENG STEEL STRUCTURE - R35 ci

2-PLY MOD-BIT ROOFING MEMBRANE
PROTECTION BOARD
SLOPED INSULATION WHERE REQUIRED
175mm RIGID INSULATION R35 ci (INS-8)
VAPOUR RETARDER (AVB-3)
13mm SHEATHING
METAL DECK
ROOF PURLINS
PRE-ENGINEERED STEEL STRUCTURE

R2 - METAL STANDING SEAM ROOF ON PRE-ENG STEEL STRUCTURE - R35 ci

STANDING SEAM METAL ROOF
9mm CONTINUOUS RIGID INSULATION THERMAL BREAK
STEEL HAT BAR
THERMALLY BROKEN CLIPS
230mm SEMI-RIGID INSULATION R35 ci (INS-6)
PRE-FINISHED METAL LINER PANEL W/ SEALED SEAMS (AVB)
ROOF PURLINS
PRE-ENGINEERED STEEL STRUCTURE

R3 - CANOPY ROOF

SINGLE PLY MEMBRANE
TAPERED INSULATION AS SHOWN
16mm SHEATHING
38mm METAL DECK
ROOF PURLINS
PRE-ENGINEERED STEEL STRUCTURE

PARKIN

Parkin Architects Limited
1 VALLEYBROOK DRIVE, TORONTO, CANADA, M3B 2S7 416-467-8000

YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

NO.	ISSUED	DATE
6	ISSUED FOR ADDENDUM 6	24-09-30
5	ISSUED FOR ADDENDUM 3	24-09-23
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated

Sheet Title:

LEGENDS, NOTES, AND LIFE SAFETY PLAN

Drawing No.

A-005

1 LIFE SAFETY PLAN

1 : 200

YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan




7	ISSUED FOR ADDENDUM 6	24-09-30
6	ISSUED FOR ADDENDUM 3	24-09-23
5	ISSUED FOR ADDENDUM 1	24-09-16
4	ISSUED FOR TENDER	24-09-09
3	ISSUED FOR SITE PLAN APPROVAL	24-08-16
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD, CY
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated




Sheet Title:


GROUND FLOOR AND MEZZANINE PLAN

Drawing No.


A-110




2 MEZZANINE PLAN
1 : 100



3 STAIR SECTION 3/A110
1 : 50



4 STAIR SECTION 4/A110
1 : 50



1 GROUND FLOOR PLAN
1 : 100

2024-09-30 10:21:00 PM
Autodesk Docs//2402 - YRP Helicopter Hangar/ia-yrp-pa1_building.rvt

REFLECTED CEILING PLAN LEGEND:

ARCHITECTURAL:
NOTE: ALL SUSPENDED CEILINGS ARE LOCATED 2750mm A.F.F.
TYPICAL UNLESS NOTED OR DETAILED OTHERWISE

ACT-1: 610 x 610 ACOUSTIC CEILING TILE

ACT-2 610 x 1220 ACOUSTIC CEILING TILE

GB: GYPSUM BOARD

MRGB: MOULD RESISTANT GYPSUM BOARD

CEILING HEIGHT

CURTAIN TRACK

SHOWER CURTAIN TRACK

ELECTRICAL:
NOTE: CONCEAL ALL CONDUIT EXCEPT IN MECHANICAL/ELECTRICAL ROOM UNLESS OTHERWISE INDICATED.
CENTRE LIGHTS ON CEILING TILE UNLESS OTHERWISE NOTED.
REFER TO ELECTRICAL DRAWINGS.

SPEAKER CEILING MOUNTED

SECURITY CAMERA CEILING MOUNTED

EXIT SIGN WALL MOUNTED

POT LIGHT

SUSPENDED LINEAR LUMINAIRE

610X1220 LINEAR RECESSED LUMINAIRE

610X1220 LINEAR SUSPENDED LUMINAIRE

SMOKE DETECTOR

SECURITY CAMERA. PROVIDE CONDUIT W/
PULL STRINGS. COORDINATE W/ OWNER'S
SECURITY CONSULTANT.

MECHANICAL
REFER TO MECHANICAL DRAWINGS

LINEAR DIFFUSER

SUPPLY AIR DIFFUSER

RETURN AIR DIFFUSER / EXHAUST GRILLE

SPRINKLER HEAD

WALL SPRINKLER HEAD

FIRE EXTINGUISHER CABINET

FIRE EXTINGUISHER C/W WALL BRACKET




PARKIN

Parkin Architects Limited
1 VALLEYBROOK DRIVE, TORONTO, CANADA, M3B 2S7 416-467-8000

YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan




NO.	ISSUED	DATE
5	ISSUED FOR ADDENDUM 6	24-09-30
4	ISSUED FOR ADDENDUM 1	24-09-16
3	ISSUED FOR TENDER	24-09-09
2	ISSUED FOR BUILDING PERMIT	24-07-31
1	ISSUED FOR PRECONSULTATION	24-05-29

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD / NJ
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100



Sheet Title:

GROUND FLOOR - RCP

Drawing No.

A-115


350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1 : 100



Sheet Title:

ELEVATIONS

Drawing No.

A-300



Autodesk Docs://2402 - YRP Helicopter Hanger/a-yrp-pa_building.rvt

YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan


3	ISSUED FOR ADDENDUM 6	24-09-30
2	ISSUED FOR TENDER	24-09-09
1	ISSUED FOR BUILDING PERMIT	24-07-31
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:25





Sheet Title:

WALL SECTIONS

Drawing No.

A-400



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

[illegible]

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:25



350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan


[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: ZD
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:25






Sheet Title:

WALL SECTIONS

Drawing No.

A-403



YORK REGIONAL POLICE HELICOPTER HANGAR

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY

Key Plan

3	ISSUED FOR ADDENDUM 6	24-09-30
2	ISSUED FOR ADDENDUM 1	24-09-16
1	ISSUED FOR TENDER	24-09-09
NO.	ISSUED	DATE

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: Author
Checked by: Checker
Original Issue Date: 24-04-15
Project No: 2402
Scale: 1:10




Sheet Title:


SECTION DETAILS

Drawing No.


A-500




17 SECTION DETAIL 17
1:10




16 SECTION DETAIL 16
1:10




15 SECTION DETAIL 15
1:10




14 SECTION DETAIL 14
1:10




13 SECTION DETAIL 13
1:10




12 SECTION DETAIL 12
1:10




11 SECTION DETAIL 11
1:10




10 SECTION DETAIL 10
1:10




9 SECTION DETAIL 9
1:10




8 SECTION DETAIL 8
1:10




7 SECTION DETAIL 7
1:10




6 SECTION DETAIL 6
1:10




5 SECTION DETAIL 5
1:10




4 SECTION DETAIL 4
1:10



3 SECTION DETAIL 3
1:10



2 SECTION DETAIL 2
1:10




1 SECTION DETAIL 1
1:10

350 GARFIELD WRIGHT BOULEVARD
TOWN OF EAST GWILLIMBURY


Key Plan

ACCESSORY SCHEDULE			
Accessory Name	Accessory Tag	Qty	Responsibilities
Clothing Hook	CH	2	C/C
Clothing Hook	CH-BF	1	C/C
Grab Bar - Standard	GRB-1	1	C/C
Grab Bar - Vertical L-Shaped	GRB-2	1	C/C
Hand Dryer	HVHD	2	C/C
Hair Dryer	EHD-1	1	C/C
Janitorial Unit with Shelf	JS-1	1	C/C
Mirror	MIR-1	3	C/C
Soap Dispenser	SD-1	1	O/O
Shower Curtain		2	O/O
Curtain Rod	SH ROD/C	2	C/C
Washroom Shelf, Metal	SHF-WR1	1	C/C
Sanitary Napkin Disposal	SND	3	O/O
Toilet Paper Dispenser	TPH	3	O/O


DOOR SCHEDULE																	
Level	Door Number	Room Number	Door						Frame				FRR	STC Rating	Hardware Group	Door Comments	
			Width (Total)	Height	Thk	Type	Material	Finish	Glazing	Type	Material	Finish					
Ground Floor	d-101	101	1000	2150	45	L	AL&GLAZ	ANO	VG1	F7	AL	ANO			1		PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION SYSTEM KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-103	103	965	2150	45	A	SC	PLAM		F1	PS	PT			2		
Ground Floor	d-104	104	965	2150	45	C	HM	PT	FRGL1	F1	PS	PT	1HR		3		
Ground Floor	d-105	105	965	2150	45	A	HM	PT		F1	PS	PT	1HR				PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION SYSTEM KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-106	106	965	2150	45	A	SC	PLAM		F1	PS	PT			5		
Ground Floor	d-108	108	965	2134	45	C	SC	PLAM	FRGL1	F1	PS	PT	1HR		6		
Ground Floor	d-111	111	965	2150	45	A	HM	PT	TGL	F7	PS	PT			2		
Ground Floor	d-112	112	965	2150	45	A	HM	PT	TGL	F7	PS	PT			2		
Ground Floor	d-113	113	965	2150	45	A	SC	PLAM		F1	PS	PT			2		
Ground Floor	d-114	114	965	2150	45	A	HM	PT		F1	PS	PT			7		PROVIDE ROUGH IN FOR SCRAMBLEPAD. COORDINATE W/ OWNER'S CONSULTANT.
Ground Floor	d-115	115	965	2150	45	A	HM	PT		F1	PS	PT			8		
Ground Floor	d-116	116	965	2150	45	A	SC	PLAM		F1	PS	PT			9		
Ground Floor	d-117	117	965	2150	45	A	SC	PLAM		F1	PS	PT			9		
Ground Floor	d-119	119	965	2150	45	A	SC	PLAM		F1	PS	PT			10		
Ground Floor	d-120	120	965	2150	45	A	SC	PLAM		F1	PS	PT			10		
Ground Floor	d-121a	121	965	2150	45	C	HM	PT	FRGL1	F1	PS	PT	1HR		11		
Ground Floor	d-121b	121	965	2150	45	C	HM	ANO	TGL	F7	PS	PT			11		
Ground Floor	d-122	122	965	2150	45	A	HM	PT		F1	PS	PT	0.75HR		12		
Ground Floor	d-123	123	965	2150	45	A	HM	PT		F1	PS	PT	1HR		13		
Ground Floor	d-124	124	965	2150	45	C	HM	PT	FRGL1	F1	PS	PT	1HR				PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-125	125	965	2150	45	A	HM	PT		F1	PS	PT			15.1		
Ground Floor	d-126	126	965	2150	45	A	HM	PT		F1	PS	PT			22		
Ground Floor	d-127	127	965	2150	45	A	HM	PT		F1	PS	PT	0HR		16		
Ground Floor	d-e-101	101	1000	2150		L	AL&GLAZ	ANO	VG2	F1	AL	ANO			17		PROVIDE ROUGH IN AND CONDUIT TO SCRAMBLE PAD AND INTERCOM. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-e-124a	124	3000	3000	45	N			VG						18		
Ground Floor	d-e-124b	124	3000	3000	45	N			VG						18		
Ground Floor	d-e-126	126	965	2150	45	A	HM	PT		F1	PS	PT			19		
Ground Floor	d-e-128a	128	965	2150	45	A	HM	PT		F1	PS	PT			20		PROVIDE ROUGH IN FOR SCRAMBLEPAD AND INTRUSION DETECTION KEYPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Ground Floor	d-e-128b	128	16000	6500		O											
Ground Floor	d-e-128c	128	965	2150	45	A	HM	PT		F1	PS	PT			21		PROVIDE ROUGH IN FOR SCRAMBLEPAD. COORDINATE W/ OWNER'S SECURITY CONSULTANT.
Low Roof	d-e-129		965	2150	45	A	HM	PT		F1	PS	PT			23		




2 FRAME TYPES



6A TYP. PS DOOR FRAME HEAD/JAMB



7 TYPICAL DOOR JAMBS SPACING



8 FLOOR FINISH SEAM AT DOOR OPENING

[illegible]

Issues

All measurements are to be checked and verified on site by the contractor before proceeding with work

Do not scale drawings

Drawn by: CY
Checked by: LSN
Original Issue Date: 24-04-15
Project No: 2402
Scale: As indicated



Sheet Title:

DOOR SCHEDULE AND DETAILS

Drawing No.

A-800