



STRUCTURAL ADDENDUM No. 01

Project No: ALL-21013718

Date: 2024-10-04

Project: PEC LTC

This Addendum forms part of the Contract Documents and amends the original Drawings, Specifications, Schedules and Details dated September 25, 2024

1. Sketches

1.1. SK-S101

- Patial mass timber beams information on S204.1 has been updated.

1.2. SK-S102

- Patial mass timber beams information on S204.2 has been updated.

1.3. SK-S103

- Section 7/S401 has been updated.

1.4. SK-S104

- Section 10/S402 has been updated.


1.5. SK-S105

- Section 1/S402 has been updated.

1.6. SK-S106

- Section 1/S403 has been updated.

- End of Addendum -




CONT. 8mm BENT PLATE

EL.: 8785
LEVEL 03 ROOF

100

HSS 152x152x6.4 WIND GIRT FOR CURTAIN. TYPICAL AT EACH WING END LOCATION. CONNECT GIRT TO STEEL COLUMN OR CONCRETE WALL WITH EP01




CONT. 190x5mm POUR STOP STEEL PLATE WELDED TO BEAM TOP FLANGE

EL.: 4450
LEVEL 02

100

12mm THICK STIFF. PLATE AT MULLION LOCATIONS. TYPICAL



2-15M CONT.

150

1000

100

EL.: 0
LEVEL 01

CAST IN PLACE GALLY. CONT. L203x192x13(LLV)+ NELSON STUD 16Ø X150L.G. @500 TYPICAL FOR CURTAIN WALL AT EACH WING END LOCATION


U-BAR 15M@250 TYP. PLACE U-BAR ALONG CONT. ANGLE LOCATIONS

FOUNDATION WALL DETAIL SEE 1/S401. REBAR NOT SHOWN FOR CLARITY


7 SECTION

DETAIL SEE 1/S402

DC



EL: 8785
LEVEL 03 ROOF



EL: 4450
LEVEL 02
EL: 4335
LEVEL 01 ROOF T.O. STEEL DECK

10 SECTION



Project Title
 Owner
 PRINCE EDWARD COUNTY- LONG TERM CARE REDEVELOPMENT
 Sheet Title
 SECTION

Reference Page
 S402
 Reference Document
 Issued for Structural Addendum 001
 Date
 10/04/2024

Project Number
 ALL-21013718
 Scale
 AS SHOWN
 Sketch Number
 SK-S104

