



# SCARBOROUGH HEALTH NETWORK GENERAL HOSPITAL 3050 Lawrence Ave E, Scarborough, ON

## GROUND FLOOR Satellite Imaging Renovation

Project Number: 140023034



**DRAWING LIST:**

**ARCHITECTURAL:**  
A000 PROJECT TITLE PAGE  
A001 NOTES, SYMBOLS AND LEGENDS  
A002 LOCATION PLAN  
A100 LIFE SAFETY PLAN AND CODE MATRIX  
A301 DEMOLITION PLAN  
A401 PARTIAL FLOOR PLAN  
A402 EQUIPMENT PLAN  
~~A403 FF&E RESPONSIBILITIES~~  
A404 EXISTING PARTIAL BASEMENT FLOOR PLAN  
~~A501 PARTIAL GROUND FLOOR CEILING DEMOLITION PLAN~~  
A502 PARTIAL GROUND FLOOR REFLECTED CEILING PLAN  
A503 PARTIAL BASEMENT REFLECTED CEILING PLAN  
A801 DOOR SCHEDULE  
A802 FINISH SCHEDULE, WALL PROTECTION, PHASING  
A901 CASEWORK / MILLWORK SECTIONS, ELEVATIONS, HHS & WASHROOM ELEVATIONS  
A902 WINDOW INFILL/REPLACEMENT DETAILS

**STRUCTURAL**  
S100 SPECIFICATIONS AND GENERAL NOTES  
S200 PART EXISTING GROUND FLOOR FRAMING PLAN  
S201 PART EXISTING FIRST FLOOR FRAMING PLAN  
S300 SECTIONS  
SD201 PART EXISTING FIRST FLOOR DEMOLITION PLAN

**MECHANICAL**  
M000 MECHANICAL LEGENDS & DRAWING LIST  
M111 GROUND LEVEL - VENTILATION DEMO  
M121 GROUND LEVEL - PLUMBING DEMO  
M122 BASEMENT LEVEL - PLUMBING DRAINAGE DEMO  
M131 GROUND LEVEL - FIRE PROTECTION DEMO  
M141 GROUND LEVEL - HVAC PIPING DEMO  
M151 GROUND LEVEL - MEDICAL GAS DEMO  
M211 GROUND LEVEL - VENTILATION  
M221 BASEMENT LEVEL - PLUMBING DRAINAGE  
M222 GROUND LEVEL - PLUMBING DRAINAGE  
M223 GROUND LEVEL - PLUMBING WATER  
M231 GROUND LEVEL - FIRE PROTECTION  
M241 BASEMENT LEVEL - HVAC PIPING  
M242 GROUND LEVEL - HVAC PIPING  
M251 GROUND LEVEL - MEDICAL GAS  
M401 MECHANICAL DETAILS  
M402 MECHANICAL DETAILS  
M403 MECHANICAL DETAILS  
M500 MECHANICAL SCHEDULES

**ELECTRICAL**  
E001 ELECTRICAL LEGEND AND DRAWING LIST  
E002 KEY PLAN  
E100 POWER & SYSTEMS PLAN - DEMOLITION  
E101 LIGHTING PLAN - DEMOLITION  
E200 POWER & SYSTEMS PLAN - FITOUT  
E201 LIGHTING PLAN - FITOUT  
E202 ENLARGED ELECTRICAL ROOM  
E301 SINGLE LINE DIAGRAM  
E302 LUMINARE SCHEDULE  
E303 PANEL SCHEDULES  
E304 CT WIRING DETAILS  
E305 CT WIRING DETAIL  
E306 X-RAY WIRING DETAILS



ARCHITECTS



Stantec Architecture Ltd.  
200 - 835 Paramount Drive  
Stoney Creek, ON, L8J 0B4  
Tel. 905-385-3234  
www.stantec.com

CONSULTANTS

**MECHANICAL**

STANTEC CONSULTING LTD.  
100-401 WELLINGTON STREET WEST  
TORONTO ON M5V 1E7  
Tel. 416-596-6666  
www.stantec.com

**ELECTRICAL**

STANTEC CONSULTING LTD.  
100-401 WELLINGTON STREET WEST  
TORONTO ON M5V 1E7  
Tel. 416-596-6666  
www.stantec.com

ISSUED FOR:

ISSUED FOR  
TENDER - ADDENDUM 1

2025-05-02



SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL  
 3050 Lawrence Ave E, Scarborough, ON

GROUND FLOOR  
 Satellite Imaging Renovation

Project Number: 140023034



CLICK ON THE  
 IMAGE OR SCAN THE  
 QR CODE TO ACCESS  
 A 3D MODEL OF THE  
 EXISTING SATELLITE  
 IMAGING AREA

**DRAWING LIST:**

**ARCHITECTURAL:**  
 A000 PROJECT TITLE PAGE  
 A001 NOTES, SYMBOLS AND LEGENDS  
 A002 LOCATION PLAN  
 A100 LIFE SAFETY PLAN AND CODE MATRIX  
 A301 DEMOLITION PLAN  
 A401 PARTIAL FLOOR PLAN  
 A402 EQUIPMENT PLAN  
 A403 FF&E RESPONSIBILITIES  
 A501 PARTIAL GROUND FLOOR CEILING DEMOLITION PLAN  
 A502 PARTIAL GROUND FLOOR REFLECTED CEILING PLAN  
 A503 PARTIAL BASEMENT REFLECTED CEILING PLAN  
 A801 DOOR SCHEDULE  
 A802 FINISH SCHEDULE, WALL PROTECTION, PHASING  
 A901 CASEWORK / MILLWORK SECTIONS, ELEVATIONS, HHS & WASHROOM ELEVATIONS  
 A902 WINDOW INFILL/REPLACEMENT DETAILS

**STRUCTURAL**  
 S100 SPECIFICATIONS AND GENERAL NOTES  
 S200 PART EXISTING GROUND FLOOR FRAMING PLAN  
 S201 PART EXISTING FIRST FLOOR FRAMING PLAN  
 S300 SECTIONS  
 SD201 PART EXISTING FIRST FLOOR DEMOLITION PLAN

**MECHANICAL**  
 M000 MECHANICAL LEGENDS & DRAWING LIST  
 M111 GROUND LEVEL - VENTILATION DEMO  
 M121 GROUND LEVEL - PLUMBING DEMO  
 M122 BASEMENT LEVEL - PLUMBING DRAINAGE DEMO  
 M131 GROUND LEVEL - FIRE PROTECTION DEMO  
 M141 GROUND LEVEL - HVAC PIPING DEMO  
 M151 GROUND LEVEL - MEDICAL GAS DEMO  
 M211 GROUND LEVEL - VENTILATION  
 M221 BASEMENT LEVEL - PLUMBING DRAINAGE  
 M222 GROUND LEVEL - PLUMBING DRAINAGE  
 M223 GROUND LEVEL - PLUMBING WATER  
 M231 GROUND LEVEL - FIRE PROTECTION  
 M241 BASEMENT LEVEL - HVAC PIPING  
 M242 GROUND LEVEL - HVAC PIPING  
 M251 GROUND LEVEL - MEDICAL GAS  
 M401 MECHANICAL DETAILS  
 M402 MECHANICAL DETAILS  
 M403 MECHANICAL DETAILS  
 M500 MECHANICAL SCHEDULES

**ELECTRICAL**  
 E001 ELECTRICAL LEGEND AND DRAWING LIST  
 E002 KEY PLAN  
 E100 POWER & SYSTEMS PLAN - DEMOLITION  
 E101 LIGHTING PLAN - DEMOLITION  
 E200 POWER & SYSTEMS PLAN - FITOUT  
 E201 LIGHTING PLAN - FITOUT  
 E202 ENLARGED ELECTRICAL ROOM  
 E301 SINGLE LINE DIAGRAM  
 E302 LUMINARE SCHEDULE  
 E303 PANEL SCHEDULES  
 E304 CT WIRING DETAILS  
 E305 CT WIRING DETAIL  
 E306 X-RAY WIRING DETAILS



Stantec Architecture Ltd.  
 200 - 835 Paramount Drive  
 Stoney Creek, ON, L8J 0B4  
 Tel. 905-385-3234  
 www.stantec.com

CONSULTANTS

**MECHANICAL**  
 STANTEC CONSULTING LTD.  
 100-401 WELLINGTON STREET WEST  
 TORONTO ON M5V 1E7  
 Tel. 416-596-6666  
 www.stantec.com

**ELECTRICAL**  
 STANTEC CONSULTING LTD.  
 100-401 WELLINGTON STREET WEST  
 TORONTO ON M5V 1E7  
 Tel. 416-596-6666  
 www.stantec.com

ISSUED FOR:

ISSUED FOR  
 TENDER / PERMIT

2025-03-07






Consultants

Keyplan

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02
Revision		By	Appd.	YY.MM.DD

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06
Issued		By	Appd.	YY.MM.DD

File Name: \_\_\_\_\_  
Dwn. Chkd. Dsgn. YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL  
SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**PARTIAL GROUND FLOOR PLAN  
LIFE SAFETY PLAN**

Project No. 140023034 Scale \_\_\_\_\_


Drawing No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_ Revision \_\_\_\_\_

2024 ONTARIO BUILDING CODE DATA MATRIX				Issue: 2025-01-01
PART 11 - RENOVATION				CBC REFERENCE <sup>1)</sup>
Name of Practice: Stantec Architecture Ltd.				
Address 1: 200-835 Paramount Drive Stoney Creek ON L8J 0B4				
Address 2: _____				
Contact: Brian Mooler OAA MRAC				
Name of Project: Scarborough Health Network - Scarborough General Hospital				
Location/Address: 3050 Lawrence Ave E, Scarborough, ON M1P 2V5				
Date: 7-Apr-25 Seal & Signature _____				
11.00	BUILDING CODE VERSION	O.Reg. 163/24	LAST CODE AMENDMENT	O.Reg. 447/24
11.01	PROJECT TYPE	Renovation (A) 1.3.3.3.B		
Renovations to upgrade the satellite diagnostic imaging suite				
11.02	MAJOR OCCUPANCY CLASSIFICATION	OCCUPANCY	USE	1.1.2.1.(1), 11.2.1, and 2.14.1.(1)
		B2	Care and Treatment Occupancies	Acute Care Hospital
11.03	SUPERIMPOSED MAJOR OCCUPANCIES	NO	11.2.2.1, and 3.2.2.5 to 3.2.2.8	
11.04	BUILDING AREA (m <sup>2</sup> )	DESCRIPTION	EXISTING	NEW
		Building Area	0.00	-
		Area of Renovation 445m <sup>2</sup>	-	-
		TOTAL	-	-
11.05	BUILDING HEIGHT	11 STOREYS ABOVE GRADE	38 (m) ABOVE GRADE	(A) 1.4.1.2, 3.2.2.2, 3.2.1.1, and 11.3.
		1 STOREYS BELOW GRADE	-	-
11.06	NUMBER OF STREETS FIRE FIGHTER ACCESS	3 STREETS(S)	3.2.2.10, 3.2.5, 2.2.4.1, and 11.3.	
11.07	BUILDING SIZE	LARGE	11.2.1.1, and 11.15.2.1.1.B.4	
11.08	EXISTING BUILDING CLASSIFICATION	CHANGE IN MAJOR OCCUPANCY	NO	10.1.1.2, and 11.2.1.1.
		CONSTRUCTION INDEX	7	T.11.2.1.1.A.
		HAZARD INDEX	7	T.11.2.1.1.B.N
		IMPORTANCE CATEGORY	Post-Disaster	4.1.2.1.(3), 2.3.1, and 5.2.2.1.(2)
11.09	RENOVATION TYPE	11.3.3.1, and 11.3.3.2.		
11.10	OCCUPANT LOAD	FLOOR LEVEL/AREA	OCCUPANCY TYPE	BASED ON OCCUPANT LOAD (PERSONS)
			No Change	-
		TOTAL	3.1.17, 2.1.2.2, and 11.4.2.2.	
11.11	PLUMBING FIXTURE REQUIREMENTS	RATIO:	MALE:FEMALE = 50:50 EXCEPT AS NOTED OTHERWISE	
			3.7.4, 11.3.4, 11.3.5, 11.4.2.4, and 11.4.2.5.	
		FLOOR LEVEL/AREA	OCCUPANT LOAD	IBC REFERENCE
		Ground Floor	No Change	-
11.11	PLUMBING FIXTURE REQUIREMENTS continued	FLOOR LEVEL/AREA (repeated)	BARRIER-FREE WCs REQUIRED	BARRIER-FREE WCs PROVIDED
			UNIVERSAL WASHROOMS REQUIRED	UNIVERSAL WASHROOMS PROVIDED
			Tables 3.8.2.3.A, and 3.8.2.3.B	
11.12	BARRIER-FREE DESIGN	Yes	11.3.1.2, 11.3.2, and 11.3.3.2.	
	BARRIER-FREE ENTRANCES	3	3 Closed building entrances are all barrier free	
11.13	REDUCTION IN PERFORMANCE LEVEL	STRUCTURAL	NO	11.4.2.1.
		INCREASE IN OCCUPANT LOAD	NO	11.4.2.2.
		No change in use.	-	
		CHANGE OF MAJOR OCCUPANCY	NO	11.4.2.3.
		PLUMBING	NO	11.4.2.4.
		(Provide a brief description here or hide this row if not needed.)	-	
		SEWAGE SYSTEMS	NO	11.4.2.5.
		EXTENSION OF BUILDINGS OF COMBUSTIBLE CONSTRUCTION	NO	11.4.2.6.
11.14	COMPENSATING CONSTRUCTION	COMPENSATING CONSTRUCTION PROVIDED	N/A	11.4.3.1.
		STRUCTURAL	NO	11.4.3.2.
		INCREASE IN OCCUPANT LOAD	NO	11.4.3.3.
		CHANGE OF MAJOR OCCUPANCY	NO	11.4.3.4.
		PLUMBING	-	11.4.3.5.
		(Provide a brief description here or hide this row if not needed.)	-	
		SEWAGE SYSTEMS	N/A	11.4.3.6.
		EXTENSION OF BUILDINGS OF COMBUSTIBLE CONSTRUCTION	NO	11.4.3.7.
11.15	COMPLIANCE ALTERNATIVES PROPOSED	NO	11.5.1.	
11.16	ALTERNATIVE SOLUTIONS	11.1.2.1.1, and 10.3.1.		
11.17	NOTES	1 ALL REFERENCES ARE TO DIVISION B OF THE CBC UNLESS PRECEDED BY (A) FOR DIVISION A AND (C) FOR DIVISION C		



\\s0224-pfs01\shared\_projects\140023034\working\_files\04\_architecture\01\_cad\01\_sheets\GEN-Ground Floor Plan\_2025-02-19.dwg  
 2025/05/02 8:16 AM By: Moeller, Brian





**DEMOLITION PLAN KEYNOTES**

- 1 REMOVE EXISTING WALL MOUNTED EXAM LIGHTS.
- 2 REMOVE EXISTING WALL TILE.
- 3 REMOVE EXISTING WALL PROTECTION.
- 4 REMOVE ALL EXISTING XRAY/CT EQUIPMENT AND ASSOCIATED INCLUDING, ELECTRICAL COMPONENTS AND WALL BUCKIES, ETC. STRUCTURAL STEEL SUPPORT ASSEMBLY FOR CEILING MOUNTED EQUIPMENT.
- 5 REMOVE EXISTING PATIENT LIFT INCLUDING THE ABOVE CEILING SUPPORT ASSEMBLY.
- 6 EXISTING CURTAIN TRACK TO BE REMOVED
- 7 EXISTING LEAD LINED PARTITION TO REMAIN
- 8 REMOVE EXISTING WINDOW ASSEMBLY, WINDOW STOOL AND CONVECTOR AND GWB ENCLOSURE
- 9 REMOVE EXISTING WINDOW ASSEMBLY AND CONVECTOR. WINDOW STOOL TO REMAIN


**DEMOLITION NOTES:**

1. ALL PERIMETER X-RAY ROOM AND CT ROOM PARTITIONS AND CONTROL SCREENS IN THE EXISTING CT AND XRAY ROOMS CONTAIN LEAD LINING TO BE REMOVED
2. EXAM LIGHTS AND PATIENT LIFTS TO BE TURNED OVER TO OWNER.
3. REMOVE ALL FITMENTS AND EQUIPMENT FASTENED TO WALLS AND PARTITIONS THROUGHOUT THE AREA OF WORK.

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL  
 SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario


Title  
**DEMOLITION FLOOR PLAN**

Project No. 140023034	Scale
Drawing No. A301	Sheet of
Revision	Revision

Consultants

Keyplan

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02
Revision		By	Appd.	YY.MM.DD

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06
Issued		By	Appd.	YY.MM.DD

File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD
------------	--	------	-------	-------	----------

Permit-Seal


Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL  
SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario

Title  
**PARTIAL GROUND FLOOR PLAN**

Project No.	Scale
140023034	1/4"=1'-0"

Drawing No.	Sheet	Revision
A401		



- FLOOR PLAN KEYNOTES**
- 1 INFILL EXISTING WINDOW OPENINGS - SEE DETAIL 3&4/A902 LEAD LINING AS INDICATED ON PLAN
  - 2 PROVIDE ALUMINUM WINDOWS WITH LOW E THERMAL PANES - SEE DETAIL 1&2/A902
  - 3 PROVIDE EXHAUST FOR SHOE CABINET. REFER TO MECH FOR ASSOCIATED DUCTWORK.
  - 4 PROVIDE CHANGE CUBICLE PARTITION AND DOOR INFILL EXISTING DOORWAY OPENING WITH METAL STUDS AND CWB FLUSH WITH BOTH FACES OF EXIST PARTITION. PATCH RUBBER BASE
  - 5 NOT USED
  - 6 NOT USED
  - 7 EXISTING LEAD LINED PARTITION TO REMAIN
  - 8 NOT USED
  - 9 NOT USED
  - 10 IMAGING EQUIPMENT ISO CENTRE
  - 11 SILENTIA PRIVACY SCREENS
  - 12 REPLACE DOOR AND FRAME. PATCH AND PAINT TO MATCH EXISTING


1.58mm (1/16") THICK LEAD LINING TO A MINIMUM OF 2.13m A.F.F.

\\s0224-pff5301\shared\_projects\140023034\1\_working\_files\04\_architecture\01\_cad\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
 2025/05/02 2:11 PM By: E. Arby, Neda  
 ORIGINAL SHEET - Arch D

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL  
SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**PARTIAL GROUND FLOOR PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. Sheet of Revision

A401 of 0



**FLOOR PLAN KEYNOTES**

- 1 INFILL EXISTING WINDOW OPENINGS - SEE DETAIL 3&4/A902 LEAD LINING AS INDICATED ON PLAN
- 2 PROVIDE ALUMINUM WINDOWS WITH LOW E THERMAL PANES - SEE DETAIL 1&2/A902
- 3 PROVIDE EXHAUST FOR SHOE CABINET. REFER TO MECH FOR ASSOCIATED DUCTWORK.
- 4 PROVIDE CHANGE CUBICLE PARTITION AND DOOR
- 5 INFILL EXISTING DOORWAY OPENING WITH METAL STUDS AND GWB FLUSH WITH BOTH FACES OF EXIST PARTITION. PATCH RUBBER BASE
- 6 INFILL OPENING WITH GWB AND METAL STUDS, BELOW SILL, AFTER CONVECTOR IS REMOVED
- 7 EXISTING LEAD LINED PARTITION TO REMAIN
- 8 REMOVE EXISTING WINDOW ASSEMBLY, WINDOW STOOL AND CONVECTOR AND GWB ENCLOSURE
- 9 REMOVE EXISTING WINDOW ASSEMBLY AND CONVECTOR. WINDOW STOOL TO REMAIN
- 10 IMAGING EQUIPMENT ISO CENTRE
- 11 SILENTIA PRIVACY SCREENS
- 12 REPACE DOOR AND FRAME. PATCH AND PAINT TO MATCH EXISTING

1.58mm (1/16") THICK LEAD LINING TO A MINIMUM OF 2.13m A.F.F.


\\s0224-pfs01\ahomed\_projects\140023034\01\_architecture\01\_con\01\_sheets\GEN- Ground Floor Plan\_2025-02-19.dwg  
 2025/04/04 4:48 PM By: Moller, Brian



Consultants

Keyplan

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02	
Revision		By	Appd.	YY.MM.DD	
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**EQUIPMENT PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. Sheet of Revision

A402 of 0



**GENERAL NOTES**  
 1. REFER TO FF&E RESPONSIBILITIES LIST

- FLOOR PLAN KEYNOTES**
- ① NOT USED
  - ② PROVIDE A COOLING SYSTEM FLOW HEATER CABINET SUPPORT- SEE DETAIL 7/A902
  - ③ PROVIDE INDOOR COOLING SYSTEM SUPPORT- SEE DETAIL 8/A902
  - ④ PROVIDE SILENTIA PRIVACY SCREENS

**ABBREVIATIONS:**


BLIND	ROLLER BLIND
CLK	CLOCK
GD	GLOVE DISPENSER, TRIPLE
DH	HAND SANITIZER DISPENSER
HHS	HAND HYGIENE SINK
MIRR	MIRROR
PPE	PERSONAL PROTECTIVE EQUIPMENT
PTB	PATIENT TRANSFER BOARD
PTD	PAPER TOWEL DISPENSER
RH	ROBE HOOK
SD	SOAP DISPENSER
SHP	SHARPS CONTAINER

I:\2024-2025\Projects\140023034\140023034\_04\_architecture\01\_cad\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
 2025/05/02 2:13 PM By: E. Ardy, Noda  
 ORIGINAL SHEET - Arch D

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**EQUIPMENT PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. A402 Sheet of Revision

A402 of 0



**GENERAL NOTES**  
 1. REFER TO FF&E RESPONSIBILITIES LIST

- FLOOR PLAN KEYNOTES**
- ① INFILL EXISTING WINDOW OPENINGS - SEE DETAIL 3&4/A902 LEAD LINING AS INDICATED ON PLAN
  - ② PROVIDE A COOLING SYSTEM FLOW HEATER CABINET SUPPORT- SEE DETAIL 7/A902
  - ③ PROVIDE INDOOR COOLING SYSTEM SUPPORT- SEE DETAIL 8/A902
  - ④ PROVIDE SILENTIA PRIVACY SCREENS

**ABBREVIATIONS:**

BLIND	ROLLER BLIND
CLK	CLOCK
GD	GLOVE DISPENSER, TRIPLE
DH	HAND SANITIZER DISPENSER
HHS	HAND HYGIENE SINK
MIRR	MIRROR
PPE	PERSONAL PROTECTIVE EQUIPMENT
PTB	PATIENT TRANSFER BOARD
PTD	PAPER TOWEL DISPENSER
RH	ROBE HOOK
SD	SOAP DISPENSER
SHP	SHARPS CONTAINER

\\s024-pfs01\ahored\_projects\140023034\working\_files\04\_architecture\01\_cad\01\_labels\GEN- Ground Floor Plan\_2025-02-19.dwg  
 2025/04/04 4:54 PM By: Moeller, Brian






Consultants

Keyplan

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02
Revision		By	Appd.	YY.MM.DD

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06
Issued		By	Appd.	YY.MM.DD

File Name: \_\_\_\_\_ Dwn. Chkd. Dsgn. YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**EXISTING PARTIAL  
 BASEMENT FLOOR PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_ Revision \_\_\_\_\_


**A404** of **0**



**PARTIAL FLOOR PLAN LEGEND AND KEYNOTES:**

- PROPOSED AREA OF WORK
- REMOVE AND RELOCATE EXISTING LOCKERS WITHIN HIGHLIGHTED AREA OF WORK FOR FACILITATED ACCESS. TEMPORARY LOCATION TO BE DETERMINED LATER BY SHN. EXISTING LOCKERS LAYOUT SHOWN ARE A GRAPHIC REPRESENTATION OF THE ASSUMED EXISTING CONDITIONS AND SHALL BE VERIFIED BY GC ON-SITE.


\\s0224-PPFSS01\shared\_projects\140023034\working\_files\04\_architecture\01\_cad\01\_sheets\GEN- Ground Floor Plans\_2025-02-19.dwg  
 2025/05/02 2:15 PM By: E. Ardy, Noda  
 ORIGINAL SHEET - Arch D



Consultants

Keyplan

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02
Revision		By	Appd.	YY.MM.DD

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06
Issued		By	Appd.	YY.MM.DD

File Name: \_\_\_\_\_  
 Dwn. Chkd. Dsgn. YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario

Title  
**REFLECTED CEILING PLAN  
 DEMOLITION**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. \_\_\_\_\_ Sheet \_\_\_\_\_ Revision \_\_\_\_\_

A501 of 0

**REFLECTED CEILING PLAN GENERAL NOTES:**

- EXISTING CEILING LAYOUTS AND MATERIALS SHOWN ARE A GRAPHIC REPRESENTATION OF THE ASSUMED EXISTING CONDITIONS. SITE VERIFY LAYOUTS, MATERIALS AND DEVICE QUANTITIES AND LOCATIONS.
- REPLACE TILES THAT ARE DAMAGED DURING THE COURSE OF THE WORK WITH NEW TILES TO MATCH EXISTING.

**REFLECTED CEILING PLAN KEYNOTES:**

- NOT USED
- NOT USED
- REMOVE GWB CEILING SYSTEM AND ASSOCIATED CEILING FIXTURES.
- REMOVE ACT CEILING SYSTEM AND ASSOCIATED CEILING FIXTURES.
- REMOVE GWB CEILING SYSTEM AND ASSOCIATED CEILING FIXTURES. GC TO INVESTIGATE THE EXISTING BULKHEAD TO IDENTIFY ANY CONCEALED UTILITIES/STRUCTURAL ELEMENTS PRIOR TO DEMOLITION.


\\s0224-PRF5501\shared\_projects\140023034\1\_working\_files\04\_architecture\01\_cad\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
 2025/05/02 2:16 PM By: E. Kirby, Neda

Copyright Reserved  
 The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.  
 The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06

Issued By Appd. YY.MM.DD

File Name: Dwn. Chkd. Dsgn. YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**REFLECTED CEILING PLAN  
 DEMOLITION**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. Sheet of Revision

A501 of 0



**REFLECTED CEILING PLAN KEYNOTES:**


- 1 REMOVE ACT CEILING TILES AND ASSOCIATED CEILING FIXTURES AS REQUIRED TO ACCOMMODATE DEMOLISHING EXISTING MECHANICAL SYSTEMS AND ADDING NEW STRUCTURAL AND MECHANICAL INSTALLATIONS. PLACE BACK ALL ACT CEILING TILES AND ASSOCIATED CEILING FIXTURES. REFER TO MECHANICAL AND STRUCTURAL DOCUMENTS FOR FULL EXTENT OF WORK.
- 2 CUT BACK A PORTION OF GWB CEILING AS REQUIRED TO ACCOMMODATE DEMOLISHING EXISTING MECHANICAL SYSTEMS AND ADDING NEW STRUCTURAL AND MECHANICAL INSTALLATIONS. PATCH, REPAIR AND PAINT GWB CEILING TO MATCH THE EXISTING CEILING. REFER TO MECHANICAL AND STRUCTURAL DOCUMENTS FOR FULL EXTENT OF WORK.
- 3 REMOVE GWB CEILING SYSTEM AND ASSOCIATED CEILING FIXTURES.
- 4 REMOVE ACT CEILING SYSTEM AND ASSOCIATED CEILING FIXTURES.
- 5 REMOVE GWB CEILING SYSTEM AND ASSOCIATED CEILING FIXTURES. GC TO INVESTIGATE THE EXISTING BULKHEAD TO IDENTIFY ANY CONCEALED UTILITIES/STRUCTURAL ELEMENTS PRIOR TO DEMOLITION.

\\s0224-pfs01\shared\_projects\140023034\4\_working\_files\04\_architecture\01\_cad\01\_sheets\GEN- Ground Floor\Plate\_2025-02-19.dwg  
 2025/04/04 5:04 PM By: Moeller, Brian

Consultants

Keyplan 

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02	
Revision		By	Appd.	YY.MM.DD	
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**REFLECTED CEILING PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. Sheet of Revision

A502 of 0



FLOOR PLAN KEYNOTES

- ① SIEMENS 3D CAMERA. PROVIDE UNISTRUT SUPPORT, PROVIDE CLEARANCE TO PATIENT LIFT SEE DETAIL 5/A902
- ② SIEMENS MONITOR SUPPORT. PROVIDE STEEL SUPPORT. SEE DETAIL 6/902
- ③ REFER TO CARE STREAM DRAWINGS FOR ADDITIONAL INFORMATION
- ④ REFER TO ARCHITECTURAL SPECIFICATIONS, SECTION 05 16 00 FOR DETAILS REGARDING THE STRUCTURAL CEILING GRID (UNISTRUT).


--- 1.58mm (1/16") THICK LEAD LINING TO A MINIMUM OF 2.13m A.F.F.

\\s0224-pff5501\shared\_projects\140023034\working\_files\04\_architecture\01\_cad\01\_sheets\GEN-Ground Floor Plate\_2025-02-19.dwg  
 2025/05/02 2:17 PM By: E. Ardy, Neda

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**REFLECTED CEILING PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. A502 Sheet of Revision

A502 of 0



- FLOOR PLAN KEYNOTES**
- ① SIEMENS 3D CAMERA. PROVIDE UNISTRUT SUPPORT, PROVIDE CLEARANCE TO PATIENT LIFT SEE DETAIL 5/A902
  - ② SIEMENS MONITOR SUPPORT. PROVIDE STEEL SUPPORT. SEE DETAIL 6/902
  - ③ REFER TO CARE STREAM DRAWINGS FOR ADDITIONAL INFORMATION

\\s0224-pfs01\ahored\_projects\140023034\01\_architecture\01\_con\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
 2025/04/04 5:07 PM By: Moeller, Brian


Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.  
 The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Consultants

Keyplan

North Arrow



1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02
Revision		By	Appd.	YY.MM.DD
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06
Issued		By	Appd.	YY.MM.DD
File Name:		Dwn.	Chkd.	Dsgn.
				YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**PATRIAL BASEMENT  
 REFLECTED CEILING PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. Sheet Revision

A503 of 0



**REFLECTED CEILING PLAN GENERAL NOTES:**

- EXISTING CEILING LAYOUTS AND MATERIALS SHOWN ARE A GRAPHIC REPRESENTATION OF THE ASSUMED EXISTING CONDITIONS. SITE VERIFY LAYOUTS, MATERIALS AND DEVICE QUANTITIES AND LOCATIONS.
- REPLACE TILES THAT ARE DAMAGED DURING THE COURSE OF THE WORK WITH NEW TILES TO MATCH EXISTING.

**REFLECTED CEILING PLAN KEYNOTES:**

**1** REMOVE ACT CEILING TILES AND ASSOCIATED CEILING FIXTURES AS REQUIRED TO ACCOMMODATE DEMOLISHING EXISTING MECHANICAL SYSTEMS AND ADDING NEW STRUCTURAL AND MECHANICAL INSTALLATIONS. PLACE BACK ALL ACT CEILING TILES AND ASSOCIATED CEILING FIXTURES. REFER TO MECHANICAL AND STRUCTURAL DOCUMENTS FOR FULL EXTENT OF WORK.


**2** CUT BACK A PORTION OF GWB CEILING AS REQUIRED TO ACCOMMODATE DEMOLISHING EXISTING MECHANICAL SYSTEMS AND ADDING NEW STRUCTURAL AND MECHANICAL INSTALLATIONS. REMOVE AND REINSTALL ASSOCIATED CEILING FIXTURES. PATCH, REPAIR AND PAINT GWB CEILING TO MATCH THE EXISTING CEILING. REFER TO MECHANICAL AND STRUCTURAL DOCUMENTS FOR FULL EXTENT OF WORK.

\\s0224-pff5301\shared\_projects\140023034\1\_working\_files\04\_architecture\01\_cad\01\_sheets\GEN-Ground Floor Plate\_2025-02-19.dwg  
 2025/05/02 2:20 PM By: E. Ardy, Neda

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD	
2	BDM	BDM	25.04.07	
1	BDM	BDM	25.01.06	
Issued	By	Appd.	YY.MM.DD	
File Name:	Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal


Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario

Title  
**PATRIAL BASEMENT  
 REFLECTED CEILING PLAN**

Project No. 140023034 Scale 1/4"=1'-0"

Drawing No. A503 Sheet of Revision 0



**REFLECTED CEILING PLAN KEYNOTES:**

- 1 REMOVE ACT CEILING TILES AND ASSOCIATED CEILING FIXTURES AS REQUIRED TO ACCOMMODATE DEMOLISHING EXISTING MECHANICAL SYSTEMS AND ADDING NEW STRUCTURAL AND MECHANICAL INSTALLATIONS. PLACE BACK ALL ACT CEILING TILES AND ASSOCIATED CEILING FIXTURES. REFER TO MECHANICAL AND STRUCTURAL DOCUMENTS FOR FULL EXTENT OF WORK.
- 2 CUT BACK A PORTION OF GWB CEILING AS REQUIRED TO ACCOMMODATE DEMOLISHING EXISTING MECHANICAL SYSTEMS AND ADDING NEW STRUCTURAL AND MECHANICAL INSTALLATIONS. PATCH, REPAIR AND PAINT GWB CEILING TO MATCH THE EXISTING CEILING. REFER TO MECHANICAL AND STRUCTURAL DOCUMENTS FOR FULL EXTENT OF WORK.

\\s0224-pfs01\ahored\_projects\140023034\4\_working\_files\04\_architecture\01\_con\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
 2025/04/04 5:14 PM By: Moeller, Brian





DOOR/SCREEN NUMBER	FRAME TYPE	MATL. COLOUR	FINISH COLOUR	PROFILE	DETAIL	GLASS	DOOR SIZE	TYPE	MATL. COLOUR	FINISH COLOUR	GLASS	GRILLE U/C	FIRE RATING	REMARKS
G4502	F1	HM	PT	P1	DT1	-	3'-6" & 1'-8" x 7'-0" x 1 3/4"	A, A	WD	PLAM	-	-	-	
G4503	F1	HM	PT	P5	DT2	-	3'-2" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	DOUBLE ACTING DOOR
G4504	F4	HM	PT	P1,P2,P4,P6	DT1,DT3	TEMP/GL	4'-0" x 7'-0" x 1 3/4"	B	WD	PLAM	TEMP/GL	-	NON-RATED	DIM1=5'-10"
G4505	F1	HM	PT	P1	DT1	-	3'-2" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	CARD READER
G4506A	F1	HM	PT	P1	DT1	-	3'-6" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	CARD READER
G4507	F1	HM	PT	P1	DT1	-	3'-2" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	CARD READER
G4507A	F1	HM	PT	P1	DT4	-	3'-2" x 7'-0" x 1 3/4"	E	WD	PLAM	-	-	-	HD FRAME LEAD LINED, WINDOW BLIND
G4507B	F2	HM	PT	P1	DT5	LEAD	-	-	-	-	-	-	-	DIM1=7'-2". DIMX=3'-0". DIMY=4'-0"
G4508	F1	HM	PT	P1	DT4	-	4'-0" & 2'-0" x 7'-0" x 1 3/4"	A, A	WD	PLAM	-	-	-	LEAD LINED ADD/P X-RAY IN USE SIGN
G4509	F3	ALUM	-	-	DT7	-	15'-4"	C	ALUM	-	TEMP/GL	-	-	DOOR WIDTH DENOTES UNIT PACKAGE WIDTH. PRIVACY FILM
G4511	F1	HM	PT	P1	DT4	-	3'-6" & 1'-6" x 7'-0" x 1 3/4"	A, A	WD	PLAM	-	-	-	HD FRAME LEAD LINED X-RAY IN USE SIGN
G4512	F1	HM	PT	P1	DT1	-	3'-2" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	LEAD LINED CARD READER HD FRAME
G4512A	F2	HM	PT	P2	DT5	LEAD	-	-	-	-	-	-	-	DIM1=5'-1". DIMX=3'-0". DIMY=4'-0"
G4512B	F2	HM	PT	P2	DT5	LEAD	-	-	-	-	-	-	-	DIM1=2'-8". DIMX=3'-0". DIMY=4'-0"
G4512C	F2	HM	PT	P2	DT5	LEAD	-	-	-	-	-	-	-	DIM1=5'-1". DIMX=3'-0". DIMY=4'-0"
G4512D	F2	HM	PT	P2	DT5	LEAD	-	-	-	-	-	-	-	DIM1=2'-8". DIMX=3'-0". DIMY=4'-0"
G4513	F1	HM	PT	P1	DT4	-	3'-6" & 1'-6" x 7'-0" x 1 3/4"	A, A	WD	PLAM	-	-	-	HD FRAME LEAD LINED X-RAY IN USE SIGN
G4516	F1	HM	PT	P1	DT2	-	3'-2" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	STAFF WR - CARD READER
G4518	F1	HM	PT	P5	DT2	-	3'-2" x 7'-0" x 1 3/4"	A	WD	PLAM	-	-	-	ADD/P, DOUBLE ACTING DOOR

ABBREVIATIONS:


HM	HOLLOW METAL
WD	SOLID CORE WOOD DOOR
ALUM	ALUMINUM
PT	PAINT
GWB	GYP/SUM BOARD
PLAM	PLASTIC LAMINATE
TEMP	TEMPERED GLASS
FRG	FIRE RATED GLAZING
GL#	GLAZING TYPE. REFER TO SPECIFICATIONS
DFP	DOOR FRAME PROTECTION
DP	DOOR PROTECTION
ADD	AUTOMATIC DOOR OPERATOR
MHO	MAGNETIC HOLD OPEN DEVICE
HO	HOLD OPEN
CR	CARD READER
KPD	KEY PAD
ES	ELECTRIC STRIKE
ML	MAG LOCK
FL	FIRELITE
NRFS	NON-RATED FIRE SEPARATION

DOOR SCHEDULE GENERAL NOTES


- DOOR FRAME SIZES ARE FRAME REBATE SIZES.
- FILL FRAME JAMBS SOLID WITH MORTAR WHERE THEY OCCUR IN Poured CONCRETE OR MASONRY WALLS, EXCEPT AT THERMALLY BROKEN FRAMES WHERE THEY ARE TO BE FILLED SOLID WITH INSULATION.
- FIRE RATINGS NOTED IN THE DOOR AND SCREEN SCHEDULE INCLUDES DOORS, FRAMES, SCREENS, GLAZED LIGHTS AND HARDWARE. CONFIRM MAXIMUM GLASS SIZE PERMITTED FOR RATINGS INDICATED PER OBC.
- SUB-CAULK ALL DOOR THRESHOLDS.
- ALL EXTERIOR DOORS TO HAVE THRESHOLDS AND THERMALLY BROKEN FRAMES.
- ALL DOORS, FRAMES AND SCREENS SCHEDULED TO RECEIVE HARDWARE MUST BE FABRICATED, REINFORCED AND PREDRILLED TO SUITE HARDWARE.
- COORDINATE WITH DOOR AND SCREEN SCHEDULE FOR DETAILS OF LABELLED DOORS, FRAMES AND SCREENS.
- PROVIDE ADDITIONAL STEEL FRAMING AND SWAY BRACING AT O/H GRILLES, SLIDING DOORS AND SCREENS TO STABILIZE DOOR AND TRACK ASSEMBLY.
- REFER TO MECHANICAL DOCUMENTS AND COORDINATE DOOR UNDERCUTS:  
-25mm IN NONRATED DOORS  
-25mm IN HOLLOW METAL DOORS  
-10mm IN RATED WOOD DOORS.
- DOORS, FRAMES AND SCREENS MUST BE FABRICATED, REINFORCED AND PREDRILLED FOR THE INSTALLATION OF SECURITY DEVICES.
- CONTRACTOR IS RESPONSIBLE TO SITE MEASURE AND VERIFY DOOR OPENING SIZES PRIOR TO ANY FABRICATION.
- SOUND ATTENUATE DOORS AND FRAMES INTO NOISY ROOMS FOR SOUND AND VIBRATION. THIS INCLUDES A THRESHOLD COMPLETE WITH NEOPRENE SOUND SEAL AND RUBBER DOOR SWEEP (HARDWARE ALLOWANCE). DOORS TO HAVE A TEMPERATURE RATE OF RISE DOOR RATING OF 250.
- REFER TO SECTION 09900 OF THE SPECIFICATIONS FOR HOLLOW METAL AND WOOD DOOR FINISHES.
- EXISTING STRUCTURAL STEEL OVERHEAD. SITE VERIFY HEIGHT AVAILABLE FOR DOOR AND FRAME.
- NOT USED
- SEE DOOR SCHEDULE AND FLOOR PLANS FOR ADDITIONAL GLASS TYPES
- ALL LEAD LINING TO BE 1/8" THICK MINIMUM OR EQUIVALENT FOR GLASS.

5 DOOR SCHEDULE


A801




4 FRAME TYPE  
A801 SCALE: 1/4"=1'-0"




3 DOOR TYPE  
A801 SCALE: 1/4"=1'-0"



2 FRAME PROFILES  
A801 SCALE: NTS



DT1 STANDARD DOOR FRAME DT2 DOUBLE ACTING DOOR / WALL CAP FRAME DT3 STANDARD SCREEN FRAME





DT4 LEAD LINED DOOR FRAME DT5 LEAD LINED SCREEN FRAME DT6 LEAD LINED DOOR FRAME PIVOTS



DT7 SLIDING DOOR

1 DETAILS  
A801 SCALE: 1/4"=1'-0"



4 PHASING DRAWING  
A802 SCALE: 1 1/2"=1'-0"

ROOM NUMBER	ROOM NAME	FLOOR	BASE	WALL1	NORTH	WALL2	EAST	WALL3	SOUTH	WALL4	WEST	CEILING		REMARKS
		MATL.	MATL.	FINISH	COLOUR	FINISH	COLOUR	FINISH	COLOUR	FINISH	COLOUR	MATL.	FINISH	
G4-18	EXISTING CORRIDOR	EXST	EXIST	PT	-	-	-	PT	-	-	-	EXIST	-	PAINT FULL EXTENT OF CORRIDOR
G4-19	EXISTING CORRIDOR	EXST	EXIST/RSF	-	-	-	-	-	-	PT	-	EXIST	-	
G6-17	EXISTING CORRIDOR	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4501	ALCOVE	RSF	RSF	WP	WP	-	WP	WP	WP	WP	-	ACT	-	
G4502	ULTRASOUND	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4503	WR	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	GWB	PT	
G4504	STRETCHER	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4505	TEAM ROOM	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4506	STRETCHER HOLDING	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4507	CONTROL	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4508	CT	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4509	CT EQUIPMENT	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4510	LINEN ALCOVE	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4511	X-RAY	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4512	CONTROL	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4513	X-RAY	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4517	WAITING AREA	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	ACT	-	
G4518	WR	RSF	RSF	PT	PT	-	PT	PT	PT	PT	-	GWB	PT	

3 ROOM FINISH SCHEDULE  
A802 NTS

PHASING DRAWING GENERAL NOTES AND KEYNOTES

- CONSTRUCTION HOARDING IS SUBJECT TO CHANGE BASED ON COORDINATION WITH SHN IPAC TEAM AND INCORPORATION OF THEIR REQUIREMENTS.
- THE DOWNTIME BETWEEN THE TURNOVER OF PHASE 1 AND THE COMMENCING OF PHASE 2 IS A WEEK.


1 A MINIMUM OF 4' CLEARANCE NEEDS TO BE MAINTAINED FOR THE DURATION OF CONSTRUCTION.

ROOM FINISH SCHEDULE GENERAL NOTES


- SCHEDULES TO BE READ IN CONJUNCTION WITH ALL DRAWINGS AND SPECIFICATIONS.
- PROVIDE GYPSUM BOARD BULKHEADS ON METAL FURRING WHERE SHOWN ON DRAWINGS AND AT ALL CHANGES IN CEILING HEIGHT.
- ALL BASES IN CABINET WORK TO BE FINISHED IN BASE MATERIAL USED FOR SURROUNDING FLOOR.
- FREE-STANDING COLUMNS FINISHED SAME AS REMAINDER OF ROOM.
- PAINT ALL EXPOSED MISCELLANEOUS METALS AND SERVICES (E.G. DUCTS, CONDUITS, PIPING ETC.) WHERE CEILINGS AND WALLS ARE SCHEDULED TO BE PAINTED.
- GYPSUM BOARD APPLIED TO CLAY TILE OR CONCRETE MASONRY UNITS SHALL BE INSTALLED ON METAL FURRING.
- EXISTING WALLS SHALL BE CHASED AND OPENINGS CREATED AS REQUIRED TO EXECUTE THE WORK.
- MAKE GOOD ALL MATERIALS AND FINISHES WHERE DISTURBED AND WHERE ALTERATIONS OCCUR. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL EXTENT OF WORK REQUIRED. NOTE THAT MAKING GOOD INCLUDES WORK ASSOCIATED WITH THE INSTALLATION OF SERVICES SHOWN ON DRAWINGS.
- REFER TO SECTION 09 65 00 RESILIENT FLOORING. PREPARE SMOOTH SURFACE VOID OF ANY IRREGULARITIES PRIOR TO THE INSTALLATION OF RESILIENT FLOORING.
- WHERE GWB WALLS RECEIVE EPT FINISH, PROVIDE ABUSE RESISTANT GWB (IN LIEU OF REGULAR GWB)
- ALL BASES TO BE 150mm HIGH.
- HYGENIC WALL PANEL SYSTEM (HWPS) - SEE ROOM ELEVATIONS AND PLANS FOR LOCATIONS
- WHERE FLOORING AND BASE SHOW THE SAME MATERIAL PROVIDE AN 150mm INTEGRAL COVERED BASE.

ABBREVIATIONS:

RUB	RUBBER BASE
RSF	RESILIENT SHEET FLOORING
FAF	FLUID APPLIED FLOORING
GWB	GYPSUM WALL BOARD
HWPS	HYGENIC WALL PANEL SYSTEM
PT	PAIN
EPT	EPOXY PAINT
ACT	ACOUSTIC TILE CEILING
BRK	BRICK



2 WALL PROTECTION SYSTEMS  
A802 SCALE: 1 1/2"=1'-0"



1 TYPICAL BASE DETAIL  
A802 SCALE: 3"=1'-0"

\\s0224-pfs01\shared\_projects\140023034\working\_files\04\_architecture\01\_con\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
2025/05/09 4:02 PM By: Moeller, Brian



Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario

Title  
**FINISH SCHEDULE  
WALL PROTECTION  
PHASING**

Project No. 140023034 Scale

Drawing No. A802 Sheet of Revision



4 PHASING DRAWING  
A802 SCALE: 1 1/2"=1'-0"

ROOM NUMBER	ROOM NAME	FLOOR MATL.	BASE MATL.	WALL1 FINISH	NORTH COLOUR	WALL2 FINISH	EAST COLOUR	WALL3 FINISH	SOUTH COLOUR	WALL4 FINISH	WEST COLOUR	CEILING MATL.	CEILING FINISH	HEIGHT	REMARKS
G4-18	EXISTING CORRIDOR	EXST	EXST	PT	-	-	-	PT	-	-	-	EXIST	-	-	PAINT FULL EXTENT OF CORRIDOR
G4-19	EXISTING CORRIDOR	EXST	EXST/RFS	-	-	-	-	-	-	PT	-	EXIST	-	-	
G6-17	EXISTING CORRIDOR	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4501	ALCOVE	RFS	RFS	WP	WP	WP	WP	WP	WP	WP	WP	ACT	-	8'-0"	
G4502	ULTRASOUND	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4503	WR	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	GWB	PT	8'-0"	
G4504	STRETCHER	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4505	TEAM ROOM	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4506	STRETCHER HOLDING	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4507	CONTROL	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-0"	
G4508	CT	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-0"	
G4509	CT EQUIPMENT	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-0"	
G4510	LINEN ALCOVE	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4511	X-RAY	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-6"	
G4512	CONTROL	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-6"	
G4513	X-RAY	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-6"	
G4517	WAITING AREA	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4518	WR	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	GWB	PT	8'-0"	

3 ROOM FINISH SCHEDULE  
A802 NTS

**PHASING DRAWING GENERAL NOTES AND KEYNOTES**

- CONSTRUCTION HOARDING IS SUBJECT TO CHANGE BASED ON COORDINATION WITH SHN IPAC TEAM AND INCORPORATION OF THEIR REQUIREMENTS.
- THE DOWNTIME BETWEEN THE TURNOVER OF PHASE 1 AND THE COMMENCING OF PHASE 2 IS A WEEK.


1 A MINIMUM OF 4' CLEARANCE NEEDS TO BE MAINTAINED FOR THE DURATION OF CONSTRUCTION.

**ROOM FINISH SCHEDULE GENERAL NOTES**


- SCHEDULES TO BE READ IN CONJUNCTION WITH ALL DRAWINGS AND SPECIFICATIONS.
- PROVIDE GYPSUM BOARD BULKHEADS ON METAL FURRING WHERE SHOWN ON DRAWINGS AND AT ALL CHANGES IN CEILING HEIGHT.
- ALL BASES IN CABINET WORK TO BE FINISHED IN BASE MATERIAL USED FOR SURROUNDING FLOOR.
- FREE-STANDING COLUMNS FINISHED SAME AS REMAINDER OF ROOM.
- PAINT ALL EXPOSED MISCELLANEOUS METALS AND SERVICES (E.G. DUCTS, CONDUITS, PIPING ETC.) WHERE CEILINGS AND WALLS ARE SCHEDULED TO BE PAINTED.
- GYPSUM BOARD APPLIED TO CLAY TILE OR CONCRETE MASONRY UNITS SHALL BE INSTALLED ON METAL FURRING.
- EXISTING WALLS SHALL BE CHASED AND OPENINGS CREATED AS REQUIRED TO EXECUTE THE WORK.
- MAKE GOOD ALL MATERIALS AND FINISHES WHERE DISTURBED AND WHERE ALTERATIONS OCCUR. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL EXTENT OF WORK REQUIRED. NOTE THAT MAKING GOOD INCLUDES WORK ASSOCIATED WITH THE INSTALLATION OF SERVICES SHOWN ON DRAWINGS.
- REFER TO SECTION 09 65 00 RESILIENT FLOORING; PREPARE SMOOTH SURFACE VOID OF ANY IRREGULARITIES PRIOR TO THE INSTALLATION OF RESILIENT FLOORING.
- WHERE GWB WALLS RECEIVE EPT FINISH, PROVIDE ABUSE RESISTANT GWB (IN LIEU OF REGULAR GWB)
- ALL BASES TO BE 150mm HIGH.
- HYGIC WALL PANEL SYSTEM (HWPS) - SEE ROOM ELEVATIONS AND PLANS FOR LOCATIONS
- WHERE FLOORING AND BASE SHOW THE SAME MATERIAL PROVIDE AN 150mm INTEGRAL COVERED BASE.

**ABBREVIATIONS:**

RUB	RUBBER BASE
RFS	RESILIENT SHEET FLOORING
FAF	FLUID APPLIED FLOORING
GWB	GYPSUM WALL BOARD
HWPS	HYGIC WALL PANEL SYSTEM
PT	PAIN
EPT	EPOXY PAINT
ACT	ACOUSTIC TILE CEILING
BRK	BRICK



2 WALL PROTECTION SYSTEMS  
A802 SCALE: 1 1/2"=1'-0"



1 TYPICAL BASE DETAIL  
A802 SCALE: 3"=1'-0"

\\s0224-pff5301\shared\_projects\140023034\1\_cad\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
2025/05/02 2:22 PM By: E. Ardy, Noda

1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02
Revision		By	Appd.	YY.MM.DD

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06
Issued		By	Appd.	YY.MM.DD

File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD
------------	--	------	-------	-------	----------

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario

Title  
**FINISH SCHEDULE  
WALL PROTECTION  
PHASING**


Project No. 140023034 Scale

Drawing No. A802 Sheet of Revision

Consultants

Keyplan

North Arrow



Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL**  
SATELLITE IMAGING RENOVATION


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**FINISH SCHEDULE  
WALL PROTECTION  
PHASING**

Project No. 140023034 Scale

Drawing No. A802 Sheet of Revision

A802 of 0



4 PHASING DRAWING  
A802 SCALE: 1 1/2"=1'-0"


ROOM NUMBER	ROOM NAME	FLOOR MATL.	BASE MATL.	WALL1 FINISH	NORTH COLOUR	WALL2 FINISH	EAST COLOUR	WALL3 FINISH	SOUTH COLOUR	WALL4 FINISH	WEST COLOUR	CEILING MATL.	CEILING FINISH	HEIGHT	REMARKS
G4-18	EXISTING CORRIDOR	EXST	EXST	PT	-	-	-	PT	-	-	-	EXIST	-	-	PAINT FULL EXTENT OF CORRIDOR
G4-19	EXISTING CORRIDOR	EXST	EXIST/RFS	-	-	-	-	-	-	PT	-	EXIST	-	-	
G6-17	EXISTING CORRIDOR	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4501	ALCOVE	RFS	RFS	WP	WP	WP	WP	WP	WP	WP	WP	ACT	-	8'-0"	
G4502	ULTRASOUND	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4503	WR	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	GWB	PT	8'-0"	
G4504	STRETCHER	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4505	TEAM ROOM	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4506	STRETCHER HOLDING	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4507	CONTROL	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-0"	
G4508	CT	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-0"	
G4509	CT EQUIPMENT	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-0"	
G4510	LINEN ALCOVE	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4511	X-RAY	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-6"	
G4512	CONTROL	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-6"	
G4513	X-RAY	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	9'-6"	
G4517	WAITING AREA	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	ACT	-	8'-0"	
G4518	WR	RFS	RFS	PT	PT	PT	PT	PT	PT	PT	PT	GWB	PT	8'-0"	

3 ROOM FINISH SCHEDULE  
A802 NTS


- ROOM FINISH SCHEDULE GENERAL NOTES**
- SCHEDULES TO BE READ IN CONJUNCTION WITH ALL DRAWINGS AND SPECIFICATIONS.
  - PROVIDE GYPSUM BOARD BULKHEADS ON METAL FURRING WHERE SHOWN ON DRAWINGS AND AT ALL CHANGES IN CEILING HEIGHT.
  - ALL BASES IN CABINET WORK TO BE FINISHED IN BASE MATERIAL USED FOR SURROUNDING FLOOR.
  - FREE-STANDING COLUMNS FINISHED SAME AS REMAINDER OF ROOM.
  - PAINT ALL EXPOSED MISCELLANEOUS METALS AND SERVICES (E.G. DUCTS, CONDUITS, PIPING ETC.) WHERE CEILINGS AND WALLS ARE SCHEDULED TO BE PAINTED.
  - GYPSUM BOARD APPLIED TO CLAY TILE OR CONCRETE MASONRY UNITS SHALL BE INSTALLED ON METAL FURRING.
  - EXISTING WALLS SHALL BE CHASED AND OPENINGS CREATED AS REQUIRED TO EXECUTE THE WORK.
  - MAKE GOOD ALL MATERIALS AND FINISHES WHERE DISTURBED AND WHERE ALTERATIONS OCCUR. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL EXTENT OF WORK REQUIRED. NOTE THAT MAKING GOOD INCLUDES WORK ASSOCIATED WITH THE INSTALLATION OF SERVICES SHOWN ON DRAWINGS.
  - REFER TO SECTION 09 65 00 RESILIENT FLOORING. PREPARE SMOOTH SURFACE VOID OF ANY IRREGULARITIES PRIOR TO THE INSTALLATION OF RESILIENT FLOORING.
  - WHERE GWB WALLS RECEIVE EPT FINISH, PROVIDE ABUSE RESISTANT GWB (IN LIEU OF REGULAR GWB)
  - ALL BASES TO BE 150mm HIGH.
  - HYGIENIC WALL PANEL SYSTEM (HWPS) - SEE ROOM ELEVATIONS AND PLANS FOR LOCATIONS
  - WHERE FLOORING AND BASE SHOW THE SAME MATERIAL PROVIDE AN 150mm INTEGRAL COVERED BASE.

**ABBREVIATIONS:**

RUB	RUBBER BASE
RFS	RESILIENT SHEET FLOORING
FAF	FLUID APPLIED FLOORING
GWB	GYPSUM WALL BOARD
HWPS	HYGIENIC WALL PANEL SYSTEM
PT	PAINT
EPT	EPOXY PAINT
ACT	ACOUSTIC TILE CEILING
BRK	BRICK



2 WALL PROTECTION SYSTEMS  
A802 SCALE: 1 1/2"=1'-0"



1 TYPICAL BASE DETAIL  
A802 SCALE: 3"=1'-0"


\\s0224-pfs01\shared\_projects\140023034\01\_architecture\01\_con\01\_sheets\GEN- Ground Floor\Plate\_2025-02-19.dwg  
 2025/04/04 5:22 PM By: Moeller, Brian

Copyright Reserved  
The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.  
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Consultants

Keyplan

North Arrow



2	ISSUED FOR ADDENDUM 2	NA	BDM	25.05.09
1	ISSUED FOR ADDENDUM 1	NA	BDM	25.05.02

2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07
1	ISSUED FOR COSTING	BDM	BDM	25.01.06

Issued By Appd. Y.Y.M.M.DD  
File Name: \_\_\_\_\_  
Dwn. Chkd. Dsgn. Y.Y.M.M.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL  
SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**CASEWORK / MILLWORK SECTIONS,  
ELEVATIONS, HHS AND WASHROOM  
ELEVATIONS**


Project No. Scale  
140023034

Drawing No. Sheet Revision


A901 of 0




12 GOWN STORAGE  
A901 SCALE: 1/2"=1'-0"




11 SERVICE STRIP MODULES  
A901 SCALE: NTS




10 TYPICAL HAND HYGENE STATION (HHS) AND SPLASH GUARD  
A901 SCALE: 1/2"=1'-0"




9 BARRIER FREE WASHROOM  
A901 SCALE: 1/2"=1'-0"




9 WASHROOM  
A901 SCALE: 1/2"=1'-0"




8 TYPICAL ACCESSORY MOUNTING HEIGHTS  
A901 SCALE: 1/4"=1'-0"




7 G4502 - ULTRASOUND  
A901 SCALE: 1/4"=1'-0"




6 G4507 - CONTROL  
A901 SCALE: 1/4"=1'-0"




5 G4508 - CT  
A901 SCALE: 1/4"=1'-0"




5 G4508 - CT  
A901 SCALE: 1/4"=1'-0"




4 G4505 - TEAM ROOM  
A901 SCALE: 1/4"=1'-0"




4 G4505 - TEAM ROOM  
A901 SCALE: 1/4"=1'-0"




3 G4512 - CONTROL  
A901 SCALE: 1/4"=1'-0"




2 G4513 - X-RAY  
A901 SCALE: 1/4"=1'-0"




2 G4513 - X-RAY  
A901 SCALE: 1/4"=1'-0"




A SINK UNIT  
A901 SCALE: 1/2"=1'-0"




B SINGLE DRAWER UNIT  
A901 SCALE: 1/2"=1'-0"




C SINGLE DRAWER UNIT  
A901 SCALE: 1/2"=1'-0"




D FILLER  
A901 SCALE: 1/2"=1'-0"




E PRINTER CABINET  
A901 SCALE: 1/2"=1'-0"




F WORK COUNTER & END GABLE  
A901 SCALE: 1/2"=1'-0"




K WORK COUNTER SUPPORT BRACKET  
A901 SCALE: 1/2"=1'-0"



G UPPER WITH DOORS  
A901 SCALE: 1/2"=1'-0"



H SHOE STORAGE UNIT  
A901 SCALE: 1/2"=1'-0"



I WARDROBE UNIT/PATIENT LOCKER  
A901 SCALE: 1/2"=1'-0"



J GOWN STORAGE  
A901 SCALE: 1/2"=1'-0"

1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"

\\s0224-pff5501\shared\_projects\140023034\working\_files\architectural\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
2025/05/09 2:38 PM By: E. Kirby, Neda


Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay. The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Consultants

Keyplan

North Arrow



Revision	By	Appd.	Date
1	NA	BDM	25.05.02
2	BDM	BDM	25.04.07
3	BDM	BDM	25.01.06
4	By	Appd.	YY.MM.DD

File Name: \_\_\_\_\_  
Dwn. Chkd. Dsgn. YY.MM.DD


Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL  
SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**CASEWORK / MILLWORK SECTIONS,  
ELEVATIONS, HHS AND WASHROOM  
ELEVATIONS**


Project No.	Scale
140023034	
Drawing No.	Sheet
A901	
Revision	




12 GOWN STORAGE  
A901 SCALE: 1/2"=1'-0"




11 SERVICE STRIP MODULES  
A901 SCALE: NTS




10 TYPICAL HAND HYGIENE STATION (HHS) AND SPLASH GUARD  
A901 SCALE: 1/2"=1'-0"




9 BARRIER FREE WASHROOM  
A901 SCALE: 1/2"=1'-0"




9 BARRIER FREE WASHROOM  
A901 SCALE: 1/2"=1'-0"




8 TYPICAL ACCESSORY MOUNTING HEIGHTS  
A901 SCALE: 1/4"=1'-0"




7 G4502 - ULTRASOUND  
A901 SCALE: 1/4"=1'-0"




6 G4507 - CONTROL  
A901 SCALE: 1/4"=1'-0"




6 G4507 - CONTROL  
A901 SCALE: 1/4"=1'-0"




5 G4508 - CT  
A901 SCALE: 1/4"=1'-0"




4 G4505 - TEAM ROOM  
A901 SCALE: 1/4"=1'-0"




4 G4505 - TEAM ROOM  
A901 SCALE: 1/4"=1'-0"




3 G4512 - CONTROL  
A901 SCALE: 1/4"=1'-0"




3 G4512 - CONTROL  
A901 SCALE: 1/4"=1'-0"




2 G4513 - X-RAY  
A901 SCALE: 1/4"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"



1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"




1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"



1 CASEWORK/MILLWORK SECTIONS  
A901 SCALE: 1/2"=1'-0"

\\s0224-pff5501\shared\_projects\140023034\1\_working\_files\arch\architecture\01\_cad\01\_sheets\GEN- Ground Floor Plate\_2025-02-19.dwg  
2025/05/02 2:25 PM By: E. Kirby, Neda



Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD


Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
 GENERAL HOSPITAL**  
**SATELLITE IMAGING RENOVATION**


3050 Lawrence Ave East, Scarborough, Ontario

Title  
**CASEWORK / MILLWORK SECTIONS,  
 ELEVATIONS, HHS AND WASHROOM  
 ELEVATIONS**


Project No. 140023034  
 Drawing No. A901  
 Scale Sheet of Revision




11 SERVICE STRIP MODULES  
 A901 SCALE: NTS




10 TYPICAL HAND HYGENE STATION (HHS)  
 A901 SCALE: 1/2"=1'-0"




9 BARRIER FREE WASHROOM  
 A901 SCALE: 1/2"=1'-0"




8 TYPICAL ACCESSORY MOUNTING HEIGHTS  
 A901 SCALE: 1/4"=1'-0"




7 G4502 - ULTRASOUND  
 A901 SCALE: 1/4"=1'-0"




6 G4507 - CONTROL  
 A901 SCALE: 1/4"=1'-0"




5 G4508 - CT  
 A901 SCALE: 1/4"=1'-0"




4 G4505 - TEAM ROOM  
 A901 SCALE: 1/4"=1'-0"



3 G4512 - CONTROL  
 A901 SCALE: 1/4"=1'-0"



2 G4513 - X-RAY  
 A901 SCALE: 1/4"=1'-0"



1 CASEWORK/MILLWORK SECTIONS  
 A901 SCALE: 1/2"=1'-0"

\\s0224-pfs01\shared\_projects\140023034\working\_files\04\_architecture\01\_cad\01\_labels\GEN- Ground Floor\Plate\_2025-02-19.dwg  
 2025/04/04 5:31 PM By: Moeller, Brian





Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay. The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.


Consultants

Keyplan


North Arrow




**4** WALL SECTION - WINDOW INFILL  
A902 SCALE: 1 1/2"=1'-0"




**3** PLAN DETAIL - WINDOW INFILL  
A902 SCALE: 1 1/2"=1'-0"




**2** WALL SECTION - WINDOW REPLACEMENT  
A902 SCALE: 1 1/2"=1'-0"




**1** PLAN DETAIL - WINDOW REPLACEMENT  
A902 SCALE: 1 1/2"=1'-0"




**8** INDOOR COOLING SYSTEM SUPPORT  
A902 SCALE: NTS



**7** COOLING SYSTEM FLOW HEATER CABINET SUPPORT  
A902 SCALE: NTS



**6** CEILING MOUNTED MONITOR SUPPORT  
A902 SCALE: NTS



**5** 3D CAMERA MOUNT - CT  
A902 SCALE: NTS

Revision	By	Appd.	YY.MM.DD		
2	ISSUED FOR TENDER & PERMIT	BDM	BDM	25.04.07	
1	ISSUED FOR COSTING	BDM	BDM	25.01.06	
Issued		By	Appd.	YY.MM.DD	
File Name:		Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project  
**SCARBOROUGH HEALTH NETWORK  
GENERAL HOSPITAL  
SATELLITE IMAGING RENOVATION**

3050 Lawrence Ave East, Scarborough, Ontario

Title  
**WINDOW INFILL/REPLACMENT  
DETAILS**

Project No. 140023034 Scale

Drawing No. A902 Sheet of Revision

A902 of 0

\\s024-pfs01\shared\_projects\140023034\working\_files\04\_architecture\01\_cad\01\_details\GEN- Ground Floor Plate\_2025-02-19.dwg 2025/04/04 5:38 PM By: Mosler, Brian