



FRAME CONFIGURATIONS

e Types



1 HM PROFILE

LEVEL 03 DOOR SCHEDULE																			
OPENING NUMBER	From Room: Name	To Room: Name	DOOR					FRAME		SCHEDULE	SCHEDULE FIRE RATING	SCHEDULE FRAME MATERIAL	HARDWARE GROUP	COMMENTS					
			OPENING WIDTH	OPENING HEIGHT	PANEL A TYPE	PANEL A WIDTH	PANEL B TYPE	PANEL B WIDTH	MATERIAL	GLAZING TYPE					MATERIAL & TYPE	SCHEDULE SIBELITE GLAZING TYPE			
E003	CORRIDOR	ELEVATOR	1150	2110											EXISTING ELEVATOR TO RECEIVE CARD READER				
3001	CORRIDOR	BOILED UTILITY	1118	2134	NV				HM	FPFRG	HM-00 - HS	-	45 MIN		ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER, KEYED ACCESS				
3002	CORRIDOR	OFFICE, CLINICAL CONSULTATION	914	2134	F				HM	-	HM-01 - HS	FPFRG	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER, KEYED ACCESS				
3003	CORRIDOR	LAUNDRY	1118	2134	HG				HM	-	HM-00 - HS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, CARD READER				
3003A	CORRIDOR	LAUNDRY	1118	2134	NV				HM	FPFRG	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER, KEYED ACCESS				
3004	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS				
3005	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS				
3007	CORRIDOR	WASHROOM, PATIENT STANDARD	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN					
3008	CORRIDOR	QUIET ASSESSMENT/ INTERVIEW	1118	2134	F2S				HM	-	HM-00 - RS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, CARD READER				
3009	CORRIDOR	OBS.	1118	2134	F2S				HM	-	HM-00 - RS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, CARD READER				
3010	CORRIDOR	OBS.	1118	2134	HG				HM	-	HM-02 - A	-	-	45 MIN					
3011	HOUSEKEEPING ROOM	CORRIDOR	914	2134	F				HM	-	HM-00 - HS	-	-	45 MIN	KEYED ACCESS				
3012	ACTIVITY/ RECREATION/ GROUP	CORRIDOR	1219	2134	HG				HM	-	HM-01 - HS	FPFRG	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3012A	DINING ROOM/ MULTI-USE	ACTIVITY/ RECREATION/ GROUP	1219	2134	HG				HM	-	HM-01 - A	TEMP	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3013	CARE DESK, OPEN	CHARTING	914	2134	NV				HM	FPFRG	HM-00 - HS	-	-	45 MIN	SECURITY GLAZING, CARD READER				
3016	CORRIDOR	MEDICATION ROOM	914	2134	HG				HM	-	HM-00 - NS	-	-	45 MIN	CARD READER				
3016	CORRIDOR	WASHROOM STAFF	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN	CARD READER				
3017	DINING ROOM/ MULTI-USE	CORRIDOR	1219	2134	HG				HM	-	HM-01 - HS	FPFRG	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3017A	DINING ROOM/ MULTI-USE	CONSULT	914	2134	F				HM	-	HM-01 - A	TEMP	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3017B	DINING ROOM/ MULTI-USE	CONSULT	914	2134	F				HM	-	HM-01 - A	TEMP	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3017C	DINING ROOM/ MULTI-USE	CONSULT	914	2134	F				HM	-	HM-01 - A	TEMP	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3018	CORRIDOR	FOOD SERVICE STAGING/ SERVERY/ SUPPORT	1118	2134	NV				HM	-	HM-00 - NS	-	-	45 MIN	CARD READER				
3019	CORRIDOR	BLOOD DRAW EXAM	1018	2134	NV				HM	-	HM-00 - RS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, CARD READER (KINGSWAY DOOR SYSTEM BOD)				
3020	CORRIDOR	WASHROOM, PATIENT STANDARD	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3021	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3022	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3023	CORRIDOR	TEAM WORKROOM/ REPORT/ CONF / STAFF BREAK ROOM	1118	2134	HG				HM	FPFRG	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3024	CORRIDOR	FAMILY VISIT	914	2134	F				HM	-	HM-01 - HS	FPFRG	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER, KEYED ACCESS				
3025	CORRIDOR	STORAGE, EQUIPMENT, CLIENT BELONGINGS	1118	2134	NV				HM	FPFRG	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER, KEYED ACCESS				
3101	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3102	CORRIDOR	WASHROOM, PATIENT'S PIECE	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, (KINGSWAY DOOR SYSTEM BOD)				
3103	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3104	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3105	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3106	CORRIDOR	PICU LOUNGE/ ACTIVITY	1118	2134	HG				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3106A	PICU LOUNGE/ ACTIVITY	SUPPORT ROOM	914	2134	HG				HM	TEMP	HM-00 - HS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, CARD READER				
3107	CORRIDOR	SUPPORT ROOM	914	2134	HG				HM	FPFRG	HM-01 - HS	FPFRG	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, CARD READER				
3108	CORRIDOR	WASHROOM, PATIENT STANDARD	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, (KINGSWAY DOOR SYSTEM BOD)				
3109	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3201	CORRIDOR	WASHROOM, PATIENT'S PIECE	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, (KINGSWAY DOOR SYSTEM BOD)				
3202	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3203	CORRIDOR	WASHROOM, PATIENT STANDARD	914	2134	F				HM	-	HM-00 - NS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, (KINGSWAY DOOR SYSTEM BOD)				
3204	CORRIDOR	PATIENT ROOM, SEM-PRIVATE	1118	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3205	CORRIDOR	BARiatric PATIENT ROOM, SEM-PRIVATE	1524	2134	F			1118	F	406	HM	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3205A	BARiatric PATIENT ROOM, SEM-PRIVATE	BARiatric WASHROOM, ENSUITE	1120	2134	F				HM	-	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE				
3206A	BARiatric WASHROOM, ENSUITE	BARiatric PATIENT ROOM, SEM-PRIVATE	1118	2134	F				HM	-	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE				
3209	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3210	CORRIDOR	PATIENT ROOM, PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3214	CORRIDOR	PATIENT ROOM, SEM-PRIVATE	1220	2134	V				HM	-	HM-00 - NS	-	-	45 MIN	NO STOPS ON FRAME, ANTI BARRICADE, ANTI-LIGHTURE HARDWARE, KEYED ACCESS (KINGSWAY DOOR SYSTEM BOD)				
3201	CORRIDOR	CORRIDOR	1219	2134	F				HM	-	HM-00 - HS	TEMP	-	45 MIN	CARD READERS				
3202	CORRIDOR	CORRIDOR	1219	2134	F				HM	-	HM-01 - HS	TEMP	-	45 MIN	CARD READERS				
3203	CORRIDOR	CORRIDOR	2438	2134	NV	1219	NV	1219	HM	TEMP	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, HOLD OPENS, CARD READERS				
3204	CORRIDOR	CORRIDOR	2235	2134	NV	1219	NV	1219	HM	TEMP	HM-01 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, HOLD OPENS, CARD READERS				
C201	CORRIDOR	CORRIDOR	2438	2134	NV	1219	NV	1219	HM	TEMP	HM-00 - HS	-	-	45 MIN	ANTI-LIGHTURE HARDWARE, SECURITY GLAZING, HOLD OPENS				
S201	CORRIDOR	CENTRE 'A' STAIR	914	2134	NV				HM	-	HM-00 -	-	-	90 MIN	CARD READER				
S101	CORRIDOR	WEST 'B' STAIR	1118	2134	NV				HM	-	HM-00 -	-	-	90 MIN	CARD READER				
ST01	CORRIDOR	NORTH 'C' STAIR	1067	2134	NV				HM	FPFRG	HM-00 -	-	-	90 MIN	CARD READER				