


© 2023 The Cannon Corporation. All rights reserved. No part of this document may be reproduced or utilized in any form without prior written permission of The Cannon Corporation.


10/30/2023 2:02:27 PM



- NOTES:
1. ALL DATA CABLING SHOWN ARE NEW UNLESS OTHERWISE NOTED.
 2. WIRELESS ACCESS POINTS (WAP) TO BE SUPPLIED BY CLIENT AND INSTALLED BY CONTRACTOR.
 3. FOR EACH WAP SUPPLY AND INSTALL OVERCOAT (OR EQUAL) RF TRANSPARENT COVER FOR MECHANICAL PROTECTION. RF TRANSPARENT COVER TO BE COMPATIBLE TO CISCO 9120AVE ACCESS POINT (HEIGHT OF AP WITH ANTENNAS IS 6" REFER TO THE AP SPEC FOR MORE DETAILS).
 4. OPEN & HARD & BAFFLE & MESH CEILING DATA CABLES TO RUN IN CONDUIT TO THE NEAREST ACCESSIBLE CEILING WHERE FREE AIR RUN OR JHOOKS IS ALLOWED OR TO THE NEAREST ZONE CONDUIT FILL BOX.
 5. REFER TO ARCHITECTURAL DRAWINGS FOR ALL MOUNTING HEIGHTS FOR OUTLETS/EQUIPMENT.
 6. PROVIDE SINGLE DATA OUTLET FOR SECURITY CONTROL PANEL AT 6TH FLOOR AIR SHUTT CLOSET C/W 3/4" CONDUIT. RUN DATA CABLE TO THE NEAREST LAN ROOM. COORDINATE LOCATION OF SECURITY DATA OUTLET WITH SECURITY CONTRACTOR.
 7. PROVIDE SINGLE DATA OUTLET FOR SECURITY CONTROL PANEL AT 6TH FLOOR AIR SHUTT CLOSET C/W 3/4" CONDUIT. RUN DATA CABLE TO THE NEAREST LAN ROOM. COORDINATE LOCATION OF SECURITY DATA OUTLET WITH SECURITY CONTRACTOR.

6	ISSUED FOR TENDER	12/18/2023
5	ISSUED FOR STAGE 4 SUBMISSION	11/23/2022
4	ISSUED FOR QA/QC 95% CDs	11/01/2022
3	ISSUED FOR REVIEW	10/20/2022
2	LEVEL 03 RENOVATIONS - STAGE 3 SUBMISSION	06/30/2021
1	ISSUED FOR REVIEW	06/15/2021

Rev. Description Date



Drawing Title:

IT/COMMUNICATIONS
LEVEL 3 NEW PLAN

Project No.: 210029

Checked by: AS

IT-303