


ISSUED FOR TENDER  
18 DEC 2023

Ministry of Health Project Number# 205004

3	PHASE 4 CONSTRUCTION DOCUMENTS	11/15/2022
2	QA/QC 95% CDs	11/01/2022
1	LEVEL 03 RENOVATIONS - STAGE 3 SUBMISSION	06/30/2021
Rev.	Description	Date



KEY PLAN


Drawing Title:

SECURITY DETAILS


Project No.: 210029

Checked by: JM

SC601



2 LEVEL 6 WEST AIR VENTILATION CLOSET ROOM DETAIL  
SC601 SCALE: NTS



NOTES:

1. QUANTITY, SIZE AND LOCATION OF POWER SUPPLIES, CONDUIT, CONTROLLERS, ETC SHALL BE AS SPECIFIED AND REQUIRED.
2. CONTRACTOR SHALL INCLUDE FOR ALL REQUIRED CONNECTIONS TO THE LAN AS NOMINATED ON THE DRAWINGS, NOTED IN THE SPECIFICATIONS AND AS REQUIRED TO PROVIDE A FULLY FUNCTIONAL SYSTEM.
3. ARRANGEMENT SHOWN IS TYPICAL. CONTRACTOR SHALL PROVIDE QUANTITIES OF DEVICES AS REQUIRED AND SPECIFIED.
4. COORDINATE ALL RACK, CABINET AND PANEL INSTALLATIONS WITH THE OWNER AND ARCHITECT PRIOR TO INSTALLATION.
5. ALL SECURITY PANEL AND ELECTRIC STRIKE POWER SUPPLIES SHALL BE FED FROM BUILDING UPS AND EMERGENCY POWER.

1 SECURITY PANEL CONFIGURATION DETAIL (TYPICAL)  
SC601 SCALE: NTS

6 NOT USED  
SC601 SCALE: NTS

4 NOT USED  
SC601 SCALE: NTS

7 NOT USED  
SC601 SCALE: NTS

3 NOT USED  
SC601 SCALE: NTS