





4 MILLWORK DETAIL L-5 / L-6 / L-7 (SECURE)  
1:10



3 MILLWORK DETAIL L-3 (SECURE)  
1:10




2 MILLWORK DETAIL U-2 (SECURE)  
1:10




NOTE:  
4" X 15" 10" X 14 GAUGE STEEL STRIPS  
ACCEPTABLE AS ALTERNATIVE TO WOOD.  
MUST NOTCH RETURN LEG OF STUDS  
AND WELD STRIPS TO STUDS.


- WHERE ELECTRICAL RECEPTICLES OCCUR UNDER COUNTERTOPS, PROVIDE CORD SLOTS WITH GROMMETS IN COUNTERTOP
- ALL EXPOSED SURFACES TO RECEIVE FINISH UNLESS OTHERWISE NOTED
- ALL MILLWORK IN PATIENT ZONES TO HAVE LIGATURE RESISTANT PULLS
- ALL SOLID WOOD MILLWORK/CASEWORK TO HAVE 5 COATS WATER BASED HIGH PERFORMANCE POLYURETHANE FINISH




7 PATIENT ROOM COUNTER DETAIL  
1:10




6 MILLWORK DETAIL PICU CABINET INFILL  
1:10




5 MILLWORK DETAIL F-2 (SECURE)  
1:10




10 MILLWORK DETAIL @ NURSE STATION  
1:10




9 MILLWORK DETAIL  
1:10




8 COUNTER WITH INTEGRAL SINK (SECURE)  
N.T.S.



14 MILLWORK DETAIL  
1:10



12 MILLWORK WALL DETAIL @ NURSE STATION  
1:10



11 MILLWORK DETAIL @ NURSE STATION  
1:10