

C:\Users\gambleu\Documents\IP164-25-078_A_26_ruth_gamble\JCDOQ.rvt 2026-02-10 11:47:26 AM



- GENERAL NOTES - DEMOLITION:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE MECHANICAL AND ELECTRICAL DRAWINGS.
 2. FOR ALL HAZARDOUS MATERIALS REMOVAL PROCEDURES, REFER TO GENERAL SPECIFICATION FOR HAZARDOUS MATERIALS REPORT AND SCOPE OF WORK. CONTRACTOR IS RESPONSIBLE FOR DEMOLITION OF DESIGNATED SUBSTANCES AS NOTED IN THE SCOPE OF WORK AND FOR MATERIALS NOTED IN THE HAZARDOUS MATERIALS REPORT WHERE AFFECTED BY CONSTRUCTION INCLUDING BUT NOT LIMITED TO MECHANICAL AND ELECTRICAL WORK.
 3. DUSTPROOF TEMPORARY HOARDING MUST BE IN PLACE PRIOR TO ANY REMOVALS WORK. TEMPORARY HOARDING TO BE FACED ON PUBLIC SIDE BY IMPACT RESISTANT DRYWALL, TAPED, FILLED, PAINTED TO COMPLETELY SEPARATE THE WORK AREA FROM THE PUBLIC AREA. UPON COMPLETION OF THE WORK, REMOVE HOARDING, PATCH AND MAKE GOOD ALL DISTURBED AREAS TO MATCH EXISTING. HOARDING MUST MAINTAIN ACCESS TO EXITS AND MUST NOT REDUCE THE CORRIDOR WIDTH TO LESS THAN THAT PERMITTED BY THE CBC.
 4. REMOVE AND DISPOSE OF ALL EXISTING SHELVING TRACKS INSTALLED IN OFFICES.
 5. REMOVE ALL PROJECTOR SCREENS AND BLOCKING.
 6. REMOVE ALL NAILS, SCREWS, WALL PLUGS, WALL CLIPS, STAPLES FROM EXISTING WALLS. PATCH, REPAIR AND MAKE GOOD WALL SURFACES.
 7. REMOVE AND REINSTALL ALL EXISTING WINDOW.
 8. CLEAN ALL CEILING DIFFUSERS AND GRILLES.
 9. WALL MOUNTED ITEMS SUCH AS BULLETIN BOARDS, PEGBOARDS, CHALKBOARDS AND ACCESSORIES AS NOTED ON THE DRAWINGS AND DISPOSE OF.
 10. REMOVE EXISTING WALL BASE WITHIN THE CONSTRUCTION AREA UNLESS NOTED OTHERWISE AND MAKE GOOD WALLS AS REQUIRED TO RESUME NEW BASE.
 11. REMOVE ALL EXISTING FLOOR FINISH WITHIN THE CONSTRUCTION AREA BACK TO SUBSURFACE UNLESS NOTED OTHERWISE ON FLOOR FINISH PLANS. REMOVE ALL ADHESIVE AND PATCH AND REPAIR SUBSURFACE TO RESUME NEW FLOOR FINISH TO PROVIDE SMOOTH FINISH.
 12. REFER TO GENERAL NOTES FOR ADDITIONAL DEMOLITION INFORMATION.

- LEGEND - DEMOLITION
- EXIST. 305mm x 305mm CEILING TILE ADHERED TO EXIST. GWS CEILING TO REMAIN
 - EXIST. 305mm x 305mm CEILING TILE ADHERED TO EXIST. GWS CEILING TO BE DEMOLISHED
 - EXIST. SUSPENDED ACOUSTIC CEILING TILE TO REMAIN (610mm x 610mm)
 - EXIST. SUSPENDED ACOUSTIC CEILING TILE TO BE DEMOLISHED (610mm x 610mm)
 - EXIST. SUSPENDED ACOUSTIC CEILING TILE TO BE DEMOLISHED (610mm x 1220mm)
 - GYPSUM WALL BOARD CEILING TO BE DEMOLISHED
 - DOOR TO BE DEMOLISHED
 - WALLS TO BE DEMOLISHED
 - WALL TO REMAIN
 - DEMOLITION NOTES
 - Room name 101 EXISTING ROOM NAME & NUMBER
 - ± 2382 EXISTING DIMENSION (SITE VERIFY)

No.	DESCRIPTION
A114	
1	EXISTING 305mm x 305mm CEILING TILE TO REMAIN. CLEAN EXIST. GWS CEILING & GRILLES.
2	EXISTING 305mm x 305mm CEILING TILE TO BE DEMOLISHED. CLEAN EXIST. GWS CEILING & GRILLES.
3	CAREFULLY REMOVE PARTITION BELOW. REPAIR ANY DAMAGED OR MISSING CEILING TILES AS REQUIRED.
4	REMOVE 305mm x 305mm CEILING TILE AND GWS LAYER ABOVE FOR ELEC. FINAL LOCATION TO BE DETERMINED ON SITE. PREP OPENING TO RECEIVE NEW ACCESS PANEL. REFER TO ELEC. REFER TO DEMO DETAIL ON A801.

- LEGEND - FIRE SEPARATIONS:
- 60min FIRE SEPARATION

6	ISSUED FOR ADDENDUM 3	2026-02-10
5	ISSUED FOR ADDENDUM 2	2026-02-06
4	ISSUED FOR TENDER	2026-01-21
3	ISSUED FOR F&S REVIEW	2026-01-16
2	ISSUED FOR PERMIT	2026-01-14
1	ISSUED FOR DD	2025-11-07
REV.	DESCRIPTION	DATE
KEY PLAN (NTS)		SEAL

KEY PLAN (NTS)	SEAL
----------------	------

PROJECT TITLE
UNIVERSITY OF TORONTO
Tower FOI Relocation

481 Spadina Ave
DRAWING SHEET TITLE
**LEVEL 4 DEMOLITION
RCP**

DRAWN BY: RG
REVIEWED BY: EB
UNIVERSITY PROJECT NUMBER / NORTH POINT
P164-25-078

DRAWING NUMBER
A114
REV. NUMBER
6

C:\Users\gambleu\Documents\P164-25-078_A_26_ruth_gamble\JCDOQ.rvt 2026-02-10 11:47:29 AM



- GENERAL NOTES - NEW WORK:
1. REFER TO DESIGNATED SUBSTANCES IN BUILDING MATERIALS SURVEY REPORT (BSR).
 2. MAKE GOOD ALL EXISTING WALL SURFACES DAMAGED DURING REMOVALS AND CONSTRUCTION.
 3. NEW FLOOR REFER TO FLOOR FINISH PLANS.
 4. NEW PAINT REFER TO PAINT PLANS.
 5. REMOVE AND REINSTALL ALL WINDOW SHADES/BLINDS AS SHOWN.
 6. CLEAN ALL CEILING DIFFUSERS AND GRILLES.
 7. REMOVE AND REINSTALL ALL WINDOW SHADES/BLINDS AS SHOWN.
 8. UNLESS NOTED OTHERWISE, CONTRACTOR TO PAINT NEW MECHANICAL DUCTS, PIPES, PIPE SUPPORTS, ELECTRICAL CONDUIT, MOUNTING BRACKETS, AND ACCESS DOORS WHERE EXPOSED TO VIEW.
 9. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE MECHANICAL & ELECTRICAL DRAWINGS.
 10. CONTRACTOR TO PATCH, REPAIR AND MAKE GOOD ALL AREAS DISTURBED BY THE OPERATION OF THE WORK AND DISTURBED BY THE WORK OF OTHER TRADES (MECH, ELEC & AV, ETC.). MATERIALS AND FINISHES TO MATCH EXISTING UNLESS NOTED OTHERWISE.
 11. ENSURE CONTINUITY OF FIRE SEPARATIONS.
 12. SEE GENERAL NOTES ON DRAWING A01.
 13. REFER TO DWG. A100 SERIES FOR GENERAL DEMOLITION NOTES.
 14. ADHERE TO EXISTING CEILING TILES TO GWB SUBSTRATE. ALLOW FOR 40 TILES PER FLOOR.

- LEGEND - REFLECTED CEILING PLAN
- EXIST. 305mm x 305mm CEILING TILE ADHERED TO EXIST. GWB CEILING TO REMAIN
 - NEW CEILING TYPE C1 (TO MATCH EXIST.)
 - EXIST. SUSPENDED ACOUSTIC CEILING TILE TO REMAIN (610mm x 610mm)
 - (610mm x 1220mm)
 - NEW GWB CEILING
 - EXIST. GWB CEILING
 - ACCESS PANEL
 - LIGHT FIXTURE: SEE ELEC. DWGS.
 - OCCUPANCY SENSOR: SEE ELEC. DWGS.
 - WIRELESS ACCESS POINT: SEE ELEC. DWGS.
 - SMOKE ALARM: SEE ELEC. DWGS.
 - FIRE ALARM: SEE ELEC. DWGS.
 - EXIT SIGN: SEE ELEC. DWGS.
 - SPRINKLER HEAD: SEE MECH. DWGS.
 - MECH. DIFFUSER: SEE MECH. DWGS.

CONSTRUCTION NOTES		
No.	DESCRIPTION	
A223		
1	EXISTING PAINT GWB BY CHARTERED CLEANING AND MAINTENANCE (CCM) TO BE REMOVED AND REPAIRED.	
2	REMOVE AND REINSTALL ALL WINDOW SHADES/BLINDS AS SHOWN.	
3	NEW PENETRATION THROUGH FLOOR SLABS ABOVE FOR ELEC. LOCATION TO BE DETERMINED ON SITE. REFER TO ELEC. PROVIDE FIRESTOPPING.	
4	INSTALL NEW WIREMOLD AND/OR CONDUIT TO AVOID ALL EXISTING MECH. AND ELEC. ELEMENTS. TYP.	
5	INFILL WHERE PARTITION REMOVED WITH NEW CEILING TILES, CEILING TYPE C2 CUT CEILING TO TILES TO FIT AND ADHERE TO EXISTING GWB ABOVE. ALIGN EXPOSED FAIR AND ADHERE TILES WITH ADJACENT EXISTING CEILING TILES.	
6	REMOVE AND REINSTALL EXISTING LIGHT FIXTURES AS REQUIRED TO ACCESS DUCT ABOVE FOR AIR AUDIT. REFER TO MECHANICAL.	
7	REMOVE PORTION OF EXISTING CEILING AS REQUIRED TO ACCESS DUCT ABOVE FOR AIR AUDIT. INSTALL 610mm x 610mm ACCESS PANEL IN CEILING AFTER MECH. WORK COMPLETE. REFER TO MECHANICAL.	

- LEGEND - FIRE SEPARATIONS:
- 60min FIRE SEPARATION

REVISIONS		
No.	DESCRIPTION	DATE
6	ISSUED FOR ADDENDUM 3	2026-02-10
5	ISSUED FOR ADDENDUM 2	2026-02-08
4	ISSUED FOR TENDER	2026-01-21
3	ISSUED FOR F&S REVIEW	2026-01-16
2	ISSUED FOR PERMIT	2026-01-14
1	ISSUED FOR ID	2025-11-07

KEY PLAN (NTS)	SEAL
----------------	------

PROJECT TITLE:
UNIVERSITY OF TORONTO
Tower FOI Relocation

481 Spadina Ave
DRAWING SHEET TITLE:
LEVEL 3 NEW RCP

DRAWN BY: RG
REVIEWED BY: EB
UNIVERSITY PROJECT NUMBER: NORTH POINT
P164-25-078

DRAWING NUMBER
A223
REV. NUMBER
6

C:\Users\gambleu\Documents\IP164-25-078_A_26_ruth.gamble\JCDOQ.rvt 2026-02-10 11:47:32 AM



1 LEVEL 4 - RCP
A204 1:50

- GENERAL NOTES - NEW WORK:
1. REFER TO DESIGNATED SUBSTANCES IN BUILDING MATERIALS SURVEY REPORT (BSR).
 2. MAKE GOOD ALL EXISTING WALL SURFACES DAMAGED DURING REMOVALS AND CONSTRUCTION.
 3. NEW FLOOR REFER TO FLOOR FINISH PLANS.
 4. NEW PAINT REFER TO PAINT PLANS.
 5. REMOVE AND REINSTALL ALL WINDOW SHADES/BLINDS AS SHOWN.
 6. CLEAN ALL CEILING DIFFUSERS AND GRILLES.
 7. REMOVE AND REINSTALL ALL WINDOW SHADES/BLINDS AS SHOWN.
 8. UNLESS NOTED OTHERWISE, CONTRACTOR TO PAINT NEW MECHANICAL DUCTS, PIPES, PIPE SUPPORTS, ELECTRICAL CONDUIT, MOUNTING BRACKETS, AND ACCESS DOORS WHERE EXPOSED TO VIEW.
 9. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE MECHANICAL & ELECTRICAL DRAWINGS.
 10. CONTRACTOR TO PATCH, REPAIR AND MAKE GOOD ALL AREAS DISTURBED BY THE OPERATION OF THE WORK AND DISTURBED BY THE WORK OF OTHER TRADES (MECH, ELEC & AV, ETC.). MATERIALS AND FINISHES TO MATCH EXISTING UNLESS NOTED OTHERWISE.
 11. ENSURE CONTINUITY OF FIRE SEPARATIONS.
 12. SEE GENERAL NOTES ON DRAWING A001.
 13. REFER TO DWG. A100 SERIES FOR GENERAL DEMOLITION NOTES.
 14. ADHERE SHOWN EXISTING'S FOR GENERAL DEMOLITION.

- LEGEND - REFLECTED CEILING PLAN
- EXIST. 305mm x 305mm CEILING TILE ADHERED TO EXIST. GWB CEILING TO REMAIN
 - NEW CEILING TYPE C1 (TO MATCH EXIST.)
 - EXIST. SUSPENDED ACOUSTIC CEILING TILE TO REMAIN (610mm x 610mm)
 - (610mm x 1220mm)
 - NEW GWB CEILING
 - EXIST. GWB CEILING
 - ACCESS PANEL
 - LIGHT FIXTURE. SEE ELEC. DWGS.
 - OCCUPANCY SENSOR. SEE ELEC. DWGS.
 - WIRELESS ACCESS POINT. SEE ELEC. DWGS.
 - SMOKE ALARM. SEE ELEC. DWGS.
 - FIRE ALARM. SEE ELEC. DWGS.
 - EXIT SIGN. SEE ELEC. DWGS.
 - SPRINKLER HEAD. SEE MECH. DWGS.
 - MECH. DIFFUSER. SEE MECH. DWGS.

- CONSTRUCTION NOTES
- | No. | DESCRIPTION |
|------|---|
| A204 | |
| 1 | EXISTING PAINT GWB CEILING TO BE REMOVED AND REPAIRED. CLEAN ALL CEILING DIFFUSERS & GRILLES. |
| 2 | REMOVE AND REINSTALL ALL WINDOW SHADES/BLINDS AS SHOWN. |
| 3 | PAINT EXISTING REVERSE BULKHEAD AT WINDOWS. TYPE C2 OUT CEILING TO TILES TO FIT AND ADHERE TO EXISTING GWB ABOVE. ALSO EXPOSED FACE TO EXISTING GWB ABOVE. ALSO EXPOSED FACE TO EXISTING GWB ABOVE. |
| 4 | REMOVE AND REINSTALL EXISTING LIGHT FIXTURES AS REQUIRED TO ACCESS DUCT ABOVE FOR AIR AUDIT. REFER TO MECHANICAL. |
| 5 | REMOVE PORTION OF EXISTING CEILING AS REQUIRED TO ACCESS DUCT ABOVE FOR AIR AUDIT. INSTALL 610mm x 610mm ACCESS PANEL IN CEILING AFTER MECH. WORK COMPLETE. |
| 6 | LOCATE AND INSTALL REVERSE BULKHEAD AT WINDOWS. FOR ELEC. FINAL LOCATION TO BE DETERMINED ON SITE. REFER TO ELEC. REFER TO ACCESS PANEL DETAIL ON A801. |

- LEGEND - FIRE SEPARATIONS:
- 60min FIRE SEPARATION

6	ISSUED FOR ADDENDUM 3	2026-02-10
5	ISSUED FOR ADDENDUM 2	2026-02-08
4	ISSUED FOR TENDER	2026-01-21
3	ISSUED FOR F&S REVIEW	2026-01-16
2	ISSUED FOR PERMIT	2026-01-14
1	ISSUED FOR ID	2025-11-07
REV.	DESCRIPTION	DATE

KEY PLAN (NTS)

SEAL

PROJECT TITLE
UNIVERSITY OF TORONTO
Tower FOI Relocation

481 Spadina Ave
DRAWING SHEET TITLE
LEVEL 4 NEW RCP

DRAWN BY: RG
REVIEWED BY: EB
UNIVERSITY PROJECT NUMBER: NORTH POINT

P164-25-078

DRAWING NUMBER
A224
REV. NUMBER
6

2026-02-10 11:47:35 AM C:\Users\gambleu\Documents\P164-25-078_A_26_ruth.gamble\JCDO.vrt

DOOR SCHEDULE									
DOOR				DOOR AND FRAME		REMARKS			
Level	DOOR NO.	LOCATION	Phase	Type	Transom Material	ACCESS CONTROL	PANIC EXISTING		
LEVEL 2	26-521	Star	Existing	A-Door	-	-	EXISTING	DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 2	26-520	Star	Existing	A-Door	-	-	EXISTING	DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 2	203	Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	204	Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	207	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	208	Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	209	Meeting	New Construct	A-Door	-	-	EXISTING	NEW DOOR DOOR IS A SOLID CORE WOOD DOOR. DOOR FRAME GO TO PROVIDE NEW DOOR HARDWARE. SEE HARDWARE SCHEDULE.	
LEVEL 2	211A	Luncheon	Existing	A-Door- One Sidelight	-	-	EXISTING	LOCKSHOP TO PROVIDE AND INSTALL LOCKSET, SALTO AND PERMANENT CYLINDER.	
LEVEL 2	211B	Luncheon	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	212	Kitchen	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	213	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	214	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	215	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	218	Janitor	Existing	A-Door	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP. KEYED TO THE BUILDING MASTER.	
LEVEL 2	219	Elec.	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. EXISTING DOOR HARDWARE TO REMAIN. NO REVISION.	
LEVEL 2	290	Corr. T294A	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 2	291	Corr. 291	Existing	A-Door	-	-	EXISTING	BOTH DOORS HAVE EXISTING HOLD OPENS. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 2	291A	Corr. 291	Existing	A-Door	-	-	EXISTING	BOTH DOORS HAVE EXISTING HOLD OPENS. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 2	294	Reception	Existing	A-Door	-	-	EXISTING	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	3N-521	Star	Existing	A-Door	-	-	EXISTING	DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 3	3S-520	Star	Existing	A-Door	-	-	EXISTING	DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 3	301A	Shared Office	Existing	A-Door-Transom	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	301B	Shared Office	Existing	A-Door-Transom	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	302	Men's WC	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. EXISTING DOOR HARDWARE TO REMAIN. NO REVISION.	
LEVEL 3	303	Elec.	Existing	A-Door	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP. KEYED TO THE BUILDING MASTER.	
LEVEL 3	304	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	305	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	306	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	307	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	308	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	309	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	310	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	311	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	312	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	313	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	314	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	315	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	316A	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	316	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	317	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	318	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	319	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	320	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	320A	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	321A	Multi-Use Rm	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	321B	Multi-Use Rm	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	322	Office	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	323A	Printer Room	Existing	A-Door-Transom	-	-	SALTO	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	323B	Printer Room	Existing	A-Door-Transom	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	324	Elec.	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. EXISTING DOOR HARDWARE TO REMAIN. NO REVISION.	
LEVEL 3	325	Janitor	Existing	A-Door	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP. KEYED TO THE BUILDING MASTER.	
LEVEL 3	326	Women's WC	Existing	A-Door	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	328	Lab	Existing	A-Door	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 3	352A	LOBBY	Existing	A-Door-Transom	-	-	NO LOCK	EAST LEAF HAS EXISTING HOLD OPEN. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 3	362B	LOBBY	Existing	A-Door-Transom	-	-	NO LOCK	WEST LEAF HAS EXISTING HOLD OPEN. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 3	711	Shared Office	Existing	A-Screen	-	-	N/A		
LEVEL 4	4N-521	Star	Existing	A-Door	-	-	EXISTING	EXISTING MAGLOCK. DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 4	4S-520	Star	Existing	A-Door	-	-	EXISTING	EXISTING MAGLOCK. DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 4	401	Lab	Existing	A-Door-Transom	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	401A	Shared Space	Existing	A-Door-Transom	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	402	Men's WC	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. EXISTING DOOR HARDWARE TO REMAIN. NO REVISION.	
LEVEL 4	403	Elec.	Existing	A-Door	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	404	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	406	Lab	Existing	A-Door	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	407	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	408	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	409	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	410	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	411A	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	411B	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	412	Lab	Existing	A-Door-Transom	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	413A	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	413B	Office	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	414	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	415	Office	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	416	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	417	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	418	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	419	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	420	Office	Existing	A-Door-Transom	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	421A	Shared Space	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	421B	Shared Space	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	422A	Lab	Existing	A-Door-Transom	SOLID PANEL	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	422B	Lab	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	423	Lab	Existing	A-Door	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	424	Printer Room	Existing	A-Door	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	425	Room	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	427	Office	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	428	Room	Existing	A-Door-Transom	SOLID PANEL	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	429	Women's WC	Existing	A-Door	-	-	EXISTING	EXISTING DOOR HARDWARE TO REMAIN. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	430	Janitor	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. PERMANENT CYLINDER PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 4	431	Elec.	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. EXISTING DOOR HARDWARE TO REMAIN. NO REVISION.	
LEVEL 4	492A	Lobby	Existing	A-Door-Transom	-	-	NO LOCK	EAST LEAF HAS EXISTING HOLD OPEN. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 4	492B	Lobby	Existing	A-Door-Transom	-	-	NO LOCK	WEST LEAF HAS EXISTING HOLD OPEN. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 7	7N-721	Star	Existing	A-Door	-	-	EXISTING	DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 7	7S-720	Star	Existing	A-Door	-	-	EXISTING	DO NOT PAINT DOOR OR FRAME. EXISTING DOOR HARDWARE TO REMAIN.	
LEVEL 7	701A	Dean's Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	701B	Dean's Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	702	Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	703	Office	Existing	A-Door	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	705	Office	Existing	A-Door- One Sidelight	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	706	Office	Existing	A-Door- One Sidelight	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	707	Meeting	Existing	A-Door	-	-	SALTO	LOCKSHOP TO RETROFIT EXISTING DOOR FOR SALTO AND PERMANENT CYLINDER. PROVIDED AND INSTALLED BY LOCKSHOP.	
LEVEL 7	708	Elec.	Existing	A-Door	-	-	EXISTING	KEYED TO THE BUILDING MASTER. EXISTING DOOR HARDWARE TO REMAIN. NO REVISION.	
LEVEL 7	709	Office	Existing	A-Door- One Sidelight	-	-	EXISTING	NEW LOCKSET IN EXIST. DOOR PROVIDED AND INSTALLED BY LOCKSHOP.	

- DOOR & SCREEN SCHEDULE NOTES:
- REFER TO HARDWARE SPECIFICATIONS FOR DOOR HARDWARE.
 - REFER TO FLOOR PLANS FOR CONFIGURATION OF NEW DOOR.
 - DOOR SIZES ARE TO BE FRAME REBATE SIZES LESS CLEARANCES.
 - LOCK SHOP TO PROVIDE CYLINDERS, KEYS AND SALTO.

DOOR & SCREEN SCHEDULE ABBREVIATIONS:

ALUM	ALUMINUM
ANDZ	ANODIZED
CC	CLEAR COAT
EXT	EXTERIOR
EXTST	EXISTING
GWG	GEORGIAN WIVED GLASS
H	HONEYWELL LOCK
HC	HOLLOW CORE
HDWR	HARDWARE
HM	HOLLOW METAL
HM	HOLLOW METAL INSULATED
K	KEYED LOCK
MAG LOCK	ELECTROMAGNETIC LOCK
PTD	PAINTED
S	SALTO LOCK
SC	SOLID CORE
SCVW	SOLID CORE WOOD VENEER
TGL	TEMPERED GLASS
WO	WOOD

